## Vignette 2

	_	Age: 31years				Course of pr	egnancy unev	ventful
		Gravida 1						
		Origin : Mor	occan			Term: 40 we	tion	
	BMI:23					Spontaneou		
Pre-operative bloo	d test	t : haemoglol	bin: 13.1g/dL,	platelet: 1780	6/L	_		
Heure		8:00 PM	9:00 PM	10:00 PM	11:00 PM	12:00 AM	1:00 AM	
	10						× 🔺	
Cervix	9	- *						
	8	ļ				×		12:40 am: beginning of expulsive efforts
Descent of head	7		- S					01:05 am : spontaneous vaginal delivery
	6		100 100		$\sim$			boy weighting 3640g
	5		AL		$\sim$			Active 3rd stage of labor
	4		r				L	Placenta delivered
	3	*	E pid			*	<u> </u>	
	2						<u> </u>	minimal bleeding appears and stops with uterus massage
	1	ļ					×	02:30 am : minimal bleeding persists, blood loss is estimated at 6
fetal presentation		$\bigcirc$	$\left  \bigcirc \right $	$\bigcirc$	$\bigcirc$	$\bigcirc$	$ \Upsilon $	
ruptured membranes			Rupture of membranes	clear amniotic fluid	clear amniotic fluid	clear amniotic fluid	brown amniotic fluid	
fetal heart rate (FHR)		140bpm	140bpm	140bpm	140bpm	160bpm	160bpm	
Frequency of Contrac	tions	4/10min	3-4/10min	3-4/10min	3-4/10min	4/10min	4/10min	
Constant	BP temp		12/7	11/7	11/7	11/7		
Behavior		Algic	Algic	Calm	Calm	Calm	Calm	
Ringer Lact	tate							
					Oxytocine		Bladder	

What measures would you perform within the next 15 minutes ?

Vignette 2

Despite your actions, bleeding persists in thin stream. The uterus is tonic.





What measures would you perform within the next 15 minutes ?

30 minutes later, despite your actions, bleeding is more abundant. The uterus is tonic.





What measures you propose at this stage ?