

Supplementary results 2

Article title:

Sex-specific structural and functional cardiac remodeling during healthy aging assessed by cardiovascular magnetic resonance.

Journal:

Clinical Research in Cardiology

Authors:

Leonhard Grassow^{a,b,c}, Jan Grösche^{a,b,c,d}, Hadil Saad^{a,b,e}, Leo Dyke Krüger^{a,b,c}, Johanna Kuhnt^{a,b,c}, Maximilian Müller^{a,b,c}, Thomas Hadler^{a,b,c}, Edyta Blaszczyk^{a,b,c}, Jeanette Schulz-Menger^{a,b,c,e*}

Author affiliations:

^aCharité – Universitätsmedizin Berlin, corporate member of Freie Universität Berlin and Humboldt-Universität zu Berlin, ECRC Experimental and Clinical Research Center, Lindenberger Weg 80, 13125 Berlin, Germany

^bWorking Group on Cardiovascular Magnetic Resonance, Experimental and Clinical Research Center, a joint cooperation between Charité Medical Faculty and the Max-Delbrück Center for Molecular Medicine, Berlin, Germany

^cDZHK (German Centre for Cardiovascular Research), partner site Berlin, Germany

^dDeutsches Herzzentrum der Charité – Department of Cardiology, Angiology and Intensive Care Medicine, Charitéplatz 1, 10117 Berlin, Germany

^eHELIOS Hospital Berlin-Buch, Department of Cardiology and Nephrology, Schwanebecker Chaussee 50, 13125 Berlin, Germany

***Corresponding author:**

Univ.-Prof. Dr. med. Jeanette Schulz-Menger

E-Mail: jeanette.schulz-menger@charite.de

Abbreviations:

LV-EDV: Left ventricular end-diastolic-volume

LV-EF: Left ventricular ejection fraction

LV-SV: Left ventricular stroke volume

RV-EDV: Right ventricular end-diastolic-volume

RV-EF: Right ventricular ejection fraction

RV-SV: Right ventricular stroke volume

Supplementary results 2 – Intra- and interobserver variability:

The mean deviations \pm standard deviations (SD) for intra- and interobserver variability were as follows:

Intraobserver analysis:

LV-EDV (ml): -0.48 ± 4.00 ; RV-EDV (ml): 1.18 ± 2.52 ; LVEF (%): 0.14 ± 1.75 ; RVEF (%): 0.29 ± 1.44 ; LV-SV (ml): -0.19 ± 3.26 ; RV-SV (ml): 1.18 ± 2.46 .

Interobserver analysis:

LV-EDV (ml): -1.23 ± 4.64 ; RV-EDV (ml): 1.28 ± 7.96 ; LVEF (%): -2.55 ± 3.00 ; RVEF (%): -1.46 ± 3.00 ; LV-SV (ml): -4.67 ± 4.68 ; RV-SV (ml): -1.66 ± 6.61 .