

Title: A new point-of-care test for the rapid detection of urinary tract infections.

Journal name: European Journal of Clinical Microbiology and Infectious Diseases.

Authors: Alyexandra Arienzo¹, Valentina Cellitti², Valeria Ferrante², Francesca Losito², Ottavia Stalio¹, Lorenza Murgia¹, Rossella Marino³, Flavia Cristofano³, Michela Orrù², Paolo Visca¹, Salvatore Di Somma³, Lorena Silvestri⁴, Vincenzo Ziparo⁴, Giovanni Antonini^{1,2}#

Affiliations: ¹Science Department, Università degli Studi Roma Tre, Rome, Italy; ²Interuniversity Consortium “Istituto Nazionale Biostrutture e Biosistemi” (INBB), Rome, Italy; ³Emergency Medicine, Department of Medical-Surgery Sciences and Translational Medicine, Università La Sapienza of Rome, Azienda Ospedaliera Sant’Andrea, Rome, Italy; ⁴Istituto Dermatologico dell’Immacolata, Rome, Italy

Corresponding author:

Prof. Giovanni Antonini, MD PhD, Science Department, Università degli Studi Roma Tre, Viale G. Marconi 446, 00146 Rome, Italy;

Telephone number: 0039 06 5733 6428

Email address: giovanni.antonini@uniroma3.it

Table for Reviewer perusal

Results obtained with the MBS POCT for artificially contaminated urine samples

	MBS time for color change (h)	Standard deviation	Bacterial concentration (Log CFU/ml)
<i>E. coli</i> ATCC 25992	0.64	0.27	9.59
	1.38	0.04	8.59
	3.02	0.08	7.59
	4.42	0.04	6.59
	5.83	0.08	5.59
	6.46	0.24	4.59
	7.97	0.18	3.59
	9.03	0.21	2.65
	9.84	0.02	1.50
	11.09	0.23	0.60
<i>E. faecalis</i> ATCC 29212	0.53	0.08	8.68
	1.44	0.04	7.68
	3.50	0.28	6.68
	4.10	0.00	5.68
	5.77	0.24	4.68
	7.50	0.08	3.68
	8.82	0.16	2.82
	10.59	0.13	1.74
	11.65	0.13	0.78
<i>P. aeruginosa</i> ATCC 27853	0.55	0.07	9.34
	2.27	0.08	8.60
	4.62	0.17	7.86
	5.95	0.16	7.12
	7.07	0.12	6.38
	8.55	0.26	5.64
	9.73	0.13	4.90
	10.38	0.14	4.16
	12.60	0.21	3.42
13.66	0.08	2.68	
<i>S. aureus</i> ATCC 12600	0.38	0.05	8.92
	1.58	0.00	8.18
	2.36	0.21	7.44
	3.30	0.08	6.70
	4.83	0.21	5.96
	6.81	0.08	5.22
	8.85	0.04	4.48
	10.46	0.04	3.74
	12.77	0.04	3.00
	14.50	0.52	2.33