

Supplemental Table 1. Neoadjuvant (a) and adjuvant chemotherapy (b) and radiotherapy regimens patients received. Some patients received chemotherapy in other hospital districts and, thus, information regarding the type of chemotherapy received is unknown.

Abbreviations: NAT, neoadjuvant chemotherapy; n, number of patients; GEM, gemcitabine; CAP, capecitabine; CIS, cisplatin; Nab-PTX, nanoparticle albumin-bound paclitaxel; PTX, paclitaxel; ERL, erlotinib; OXA, oxaliplatin; CAR, carboplatin; n/a, not applicable.

a

NAT category	Chemotherapy regimen	n	Cycles	Radiotherapy (n)
GEM alone	GEM	13	3	2
	GEM	2	4	1
	GEM	1	5	0
	GEM	1	8	0
	GEM	1	9	0
GEM combination	GEM + CAP	1	2	0
	GEM + CAP	3	3	0
	GEM + CAP	1	4	0
	GEM + CAP	1	5	1
	GEM + CIS	1	1	0
	GEM + CIS	16	3	1
	GEM + CIS	10	4	3
	GEM + CIS	1	5	0
	GEM + CIS	1	6	0
	GEM + CIS	1	7	0
	GEM + Nab-PTX	1	1	0
	GEM + Nab-PTX	8	2	1
	GEM + Nab-PTX	18	3	4
	GEM + Nab-PTX	3	4	0
	GEM + Nab-PTX	2	5	0
	GEM + Nab-PTX	1	7	1
	GEM + Nab-PTX	1	10	0
	GEM + PTX	3	2	1

	GEM + PTX	2	3	0
	GEM + PTX	2	4	0
	GEM + OXA	1	6	1
	GEM + CIS; GEM	1	3; 3	1
	GEM + Nab-PTX; GEM	1	2; 1	1
	GEM + Nab-PTX; GEM	1	5; 1	0
	GEM; GEM + Nab-PTX	1	1; 2	0
	GEM; GEM + Nab-PTX	1	1; 4	1
	GEM; GEM + Nab-PTX	1	2; 1	0
	GEM; GEM + CIS	1	2; 3	1
FOLFIRINOX	FOLFIRINOX	1	1	0
	FOLFIRINOX	1	2	0
	FOLFIRINOX	8	3	0
	FOLFIRINOX	10	4	0
	FOLFIRINOX	6	5	1
	FOLFIRINOX	2	6	0
	FOLFIRINOX	2	7	0
	FOLFIRINOX	2	8	0
	FOLFIRINOX	2	9	0
	FOLFIRINOX	1	10	1
	FOLFIRINOX lite	1	2	0
	FOLFIRINOX lite	1	3	0
	FOLFIRINOX lite	1	4	0
	FOLFIRINOX lite	2	5	2
	FOLFIRINOX; GEM	1	4; 3	0
	FOLFIRINOX; GEM + Nab-PTX	1	1; 3	0
	FOLFIRINOX; Nab-PTX	1	1; 4	0
Other	CAR + PTX	2	3	1
	Nab-PTX; GEM	1	1; 2	0
Unknown	Unknown	13	n/a	n/a

b

Adjuvant category	Chemotherapy regimen	n
GEM alone	GEM	40
GEM combination	GEM + CAP	23
	GEM + CIS	14
	GEM+ ERL	2
	GEM + Nab-PXT	10
	GEM + PXT	3
FOLFIRINOX	FOLFIRINOX	7
	FOLFIRINOX lite	7
	FOLFIRINOX; GEM	1
Other	OXA + CAP; ERL	1
No adjuvant treatment	n/a	34
Unknown	n/a	20