

Title: Cumulative risk of false positive test in relation to breast symptoms in mammography screening: a historical prospective cohort study

Deependra Singh^{1,2}, Janne Pitkaniemi¹, Nea Malila^{1,2}, Ahti Anttila¹

¹Finnish Cancer Registry, Helsinki, Finland

²School of Health Sciences, University of Tampere, Tampere, Finland

Correspondence to: Mr. Deependra Singh, School of Health Sciences, Medisiinarinkatu 3, FI-33014, University of Tampere, Tampere, Finland.

Tel. no.: +358-449887191; (E-mail: deependra.singh@cancer.fi or nep.singhd@gmail.com)

Supplementary table (S1):

Probability of false-positive (FP) test and true-positive in women before the visit with lump or visit with no history of lump

Screen number	FP test probability with no lump	FP test probability before visit with lump	True-positive probability with no lump	True-positive probability before visit with lump
1	0.0390	0.0630	0.0042	0.0042
2	0.0202	0.0377	0.0033	0.0030
3	0.0177	0.0300	0.0039	0.0046
4	0.0156	0.0326	0.0042	0.0046
5	0.0146	0.0285	0.0049	0.0030
6	0.0142	0.0223	0.0056	0.0063
7	0.0138	0.0379	0.0061	0.0047
8	0.0133	0.0299	0.0066	0
9	0.0164	0	0.0070	0
10	0.0220	0	0.0086	0