One-year consistent safety, utilization, and efficacy assessment of Remote Electrical Neuromodulation (REN) for migraine treatment

Authors: Andrea Synowiec¹, Alit Stark-Inbar^{2,*}, Maya Weinstein³, Alon Ironi², Alexander Mauskop⁴

Affiliations:

- ¹ Allegheny Health Network, Pittsburgh, PA, USA
- ²Theranica Bio-Electronics, Netanya, Israel
- ³The Hebrew University of Jerusalem, Jerusalem, Israel
- ⁴The New York Headache Center, New York City, NY, USA
- *Corresponding author

Emails:

Andrea.Synowiec@AHN.org alitsi@theranica.com weinmaya@gmail.com aloni@theranica.com amauskop@gmail.com

Correspondence Details:

Alit Stark-Inbar, Theranica Bio-Electronics, Netanya, Israel

ORCID iDs:

Andrea Synowiec: 0009-0006-4986-4856 Alit Stark-Inbar: 0000-0001-6434-6447 Maya Weinstein: 0000-0002-3050-6526 Alon Ironi: 0000-0002-3992-4978

Alexander Mauskop: 0000-0002-2861-5184

Prior Presentation:

The manuscript is based, in part, on work presented during the 65th Annual Scientific Meeting of the American Headache Society, June 15-18, 2023, Austin, TX.

Supplementary Material:

	Pain Relief		Pain Freedom		Functional Disability Relief		Functional Disability Freedom	
	n/N	%	n/N	%	n/N	%	n/N	%
Month 1	95/134	70.9%	54/165	32.7%	105/152	69.1%	64/152	42.1%
Month 2	93/131	71.0%	50/164	30.5%	91/150	60.7%	51/150	34.0%
Month 3	77/115	67.0%	47/145	32.4%	87/131	66.4%	43/131	32.8%
Month 4	74/115	64.3%	47/134	35.1%	88/126	69.8%	48/126	38.1%
Month 5	65/102	63.7%	40/118	33.9%	74/110	67.3%	43/110	39.1%
Month 6	68/98	69.4%	38/118	32.2%	72/110	65.5%	45/110	40.9%
Month 7	60/89	67.4%	27/101	26.7%	60/96	62.5%	34/96	35.4%
Month 8	56/76	73.7%	31/96	32.3%	58/92	63.0%	35/92	38.0%
Month 9	50/71	70.4%	21/84	25.0%	49/75	65.3%	22/75	29.3%
Month 10	41/64	64.1%	22/79	27.8%	52/73	71.2%	24/73	32.9%
Month 11	41/58	70.7%	21/70	30.0%	51/66	77.3%	28/66	42.4%
Month 12	38/52	73.1%	26/64	40.6%	39/57	68.4%	20/57	35.1%

Table S1- Month-to-month one-year efficacy. Number and percent responders for each of the four headache pain intensity and functional disability efficacy measures (Pain Relief, Pain Freedom, Functional Disability relief, Functional Disability freedom) per month.

	Photophobia		Phonophobia		Nausea/Vomiting		Disappearance of at least one associated symptom	
	n/N	%	n/N	%	n/N	%	n/N	%
Month 1	49/114	43.0%	46/98	46.9%	43/62	69.4%	90/135	66.7%
Month 2	52/116	44.8%	42/89	47.2%	51/78	65.4%	99/135	73.3%
Month 3	40/105	38.1%	45/88	51.1%	49/74	66.2%	83/121	68.6%

Month 4	35/95	36.8%	41/85	48.2%	42/62	67.7%	69/109	63.3%
Month 5	39/90	43.3%	42/80	52.5%	30/50	60.0%	67/99	67.7%
Month 6	43/87	49.4%	38/75	50.7%	30/50	60.0%	65/98	66.3%
Month 7	40/84	47.6%	35/69	50.7%	34/53	64.2%	66/90	73.3%
Month 8	32/74	43.2%	34/61	55.7%	29/44	65.9%	57/79	72.2%
Month 9	23/63	36.5%	27/56	48.2%	22/41	53.7%	43/72	59.7%
Month 10	29/66	43.9%	24/47	51.1%	20/35	57.1%	47/69	68.1%
Month 11	26/56	46.4%	19/39	48.7%	23/30	76.7%	48/63	76.2%
Month 12	21/46	45.7%	16/32	50.0%	21/29	72.4%	36/49	73.5%

Table S2- Month-to-month one-year efficacy of associated symptoms. Number and percent responders for each of the four associated symptoms efficacy measures reflecting the disappearance of the associated symptom 2 hours post-treatment (photophobia, phonophobia, nausea/vomiting, at least one of the associated symptoms) per month.