

Table S1

Gender difference in the invasive investigation of AMI patients							
	Denmark	Capital area/region*	Men	Women	Study Population	Men	Women
<i>No. of patients</i>	11 418	4000	2641	1359	500	250	250
<i>Age, median (IQR)</i>	68 (58-78)	66 (57-77)	64 (55-73)	73 (62-82)	74 (62-81)	74 (62-81)	74 (62-81)
Women, %	35.6	34.0	-	-	50.0	-	-
AMI diagnosis							
STEMI	41.8	36.0	39.6	29.2	30.2	31.2	29.2
NSTEMI	31.2	37.0	35.9	39.1	39.6	39.2	40.0
AMI unspecified	27.0	27.0	24.5	31.7	30.2	29.6	30.8
<i>Admission to center, %</i>	44.6	49.9	53.4	43.1	44.8	46.0	43.6
<i>Duration of admission (days)</i>	4 (3-6)	4 (3-6)	4 (3-6)	5 (3-6)	5 (3-6)	5 (3-6)	5 (3-7)
<i>KAG within 60 days, %</i>	78.9	81.8	85.7	74.0	73.8	76.4	71.2
<i>Death within 60 days, %</i>	8.5	7.5	6.0	10.4	10.2	10.4	10.0

Italic lines are propensity score matched variables

**The greater metropolitan area surrounding Copenhagen*