First author (last name	) Tisle	Number of granthers	Number of studie included in the revi	Search strategy available (for at least	Outabases (number)	(description)	Reviewers	Protocal (registered or published)	Reporting guideline	Risk of bias of included studies	Reviewers	Instrument	Used it as a inclusion criteria?	Overall quality assessment	Methods	Metanalysis	Model	Variance estimator	Transformation	Subgroup analysis	Meta-regression	Prediction / predictive interes	al Heterogeneity	Publication bias	Software
Abd Elkisfeez	Prevalence and burden of chronic kidney disease among the general population and high- risk groups in Africa: a systematic review	G Yes	152	one database)? Yes	Ovid MEDLIN PubMed	Sea Tiel Full	anch: two reviewers de and abstract screening; two independent reviewers ill tect elegibility: two independent reviewers ta extraction: one reviewer extracted, a second reviewer	No	PRISMA	Yes		New tool - judgement based on criteria described in Shamilyan, 2010; Juni, 2001; Whiting, 2001	No	No P	NA.	No	NA.	NA.	NA.	NA.	NA.	NA.	NA.	NA.	NA.
							dependently verified extraction																		
Abusbara	The prevalence of abopic demarktis beyond childhood: a systematic review and meta- analysis of longitudinal studies	S Yes	7	Yes	2 Embase PubMed Mrica Journa	Full Date alls Online	le and abstract screening: two independent reviewers Il text elegibility: two independent reviewers ta extraction: two independent neviewers	PROSPERO CR042016033553	PRISMA MODSE	Yes	Two independent reviewers	Newcastie-Ottawa Scale (Cohort studies)	No	No F	NA.	No	N.A.	NA .	NA.	NA.	NA.	NA .	NA .	NA .	NA
Adeloye	Estimating the prevalence, hospitalisation and mortality from type 2 diabetes melitus in Nigeria: a systematic review and meta-analysis	7 No	42	Yes	Embase Global Health Google Schol MEQUINE	Sea th Stu- Star	anch: two independent reviewers udy selection: two independent reviewers	No	MOOSE	Yes	NR	New tool-judgement based on criteria described in Stanifer, 2014; Pal, 2004; Gupatt, 2002; and Juni, 2001	Yes	No a	NA.	Yes	Random-effects	DerSimonian and Laind	NR	Yes	Yes	No	r	Funnel plot	STATA
Akbari	High prevalence of hypertension among Iranian children and adolescents: a systematic review and meta-analysis	7 Yes	17	Incomplete	Africa Journal (AUCL) Embase Global Selekt Google Schol MECUNY Google Schol Immidde Immidde Immidde Immidde ScienceStiene Scientific Info Database (Sil Scopus Web of Scien	far Seu Internation	ands: two independent reviewers	No	No	Yes	NR.	Tool from a previous systematic review of prevalence (Moosaaadeh, 2012)	Yes	No I	NA.	Yos	Random-effects	NR	MR	Yes	Yes	No	Cochran's Q p <sup>2</sup> Sensitivity analysis	No	STATA
					Scopus Web of Scien Cochrane Lib	nce brary	fa and shirtnert screaning: two independent reviewers																	Begg's test	
Akloyamen	Estimating the prevalence of hetercogous familial hypercholesteoslaemia: a systematic review and meta-analysis	7 Yes	21	Yes	Web of Scient Cochrane Lib Embase Global Healt MEDUNE PsycINFO PubMed		le and abstract screening: two independent reviewers. Il text elegibility: two independent reviewers to extraction: one reviewer estracted, a second reviewer dependently weifiled extraction.	PROSPERO CRD42016042208	MOOSE	Yes	Two independent reviewers	Effective Public Health Practice Project (EPHPP) Quality Assessment Tool for Quantitative Studies	No	No P	NA.	Yes	Random-effects	DerSimonian and Laind	Double arcsine	Yes	Yes	No	i <sup>a</sup> Secsitivity analysis	Begg's test Dol plot Egger's test Funnel plot Trim and fill	MetaXL STATA
Al-Moraissi	Do partients with malocclusion have a higher prevalence of temponomandibular disorders than controls both before and after orthographic surgery? A systematic review and mate-analysis.	3 No		Yes :	Cochrane Ce Embase PubMed	estral Ful Dar	Il text elegibility: two reviewers ta extraction: two independent reviewers	No	PRISMA	Yes	NR	New tool - criteria combined from MICOSS, STROBS and PRISMA	No	No t	NA.	Yes	Random-effects	NR	NR	No	No	No	Cochran's Q 12	No	Comprehensive Meta- Analysis
Alabdali	A systematic review of the prevalence and types of adverse events in interfacility critical care transfers by paramedics	4 Yes	7	Yes	CINANE. Embase MEDUINE Ow Web of Scien	Full Date note	If text elegibility: two independent reviewers ta extraction: two independent reviewers	No	PRISMA	Yes	NR	Unclear	No	No f	NA.	No	NA	NA	NA	NA.	NA.	NA .	NA.	NA.	NA.
Aleva	Prevalence and localization of pulmonary embolium in unexplained acute exacerbations of COPO: a systematic review and meta- analysis	6 No	7	Incomplete	Embase MEDUNE	Abi Full	de screening: one reviewer estract screening: two independent reviewers Il text elegibility: two independent reviewers da extraction: two independent reviewers	No	PRISMA	Yes	Two independent reviewers	STRONE	No	No I	NA.	Yes	Random-effects	NR	Double arcsine	No	Yes	No	Cochran's Q	No	R
АБуш	Prevalence of multidrug-resistant gram- negative bacteria among numing home residents: a systematic review and meta- analysis	3 Yes	12	Incomplete :	Cochrane Ce Register of C CIMAR. EBSCD Ovid Medline Web of Scien	intral Dinical Trials Sec Ful rev Dat	le and abstract screening; one reviewer selected, a cond reviewer independently welfled selection. If box leighbilty; one reviewer selected, a second reviewer independently welfled selection to extraction; two reviewers.	No	MOOSE	Yes	Two independent reviewers	Downs and Black (modified)	No	No i	NA.	Yes	Random-effects	NR	NR	Yes	No	No	Cochran's Q 12 Sensitivity analysis	Rosenthal's fall-safe N test	Comprehensive Meta- Analysis
Allebias	Prevalence of musculoskeletal disorders among surgeous performing minimally invasive surgery a systematic review	G NR	z	Yes 6	CINANIL Cochrane Embase FSychiNFO PubMed	Tiel Ful	de and abstract screening: two independent reviewers Il text elegibility: two independent reviewers	No	PRISMA	Yes	NR	STRONE	No	Yes	Mean STROBE score of all studies	Yes	Random-effects	Hartung-Knapp-Sidik-Jonkman	Arcsine	No	No	Yes		No	R
Almouss	The prevalence of urinary incontinence in ruillipanous adolescent and middle-aged women and the associated risk factors: a systematic review	2 No	18	Incomplete	CIMANE. Cochrane Embase PSychiNFO PubMed Web of Scien CIMANE, IEEE Cochrane Embase (Ovi Soogle Schol PubMed	CO) Tel (d) Ful for Out	le and abstract screening: two independent reviewers Il text elegibility: two independent reviewers ta extraction: two independent reviewers	No	PRISMA	Yes	NR	Loney, 1998	No	No a	MA	No	NA.	NA.	NA.	NA.	NA.	NA NA	NA .	NA	NA.
Aladeio	Prevalence of HN-seropositivity and associated impact on mortality among injured patients from low-and middle-income countries: a systematic review and meta-analysis	7 No	16	Unclear 6	CinAsic Cochrane Embase Global Health POPLING	Their th Duri	de and abstract screening; two independent reviewers ta extraction; two reviewers	No	PRISMA	Yes	NR	GRADE (modified)	No	No t	NA.	Yes	Random-effects	NR	NR.	No	No	No	On-square	No	STATA
Anderson	Prevalence and risk of meetal disorders in the perinatal period among migrant women: a systematic review and meta-analysis	4 Yes	sa	Yes	CIMANL Cochrane Ce EMBASE Maternal and MEDUNE Psychico	entral Tiel d Infant Care Dat	le and abstract screening: two independent reviewers Il sed elegibility: two independent reviewers as extractions one reviewer	PROSPERO CRD42015016262	PRISMA	Yes	Two independent reviewers	New tool adapted from Downs and Black, 1998; MacLehose, 2000; Trevillion, 2012; Wells, 2009; and CASP Checklat.	No	No	NA.	Yes	Random-effects	NR	NR	No	No	No	t* Sensitivity analysis	No	STATA
Andrews	Chronic widespread pain prevalence in the general population: a systematic review	3 No	20	Yes	AMED Cochrane CINANL MEDUNE OVID PSYCIETO	Titl ver Ab	de screening: one reviewer selected, a second reviewer rified selection. stract screening: two independent reviewers	No	No	Yes	Two independent reviewers	STROBE (modified)	No	No t	NA.	Yes	Random-effects	NR	MR	Yes	Yes	No	·	No	R
Arabsalmani	is Herpes Simplex virus (HSV) a sign of excephalisi in Iranian newborns? Prevalence of HSV infection in pregnant women in Iran: a systematic review and meta-analysis	7 NR	5	Yes	PubMed Iranmedex Magiran Ovid PubMed Science Direc Science Infor	ct Tei	de and abstract screening: two independent reviewers	No	No	Yes	NR.	STROME	No	No.	NA.	Yes	Random-effects	NR	NR.	Yes	No	No	Cochran's Q	No	Review Manager
Aslapour	Prevalence of two back gain is Various numers a systematic review and meta analysis.	d Yes	22	Incompliete 1	Outshave (Si Scope) CONVECTOR Of Some CONVECTOR	lar ex Medicus san Region sian sian Sidence and an Iranian buse ct ic Dutabase sce	is estraction two independent reviewers	No.	PRISMA	Yes	Two independent noticewers	Tael turn y produce aprimerior, moive of procedures (Mader, 2008)	Yes	No I	MA.	Yes	Randon-effects	N/I	N/I	Nes	Yes	No	Cochran's Q	Begg's test Funnel plot	STATA
Badawi	Prevalence of chronic comorbidities in chikungunya: a systematic review and meta- analysis	4 NR	11	Incomplete	Embase Class Embase Class MEDUNE Oul PubMed	aic Tel	de and abstract screening: two independent reviewers	No	No	No	NA	NA.	NA.	No I	NA.	Yes	Random-effects	NR	Raw	No	No	No	Cochran's Q	Egger's test Funnel plot	Comprehensive Meta- Analysis
Backwee	Prevalence of anomatase inhibitor-induced arthralgia in breast cancer: a systematic review and meta-analysis	4 No	21	Yes :	Cochrane PubMed Web of Scien	Tel Full toe Dat	le and abstract screening: two independent reviewers Il text elegibility: one reviewer ta extraction: one reviewer	No	PRISMA	Yes	NR	STROBE	No	No P	NA.	Yes	Random-effects	NR	NR	Yes	No	No	t <sup>a</sup> Secsitivity analysis	No	Open MetaAnalyst
Bernard	Prevalence and factors associated with depression in people living with HV in sub- sharea Africa: a systematic review and meta- analysis	3 Yes	66	fes :	African Index African Journal Mediine Psychrides Psychology & Science Colle Scopus			No	PRISMA	No	NA	150.	MA	Yes	SPACE	Yes	NR	NR	NR	No	No	No		No	MetaXL
85-Mehammed	Prescription opioid abuse in prison settings: a systematic review of prevalence, practice and treatment responses	S No	10	Yes	ASSIA CIMARE. Cochrane Lib Embase Google Schol MEDLING PsychINFO Science Direct		ile and abstract screening: two independent reviewers it text elegibility: one reviewer	No	No	Yes	NR	New tool based on the National Institute for Health and Care Excellence (NCE) guidelines manual and the Cochrane Handbook for Systematic Reviews	No	No I	100	No	NA.	NA.	MA	NA.	NA	NA	NA .	NA	MA
Bigna	Prevalence of prediabetes and diabetes melitus among adults residing in Cameroon: a systematic review and meta-analysis	4 No	12	Yes	African Index African Journ Excepts Me Ostabase PubMed	x Medicus ruls Online Ful idica Dar	de and abstract screening: two independent reviewers it out eligibility: two independent reviewers ta extraction: one reviewer selected, a second reviewer dependently writted selection	PROSPERO CRD42017070431	PRISMA	Yes	Two independent reviewers	Hoy, 2012	No	No P	NA.	Yes	Random-effects	NR	Freeman-Tukey double arcsine	. Yes	Yes	No	Cochran's Q.	Egger's test Funnel plot Trim and fill	STATA
Bigna (A)	Prevalence of chronic obstructive pulmonary disease in the global population with HIV: a systematic review and meta-analysis	4 No	20	Yes	Embase Global Index PubMed	Medicus Ful		PROSPERIO CRD42016052639 Published protocol	No	Yes	Two independent reviewers	Hoy, 2012	No	No r	NA.	Yes	Random-effects	NR	Freeman-Tukey double arcsine	Yes.	Yes	No	y <sup>a</sup> Sensitivity analysis	Egger's test Funnel plot	R
Nigna (8)	spitematic review and meta-analysis  Prevalence and etiologies of pulmonary hypertension in Africa: a systematic review and meta-analysis	4 No	25	Yes	African Index African Journ Excepts Me Database PubMed	x Medicus nais Online Titi rdica Ful Dar	ta extraction: two independent eviewers  fe and abstract screening: two independent reviewers If end elegibility: two independent reviewers ta extraction: two independent reviewers	PROSPERO CRD42036049351 Published protocol	MOOSE		Two independent reviewers	Newcastle-Ottawa Scale	No	No I	NA.	Yes	Random-effects	NR	Freeman-Tukey double arcsine	No	No	No	Cochran's Q.	Egger's test	STATA
Rijberd	A systematic review on the prevalence, etiology, and pathophysiology of intrinsic pain in dermal scar tissue	G No	22	Yes	CINANIL Cochrane cer Embase Medline PubMed	etral Tel Ful Dat	de and abstract screening: two independent reviewers. Il sed elegibility: two reviewers. Its extraction: two independent reviewers	No	No	No	NA.	NA.	NA .	No	NA.	No	NA.	NA.	NA.	NA	NA.	NA NA	NA .	NA .	N.A.
Sita	Antimabried drugs and the prevalence of necroil and manifolistics in authoritions: a systematic review and meta-analysis (persion 2)	G Yes	sı	Fee.	Web of Michigan Canadian Age Drags and Te In Health Central CINNEL Directory of Intercory EMBACE MECUNE Open Groy D PsycNNO Web of Scien World Cut dia World Cut dia	gency for echnologies Open-Access Ele outsbase non etabase	ngkkly assessment two independent reviewers	No	PRISMA	Yes	NR	88 Prevalence Citical Apparella Trail	Yes	No I	MA.	Yes	Random-effects	NR	NIG	No.	Yes	No	Cochran's Q	Funnel plot	STATA

Bourne	Magnitude, temporal trende, and projections of the global prevalence of bindens and distance and near vision impairment: a systematic provision and meta-analysis. Prevalence and distances resident provision and anticoversion smallformations in hereditary hereomorphic fallingsteads as systematic provision and meta-analysis. Indicates the standard and anticoversion and a autocomed dominant polycytic lickley dissaise provisions, risk of registery, and management. A systematic review.	8 Yes	61	Yes 3	Embase Medine Wholis	NR	No	PRISMA	No	NA.	NA.	NA.	No	MA	Yes	NR	NR	NR	No	No	No	NR.	No	NR
Briefikji	Prevalence and characteristics of brain arteriovenous malformations in hereditary hemorrhagic telangiectasia: a systematic	NR	39	Yes 4	Embase Medline Scopus Web of Science	Data extraction: one reviewer	No	PRISMA	Yes	NR.	Newcastie-Ottawa Scale (modified)	No	No	NA	Yes	Random-effects	NR.	nst.	No	No	No	Cochran's Q	No	Open MetaAnalyst
Cagnazao	review and meta-ananges intracranial aneurysms in patients with autosomal dominant polycystic kidney disease: prevalence, risk of rupture, and management. A	No	16	Yes 3	Embase Ovid MEDUNE Ovid	Elegibility assessment: two independent reviewers	No	PRISMA	Yes	Two independent reviewers	Newcastie-Ottawa Scale (modified)	No	No	NA.	No	NA.	NA .	NA.	NA	NA.	NA .	NA .	NA .	NA.
Calado	systematic review  Prevalence of Adolescent Problem Gambling: A Systematic Review of Recent Research	NR.	66	incomplete 7	Google Scholar PsycARTICLES PsycHNO PubMED Science Direct Scopus Wiley Online Library	NR	No	No	No	NA	NA.	NA.	No	NA.	No	NA.	NA	NA.	NA.	NA.	NA	NA	NA	NA
Casavechia	Systematic review and meta-analysis on Schistosoma mansoni infection prevalence, and 7 associated risk factors in Brazil	No	27	Yes 2	LILACS PubMed	Data extraction: two reviewers	No	PRISMA	Yes	NR.	MONTE	No	No	NA.	Yes	Random-effects	DerSimonian and Laind	NA	Yes	No	No	Cochran's Q	Begg's test Egger's test Funnel plot	STATA
Chaponda	Systematic neview of the prevalence of psychiatric illness and sleep disturbance as co- morbidities of HIV infection in the UK.	Yes	26	Yes 4	Cochrane Embase Ovid MECLINE in process & Other Non-indexed Citations (Ovid)	Title and abstract screening: one reviewer Full test elegibility: two reviewers Data estraction one reviewer estracted, a second reviewer werlfied estraction	No	PRISMA	No	NA	NA.	NA	No	MA	No	NA.	NA	NA.	NA	NA	NA.	NA.	NA.	NA.
Chen	Prevalence of restless legs syndrome during pregnancy: a systematic review and meta- analysis	0 Yes	27	Yes 3	Embase PubMed Web of Science	Elegibility assessment: two independent reviewers Data extraction: two independent reviewers	No	PRISMA	No	NA .	NA NA	MA	No	NA.	Yes	Random-effects	NR	NR.	Yes	No	No	y <sup>a</sup> Secsitivity analysis	Begg's test Funnel plot	STATA
Chernet	Prevalence rates of six selected infectious diseases among African migrants and refugees: 7 a systematic review and meta-analysis	No	113	Incomplete 3	Embase PubMed Web of Science	Elegibility assessment: two independent reviewers	No	PRISMA	Yes	NR	GRADE (modified)	No	No	NA.	Yes	Random-effects	NR	NR.	Yes	No	No		No	STATA
Cheungpasitporn	prevaulence or retrassa legis (synchrone ducine)  gregousnor, a sylematic review and meta- preparation of the sylematic review and meta- silemans among African migrants and refugees: 7  systematic review and meta-analysis  Decline in prevailence and risk of helicobacter pylori in kidney transplant recepilents: a  systematic review and meta-analysis  systematic review and meta-analysis  systematic review and meta-analysis	O NR	11	Yes 3	Cochrane Embase Medline	Title and abstract screening: two independent reviewers	PROSPERO CRD42036051408	PRISMA	Yes	Two independent reviewers	Tool from a previous systematic review of prevalence (Herzog, 2013)	No	No	NA.	Yes	Random-effects	DerSimonian and Laind	MR	Yes	No	No	Cochran's Q	No	MetaXL
Coelho	Microsephaly Prevalence in Infants from to Zika Viou-Infected Women: A Systematic Review 2 and Meta-Analysis Feeding and eating disorders in the DSM-5 era: a systematic review of prevalence rates in non-2 clinical male and female samples.	Yes		Incomplete 2	Cochrane SubMed	Data extraction: two independent reviewers	No	No	Yes	Two independent reviewers	CASP (cohort study)	No	No	NA.	Yes	Random-effects	NR .	Log	No	No	No	Cochran's Q	No	R
Dahlgren	Feeding and eating disorders in the DSM-5 era: a systematic review of prevalence rates in non- clinical male and female samples	Yes	19	Yes 1	PubMed	Titles screening: two reviewers Abstract screening: two reviewers Full text elegibility: two reviewers	No	PRISMA	No	NA .	NA .	NA.	No	NA.	No	NA	NA.	MA	NA.	NA.	NA .	NA.	NA	NA.
Dolvand	Prevalence of metabolic syndrome among transin population: a systematic review and meta-analysis	MR	38	Incomplete S	Google utubilar IraniDoc Iran Medex Magiran Mediba Science Direct SID (Scientific Information Database) Scopus Way of Science	Digibility assessment: two independent reviewers	No	PRISMA	No	NA	NA	MA	No	564.	Tes	Random-effects	DerSimonian and Laind	MR	Yes	You	No	Cochran's Q	Kggor's test Funnel glot	STATA
Degenhandt	Global prevalence of injecting drug use and sociodemographic characteristics and prevalence of HIV, HBV, and HCV in people who	S Yes	1147	Yes 3	Embase MEDLINE PsyciNFO	Title and abstract screening: one reviewer screened, a second reviewer werlied a sample full feet elegibility: two independent reviewers Data extractions: one reviewer extracted, a second	PROSPERO CRD42016052858 and CRD42016052853	PRISMA GATHER	Yes	NR	NR	No	No	NA.	Yes	Random-effects	NR	NR	No	No	No	NR	No	STATA
Dekel	Gabal prevalence of Injecting drug use and sociodemographic characteristics and prevalence of INI, My, and IVI in people who inject drugs a malithinge systematic review (higher things a malithinge systematic review of producers a systematic review of prevalence and risk factors.  The prevalence of fraility in heart failure: a systematic review and meta-analysis	Yes	×	Incomplete 2	Psychinfo PubMed	reviewer verified extraction	No	MOOSE	Yes	Two reviewers	Tool from a previous systematic review of prevalence (Andersen, 2012) (modifi-	fied No	No	NA.	No	NA.	NA NA	NA.	NA.	NA.	NA .	NA .	NA.	NA.
Decfeld	The prevalence of frailty in heart failure: a systematic review and meta-analysis	Yes	26	incomplete 2	CINAVE. Pubmed	Elegibility assessment: two independent reviewers Data extraction: one reviewer extracted, a second reviewer verified extraction	No	PRISMA MOOSE	No	NA .	NA .	NA.	No	NA.	Yes	Random-effects	NR	Freeman-Tukey double arcsine	Yes	Yes	No	Cochran's Q	Egger's test Funnel plot	Comprehensive Meta- Analysis STATA
Deng	Prevalence of lipohypertrophy in insulin-treated diabetes patients: a systematic review and meta-analysis	MR	26	Yes 4	Embase DubMed	Search: two independent reviewers Title and abstract screening: two independent reviewers Data extraction: two independent reviewers	PROSPERO CRD42017065540	PRISMA	Yes	NR	Newcastle-Ottzwa Scale (modified)	No	No	NA.	Yes	Random-effects	NR	NR	Yes	No	No	e Sensitivity analysis	Egger's test Funnel plot	STATA
Dennis	Prevalence of antenatal and postnatal analety: 3 systematic review and meta-analysis	Yes	102	Yes 8	CINANE Embans Google Scholar MECUNE PsychNO Research/Gate Scopus	NR	No	PRISMA	Yes	Two independent reviewers	Official Public Health Fraction Project (EPRPP) Quality Assessment Tool for Observational Studies (modified)	No	No	NA.	Yes	Random-effects	NR	MR	Yes	Yes	No	,	No	STATA
	Prevalence of hepatitis R and hepatitis C virus co-infection in India: a systematic review and 2 meta-asalysis.	No	30	incomplete S	Web of Science Cochrane Library Google Scholar Indian and International journals online Medline PubMed	Data estraction: one reviewer estracted, a second reviewer verified estraction	No	PRISMA	Yes	NR	Downs and Black (modified)	No	No	MA	Yes	Random-effects	DerSimonian and Laind	NR	Yes	No	No	Cochran's Q	Egger's test Funnel pict Harbord statistics	StatsSirect
Dillon	A systematic review describing incidence rate and prevalence of dynascular partial foot amputation; how both have changed over time and compare to transtibial amputation	Yes	zs	Yes S	AMED CIMANE Embase MEDIUME ProQuest Numing and Allied Health CIMANE Cochrane	Title and abstract screening; one reviewer Full text elegibility: two independent reviewers Data extraction: one reviewer extracted, a second reviewer verified extraction	PROSPERO CRO420150291	8 PRISMA	Yes	Two independent reviewers	Critical Review Form – Quantitative Studies (Law)	No	No	MA	No	NA.	NA	NA.	NA.	NA.	NA	NA	NA	NA.
Oing	The prevalence of polycystic overy syndrome in reproductive-aged women of different ethnicity: a systematic review and meta- analysis	No	·Q	Yes 4	Embase PubMed	Study screening and selection: three independent reviewers Data extraction: two independent reviewers	No	No	Yes	Two independent reviewers	JBI Prevalence Critical Appraisal Tool and Newcastle-Ottawwa (modified)	No	No	NA.	Yes	Random-effects	NR	NR	No	No	No	NR	No	IAGS R
Downs	analysis The prevalence of mental health disorders and symptoms in children and adolescents with cerebral palsy: a systematic review and meta-	0 Yes		Yes 2	Medline PsyciNFO	Title and abstract screening: two independent reviewers Data extraction: four independent reviewers	No	PRISMA	Yes	NR	JBI Prevalence Critical Appraisal Tool	No	No	NA.	Yes	Random-effects	NR	NR	No	No	No		No	STATA
Dyse	Pervalence and characteristics of overweight and cheely in indigenous Australian children: a 6 systematic review	Yes	22	Yes 2	Cochrane Carabase of Abstracts of Reviews of Effects EMBASC Johanna Briggs institute library MECRINE Scopus HING Economic Valuation Database	Take and abstract connecting; one neviewer (second reviewer connected only a sample) independent enviewers. Date entraction con reviewer extracted, a second reviewer worlded extraction.	PROSFERO ORD42014007626	No	Yes	Two independent reviewers	Sil Prevalence Critical Appraisal Tool (modified)	No	No	SSA.	No	N.A.	NA.	NA.	NA.	NA.	NA	NA	NA.	NA.
Edwards	Prevalence of low back pain in emergency settings: a systematic review and meta-analysis	Yes	19	Yes 2		Title and abstract screening: two independent reviewers. Full text elegibility: two independent reviewers. Data extraction: two independent reviewers.	No	No	Yes	Two independent ceviewers	Noy, 2012 (modified)	No	Yes	GRADE (adaptation) Domains: study limitations (overall risk of bias of the widence identified), imprecisio (study sample sizes), indirectine (generalizability of included studies) and inconsistency (unexplained heterogeneity)	n Yes	Random-effects	Hartung-Knapp-Sidik-konkman	Double arcsine	Yes	Yes	No	Cochran's Q p <sup>2</sup> Sensitivity analysis	No	STATA
Ejike	Prevalence of hypertension in Nigerian children and adolescents: a systematic review and trend 1 analysis of data from the past four decades	NR.	21	Incomplete 4	ADDL Google Scholar Medline/PubMed Scopus	NR.	No	No	No	NA	NA .	NA	No	NA.	Yes	NR	NR	NR.	Yes	No	No	NR	No	NR
Charasi	Prevalence of and factors associated with burnout among health care professionals in 4 Arab countries: a systematic review	No	19	Yes G	Scopus Informit MEDLINE ProQuent FrychiNFO PubMed Science Cirect	Title and abstract screening: two independent reviewers	No	PRISMA	Yes	Three independent reviewers	STROBE (modified)	No	No	MA	No	NA.	NA	NA.	NA.	NA.	NA	NA.	NA	NA.
Elshahidi	Prevalence of dementia in Egypt: a systematic review	NR	6	Yes G	EBSCChast Google Scholar Medline (Ovid) PubMed Scopus Web of Science	Title and abstract screening: two independent reviewers. Full toxt elegibility: two independent reviewers. Data extraction: two independent reviewers	PROSPERO CRD12016039695	PRISMA	Yes	Two independent reviewers	Tool from a previous systematic review of prevalence (Mata, 2015)	No	No	NA.	No	NA.	NA	NA.	NA.	NA	NA.	NA.	NA	MA
Ernaneini (A)	Prevalence of Methicilin-Resistant Staphylococcus aureus isolated from burn patients: A systematic review and meta- analysis	Yes	13	Incomplete 4	IranianDatabase	Title and abstract screening: two independent reviewers Data extraction: two independent reviewers extracted, a third reviewer verified extraction	No	PRISMA	Yes	Two independent reviewers	JBI Prevalence Critical Appraisal Tool	Yes	No	NA.	Yes	Random-effects	NR	NA	No	No	No		Begg's test Egger's test Funnel plot	Comprehensive Meta- Analysis
Emaneini (2)	Prevalence of Group B Streptococcus in Pregnant Women in Iran: A Systematic Review 4 and Meta-analysis	No	zs	Incomplete 4	Embase Iranian database Pubmed	Title and abstract screening: two independent reviewers Data extraction: two independent reviewers extracted, a third reviewer verified extraction	No	PRISMA	Yes	Two independent reviewers	381 Prevalence Critical Appraisal Tool	No	No	NA.	Yes	Random-effects	NR	NR	Yes	No	No		Begg's test Egger's test Funnel plot	Comprehensive Meta- Analysis
Epstein	Prevalence of work-related musculoskeletal disorders among surgeons and interventionalists: a systematic review and	Yes	126	Yes 4		Study selection: two independent reviewers Data extraction: two independent reviewers	No	MOOSE	Yes	Two independent ceviewers	JBI Prevalence Critical Appraisal Tool	Yes	No	NA.	Yes	Random-effects	NR	NR	Yes	No	No	je Sensitivity analysis	No	R
Escobar-Morreale	Privatence of work-related musculostaletal disorders among surgeons and professional professional professional professional meta-satisfies Privatence of Cobestly associated gonadal dysfunction in severely obese mes and women and its resolution state barrieris suggery; a systematic review and meta-analysis	Yes	29	Yes 2	Embase PubMed	Study selection: three independent reviewers	No	PRISMA MOOSE	Yes	NR	Q-index	No	No	NA.	Yes	Quality effects	NR	Double arcsine	No	No	No	Cochran's Q p <sup>2</sup> Sensitivity analysis	Doi plot Funnel plot LPK index	MetaXL
San	Pressions of abnormally invasive placeta among deliveries in markand China: A PREMA: 1 compilant systematic review and meta-analysis.	1 NR	22	incomplete à	Chinese Biological Medical Restanze detabase (CBM) Chinese Madinal Rosseledge Informaturus Groundege Informaturus Groundege Informaturus Groune VM destabase Chinese VM destabase Cochrane Rivary Essevier PubMed Science Direct	Oate extraction two independent reviewers	PROSFERO CRO42036035823	PRISMA MODSE	Yes	Two independent reviewers	CROOK (modified)	Mo	No	NA.	Yes	Random-effects	DerSimonian and Laind	Freeman-Tukey double arcsine	Yes	Yes	No	Kochran's Q	Beggiv text Egger's text Funnel plot	STATA

Fang	Prevalence of Kaposi's sarcoma-associated horgosalins among bitrawnous drug users: a systematic review and meta-analysis	S Yes	22	Yes	Chinese Biomedical Literature Database (CRA) China National Exouledge Infrastructa Sarabase (CNU) Embase Meditine (PubMed) Warfang Database Web of Science	Title screening; two independent noviewers Abstracts and full text, at least three neviewers Cata estraction; two independent reviewers	No	PRISMA No	NA .	NA	MA	Ma	NA .	Yes	Random-effects	N/R	Log	Yes	Yes	No	Cochran's Q	Egger's test Funnel plot	R.
Farahani	Prevalence and distribution of non-AIDS causes of death among HIV-infected individuals receiving antiretroviral therapy: a systematic review and meta-analysis	4 No	19	Incomplete	Embase GoogleScholar PubMed	Study screening: two revieweres	No	PRISMA No	NA .	NA NA	NA.	No	NA .	Yes	Random-effects	DerSimonian and Laind	Freeman-Tukey double arcsine	Yes	No	No	,	No	STATA
Farrag	A systematic review of childhood obesity in the Middle East and North Africa (MENA) region: Prevalence and risk factors meta-analysis	2 Yes	56	Incomplete	1 PubMed	Titles and abstract screening: two independent reviewers	No	No No	NA .	NA.	NA.	No	NA .	No	NA.	NA	SIA	NA.	NA	NA	NA.	NA	NA.
Fishbain	Chronic pain types differ in ther reported providence of post-traumatic stress disorder (PTSG) and then is consistent evidance that chronic pain is associated with PTSC an evidence-based structured systematic review	4 No	40	Incomplete	Armed Embase Mediline Misloral Library of Medicine Physician Dat Query Psychological Abstracts Science Citation Index	Titles and abstract screening: two independent reviewers Full-text elegibility one reviewer screened, a second terror worlded to conference worlded to the screening one reviewer estracted, a second reviewer worlded estraction.	No	No Yes	Two independent reviewers	Teel from a previous systematic review of prevalence (Se Ver, 1992; Neigandson, 2000) (modified) and AHCSP type of evidence guideline	Yes	Yes	AHCPR consistency of evidence guidelines	No	NA.	NA.	NA.	NA.	NA.	NA	NA.	NA.	NA
Florning	The prevalence of assiety in patients with psociasis: a systematic review of observational studies and clinical trials	6 No	15	Incomplete	Cochrane Embase PubMed	Title and abstract screening: two reviewers Full test elegibility: two independent reviewers Data estraction: one reviewer estracted, two reviewers writted estractions	No	PRISMA Yes	NR	Two tools from previous systematic reviews (Micha, 2010 and Herzog, 2013) and Cochrane Risk of Blas Tool	Yes	No	NA .	No	NA.	NA	NA.	NA.	NA.	NA	NA.	NA	NA.
Feroutan	A systematic review and meta-analysis of the prevalence of Leishmania infection in blood donors	7 Yes	20	No	Cochrane Embase Plabbled CMANE Embase 6 Science Direct Science Embase Web of Sciences Embase	Study selection: two reviewers	No	PRISMA No	NA .	NA.	NA.	No	NA .	Yes	Random-effects	DerSimonian and Laind	MR	Yes	Yes	No	Cochran's Q	Egger's test Funnel plot	STATA
Frzyman	A systematic review of the prevalence and impact of urinary incontinence in cystic fibrosis	3 Yes	12	incomplete	Web of Sciences Embase Medline	Data extraction: two independent reviewers	No	No Yes	NR	No tool	No	No	NA.	No	NA.	NA NA	NA.	NA	NA.	NA .	NA .	NA NA	NA.
French	Prevalence of neuropathic pain in knee or hip osteoartholis: a systematic review and meta- analysis	3 NR	9	Yes	Pubbled CINANE Embase GoogleScholar Psychiefo Pubbled Web of Science	Titles and abstract screening: two independent reviewers Full-text elegibility: two independent reviewers Data entraction: two independent enviewers	PROSPERO CRD42015026921	PRISMA Yes	Two independent reviewers	siil Prevalence Critical Appraisal Tool	No	No	NA.	Yes	Random-effects	NR	Freeman-Tukey double arcsine	Yes	No	No		Egger's test	STATA
Fu	The prevalence of depression in rheumatoid arthritis in Olina: a systematic review	7 Yes	25	incomplete	with of Sciences  Audition  Published  CHANGE  GENERAL  G	It Sata estraction: two independent reviewers	No	No Yes	NR	dili Prevolence Critical Appraisal Tool	No	Mo	NA.	Yes	Random-effects	NR	NR	Yes	No.	No	r <sup>2</sup> Seesidivity analysis	Funnel plot	Meta-Analyst
Fuglijaer	Prevalence and incidence of musculoskeletal extremity complaints in children and addlescents: a systematic review	3 No	22	Yes	2 Embase Medine	Titles and abstract screening: two reviewers. Full-text elegibility: two reviewers. Data extraction: two independent reviewers	No	PRISMA Yes	Two independent reviewers	QUIPS tool (modified)	No	No	MA	No	NA.	NA.	NA.	NA.	NA	NA .	NA .	NA.	NA.
Gane	Prevalence, incidence, and risk factors for shoulder and neck dystanction after neck dissection: a systematic review Prevalence and sevenity of behavioural symptoms in patients with Korsakelf syndrome and other alsolated orgalized disorders: a systematic review.	7 No	75	Yes	CINANE Cochrane Embase	Titles and abstract screening: two independent reviewers Full-text elegibility: two independent reviewers Data extraction: two independent reviewers	PROSPERO CRD42014012982	PRISMA Yes	Two independent reviewers	Crisical Review Form – Quantitative Studies (Law)	No	No	NA.	No	NA.	NA.	NA.	NA.	NA	NA	NA.	NA.	NA.
Gerridzen	Prevalence and severity of behavioural symptoms in patients with Korsakoff syndrome and other alcohol-related cognitive disorders: a	8 Yes	15	Yes	PubMed CINARL Embase 4 Psycinfo	Titles and abstract screening; two independent reviewers Full-text elegibility; two independent reviewers Data extraction: two independent reviewers	No	PRISMA Yes	Two reviewers	Boyle, 1998	No	No	NA.	No	NA.	NA.	NA.	NA.	NA.	NA .	NA .	NA NA	NA.
Ghaemmohamadi	systematic review  Prevalence of depression in cardiovascular patients in Iran: a systematic review and meta-analysis from 2000 to 2011.	g Yes	12	Yes	Embase PubMed CRAME Embase Prycista Physical CRAME CRAME CRAME CRAME CRAME SI Web of Science Isodoc Magneto PubMed Si Web of Science Isodoc Si Magneto Si Web of Science Isodoc Si Magneto	Search: two independent reviewers Data extraction: two independent reviewers	No	PRISMA Yes	Two independent reviewers	STRONE	No	No	NA.	Yes	Random-effects	DerSimonian and Laind	NR	Yes	Yes	No	i <sup>2</sup> Sensitivity analysis	Egger's test	STATA
					PubMed/Wedline Scopus SID																		
Gheshlagh	The prevalence of restless syndrome in patients undergoing hemodalysis: a systematic review and meta-analysis study	G Yes	26	Incomplete	IranNedox Magiran PreQuest Pubbled ScienceOinect Scopus SID	Titles and abstracts screening; two independent reviewers.	No	PRISMA No	NA	NA .	NA.	No	NA.	Yes	Random-effects	NR	NR	Yes	Yes	No		No	STATA
Shorbani	Prevalence of hepatitis C infection in Iranian hemodalysis patients: an updated systematic review and meta-attalysis	13 Yes	sı	No	policy Schools Improved	Search: two independent reviewers Data extraction: two independent reviewers	No	No Yes	NR.	CASP	No	No	NA.	Yes	Random-effects	DerSimonian and Laind	MR.	Yes	No	No	Cochran's Q	No	STATA
Gibraney	The prevalence of cropharyngoal dysphagia is adults preventing with temporerandibular disorders associated with fearurated arthritic a systematic review and meta-analysis a systematic review and meta-analysis	7 NR	19	Yes	Cochrane CINANI ESSCO AMED Embase 9 GoogleEcholar PubMed Science Direct Scopus Web of Science	Titles and allatract screening: two independent reviewers (three reviewers, each one screened 2/3 of references) clats extraction: three reviewers	PROSPERO CROI 201503 2528	PRISMA MODISE Ves	Two independent reviewers	Ower and Black (modified) and new tool based on Bayle, 1998 and JBI Prevalence Critical Appraisal Tool	No	No	NA .	Yes	Random-effects	NR	MR.	No	No	No	*	No	R
Gibeaney	The provisions of eral stage dysphagia is adults presenting with temporomand bulker disorders: a systematic review and meta-analysis	g MR	20	Yes	Scopus Web of Science AMED CIMANI. The Cochrane Database of Systematic Review EMMACE GoogleScholar Science Direct Scopus PubMed Web of Science	p Takes and abstract screening: two independent reviewers Full hare eligibility: two independent reviewers Calae netraction: six independent reviewers Calae netraction: six independent reviewers	PROSPERO CRD42016050846	PRISMA MODISE Ves	Two independent reviewers	Teel from a provious systematic review of providence (Gilbanos), 2017)	No	No	NA .	Yes	Random-effects Fixed effect	NR	NR	No	No	No	No	No	MedCalc
Nackett	An investigation into the prevalence of sleep disturbances in primary Sjognen's systematic review of the literature	8 Yes		Yes	Embase (Ovid) Meditise (Ovid) S PsychNFG (Ovid) PsychNFG (Ovid) Pstaned Web of Science Googlischolar Pstabled Scopus Web of Science	Titles and abstract screening: two independent reviewers Full text eligibility: two independent reviewers Data extraction: one reviewer extracted, a second reviewer writted extraction	PROSPERO CR042015024977	PRISMA Yes	Two independent reviewers	(Bil Prevalence Critical Appraisal Tool	No	No	NA .	No	MA	NA.	MA	NA.	NA.	NA .	NA.	NA .	NA.
Harirchian	Worldwide prevalence of familial multiple scienosis: a systematic review and meta- analysis	S Yes	17	Incomplete	GoogleScholar PubMed Scopus Web of Scient	Search: two independent reviewers	PROSPERO CRD42016033016	No No	NA .	NA .	NA.	No	NA.	Yes	Random-effects	NR	NR.	No	No	No	Cochran's Q	No	MedCalc
Harris	Prevalence of clinically significant liver disease within the general population, as defined by non-invasive markers of liver fibrosis: a systematic review	S Yes	19	Unclear	3 Medine Web of Science	Search: two independent reviewers Cata extraction: two independent reviewers	No	PRISMA No	NA .	NA .	NA .	No	NA.	No	NA.	NA.	NA.	NA.	NA.	NA .	NA.	NA.	NA.
Harrisson	systematic review  Neuropathic pain in low back-related leg pain patients: what is the evidence of prevalence, characteristicum and prognosis in primary care? A systematic review of the literature	S Yes	12	Yes	AMED CIMARIL Embass 7 Googleicholar MECUNE TRIP Web of Science Core	Title screening: one reviewer Abstract screening: two independent reviewers Data extraction: two independent reviewers	PROSPERO CRD42015023388	PRISMA Yes	Two independent reviewers	Hoy, 2012	No	No	NA.	No	MA	NA.	NA.	NA	NA.	NA .	NA.	NA.	NA.
Hart	The prevalence of radiographic and MRS- defined patellofemenal outcoarthribs and structural pathology; a systematic review and meta-analysis	5 NR	85	Yes	CONNEC CONNEC EMBASE (OVID) MEDINE (OVID) SCORII SPORTDISCIS	Title screening: two reviewers	PROSPERO CRD42036335649	PRISMA Yes	Two independent reviewers	Laney, 1998	No	No	NA.	Yes	Random-effects	NR	MR.	Yes	No	No	s <sup>a</sup> Sensitivity analysis	No	MedCalc
Harvey	Prevalence, cause and diagnosis of lactose intolerance in children aged 1-5 years: a systematic review of 1997-2015 literature	s NR	20	Yes	Web of Science  CAB Abstract Embase Medine	Title and abstract screening: EPFI Reviewer (1st stage) and three independent reviewers (2nd stage) Full text elegibility: two reviewers. Data extraction: two independent reviewers.	PROSPERO CR042015027202	PRISMA Yes	Three reviewers	CASP (qualitative study)	No	No	NA.	No	NA.	NA.	NA.	NA.	NA	NA .	NA .	NA	NA.
He	systematic review of 1995-2015 liberature  Prevalence of primary cardiac tumor malignancies in retrospective studies over six decades: a systematic review and meta-	10 NR	28	Incomplete	Medine  Embase PubMed Web of Science	Data estraction: two independent neviewers  Soudy selection: two independent reviewers Data estraction: two independent reviewers	No	No Yes	NR	New tool	No	No	NA.	Yes	Random-effects	NR.	MR	No	Yes	No		No	Open MetaAnalyst
Heldori	decader: a systematic review and meta- analysis analysis Prevalence of fibromyalgia in general population and patients, a systematic review and meta-analysis	3 Yes	65	Yes	Web of Science Cochesses library databanks Ebsos Google ucholar Ould PubMed Scopus Web of Sciences	Case extraction: two independent neviewers  Search: two independent neviewers  Titles and alabstast screening: two independent reviewers full text eligibility: two independent neviewers	No	No Yes	NR	STRONG	Yes	No	NA.	Yes	Random-effects	NR	MR.	Yes	Yes	No	Cochran's Q	No	STATA
Heriseanu	Grazing in adults with obesity and eating disorders: a systematic review of associated clinical features and meta-analysis of prevalence	4 No	200	Yes	CIMANE, Embase Googleicholar Mediline PhyciNFO Web of Science	Title and abstract screening: one reviwer, a second reviewer screened a sample full foot elegibility: one reviwer, a second reviewer screene a sample	No	PRESMA Yes	NR	Tool from a previous systematic review of prevalence (Ferra, 2009)	No	No	NA.	Yes	Random-effects	NR	Freeman-Tukey double arcsine	Yes	No	No	Cochran's Q. P Sensitivity analysis	No	Meta03.
Hofstraat	Current prevalence of chronic hepatitis 8 and C virus infection in the general population, blood discors and pregnant women in the EU/EEA: a systematic review	7 Yes	80	Yes	Cochrane Library Embase PubMed	Titles and abstract screening: two independent reviewers full test eligibility: more than one reviewer	No	No Yes	NR	Two new tools	No	No	NA.	No	N.A.	NA .	NA.	NA.	N.A.	NA	NA .	NA NA	NA.

Heal	Global prevalence of Helicobacter pylori infection: systematic review and meta-analysis	14 No	184	Yes	2	Embase Medine	Titles and abstract screening: two independent reviewers (three reviewers, each one screened 2/3 of references)	No	PRISMA Yes	N	R	Newcastle Cttawa Scale (modified)	Yes	No	NA.	Yes	Random-effects	NR	NR	Yes	No	No	Cochran's Q	No	R
Ни	The prevalence and progression of mild cognitive impairment among clinic and community populations: a systematic review and meta analysis	G Yes	25	Yes	2	Embase PubMed	Titles and abstracts screening; two independent reviewers Data extraction: two independent reviewers extracted and a third reviewer checked extraction	No	No No	N	Α	NA NA	MA	No	NA	Yes	Random-effects	NR	NR.	Yes	No	No	jė Sensitivity analysis	Yes (did not report the methods)	STATA
ilhan	The prevalence of neuropathic pain is high after treatment for breast cancer: a systematic review	4 Yes	15	Yes	s	CINARE Cochrane Embase Medine Web of Science	Titles and abstract screening: two independent reviewers Full text elegibility: two independent reviewers	PROSPERO CRD42015029987	PRISMA Yes	N	R	Hoy, 2012	No	No	NA.	Yes	Quality effects	NR	Double arcsine	Yes	No	No	Cochran's Q p <sup>2</sup> Sensitivity analysis	Dol plot Funnel plot LPK index	MetaXL
lidam	Prevalence of sexual symptoms in relation to menopause in women in Asia: a systematic review	3 Yes	34	Incomplete	6	Medine Web of Science CIMAN. Embase Google scholar Medine Ovid PsychNO SCOPUS	Data extraction: two independent reviewers	No	PRISMA Yes	N	R	Hoy, 2012 (modified)	No	No	NA.	No	NA	NA	NA.	NA.	NA	NA	NA.	NA .	NA.
ismail	Prevalence, management, and prognosis of bladder cancer in patients with neurogenic bladder: a systematic review	7 NR	15	incomplete		Embase	Titles and abstract screening: Two independent reviewers Data extraction: two independent reviewers	PROSPERO CR042017055802	PRISMA Yes	N	R	No tool Deford Centre for Evidence-Based Medicine	No	No	NA	No	NA.	NA .	MA	NA.	NA.	NA .	NA .	NA	NA.
lawad	The prevalence and trends of waterpipe tobacco smaking: a systematic review	6 No	129	Yes	3	Embase Medline Web of Science	Titles and abstracts screening; two independent neviewers (four neviewers, each one screened 1/4 of references). Full text elegibility: two independent reviewers (three teams). Cata extraction: two independent reviewers.	No	PRISMA Yes	N	R	Tool from a previous systematic review of prevalence of prevalence (Herzog, 2013)	No	No	NA.	No	NA	NA	NA.	NA.	NA	NA	NA.	NA .	NA.
ilmma	Prevalence of and risk factors for multidrug- resistant sub-erculosis in Iran and its neighboring countries: systematic review and meta-analysis	S Yes	19	Yes	4	BloMed Central PubMed Embase Web of Science CINANS.	Study selection: two independent reviewers	PROSPERO CRD42016038392	PRISMA Yes	T/ ne	vo independent viewers	Newcastle-Ottawa Scale	No	No	NA .	Yes	Random-effects	DerSimonian and Laind	NR.	No	No	No	ji Sensitivity analysis	Egger's test Funnel plot Trim and fill	STATA
iones	A systematic review of the worldwide prevalence of survivors of pollomyelitis reported in 31 studies	S Yes	31	Yes	5	BioMed Central PubMed Embase Web of Science CINANI MECUNE Psychology and Sebasicral Sciences Collection Scopus Web of Science	Titles and abstracts screening: two independent reviewers Full text elegibility: two independent reviewers	No	PRISMA Yes	N	R	Hays, 2012	Yes	No	NA.	No	NA.	NA.	NA.	NA.	N.A.	NA	NA.	NA	NA.
iondan (A)	Prevalence of hepatitis C virus infection among HIV+ men who have sex with men: a systematic review and meta-analysis	G Yes	42	incomplete	3	Web of Science BIOSIS EMBASE PubMed	Study screening and revisions: two reviewers	PROSPERO CRD42013006462	PRISMA Yes	N	R	Newcastle-Ottawa Scale (modified)	No	No	NA	Yes	Random-effects	NR	MR	No	No	No	Cochran's Q	No	R SPSS
iordan (B)	Past-year prevalence of prescription opioid misuse among those 11 to 30 years of age in the United States: a systematic review and meta-analysis	d Yes	19	No	4	Own MEDI INC	Abstract screening: one reviewer (2 reviewers, each one screening) that this after LODN agreement on plot screening) that extraction: one reviewer estracted (2 reviewers, each one estracted that the artifes after LODN agreement on plot screenings), a second reviewer vertied extraction.	PROSPERIO CDR42054008870	PRISMA Yes	N	R	Newcastie-Ottawa Scale (modified)	No	No	NA.	No	NA.	NA.	NA.	NA	NA.	NA	NA.	NA .	NA
Kadir	Systematic review and meta-analysis of the birth previence of contactal clefts in low- and middle-income countries	7 Yes	32	Yes	7	Africa-Wilde Information Embase IndMED Latin American and Caribbean Health Science New York Academy of Medicine Grey Literature Open Grey PubMed/Wedline	Data extraction: one reviewer estracted, a second reviewer verified estraction	No	No Yes	N	R	Ordear	Yes	No	NA.	Yes	Random-effects	NR	NE	No	No	No	Cochean's Q 12 Seesiffvilly analysis	No	STATA
Kamalakannan	incidence and prevalence of stroke in india: a systematic review	5 Yes	10	Incomplete	s	Embase IndMID Medine Ovid PubMed Embase	Title and abstract screening: two independent reviewers Full text elegibility: two independent reviewers	No	PRISMA Yes	Ti ne	vo independent viewers	STROBE	No	No	NA.	No	NA.	NA	NA.	NA	NA	NA	NA.	NA .	NA.
Karreman	The prevalence and incidence of axial and peripheral spondyloamhritis in inflammatory bowel disease: a systematic review and meta- analysis	4 No	71	Yes	s	GoogleScholar Medline Pubmed Web of Science	Title and abstract screening: one reviewer Data extraction: one reviewers	No	PRISMA Yes	Ti	wo reviewers	Na <sub>K</sub> , 2012 (modified)	No	No	NA.	Yes	Random-effects	NR	NR.	Yes	No	No	jė Sensitivity analysis	No	STATA
Kassa	Prevalence and determinants of anemia among pregnant women in Ethiopia; a systematic review and meta-analysis	4 No	20	Yes	S	African Journals Colline CINANS. Cochrane Library Google Scholar PubMed	Study assessment: two independent reviewers	No	PRISMA Yes	Ti ne	vo independent siewers	JBI Prevalence Critical Appraisal Tool	No	No	NA.	Yes	Random-effects	NR	NR	Yes	No	No	÷	No	STATA
Казе	Prevalence of hypertension in older people in Africa: a systematic review and meta-analysis	S NR	91	Yes	4		Titles and abstract screening: two independent reviewers Full text eligibility: two independent reviewers Cuta extraction: two independent reviewers	PROSPERO CRD42016034003	PRISMA Yes	T/ ne	vo independent viewers	Nov. 2012	No	No	NA .	Yes	Random-effects	NR	Freeman-Tukey double arcsine	e Yes	No	No	Cochran's Q p <sup>2</sup> Secutivity analysis	Egger's test Funnel plot	STATA
Keshavarz	The prevalence of visual disorders in Iranian students: a meta-analysis study and systematic review	S NR	28	Incomplete		tSI iranDoc iranMedex Magiran MedLib PubMed	NA.	No	No Yes	N	R	NP.	Yes	No	NA.	Yes	Random-effects	NR	NR.	No	No	No		No	R STATA
Khalihali	Prevalence of cystic echinococcosis in Iran: a systematic review and meta-analysis	7 Yes	22	incomplete	9	SID Google Scholar Iran Doc Iran Medex Magiran PubMed Science Direct Scopus Scientific Information Database Web of Science	Soudy selection: two independent reviewers	No	PRISMA No	N	Α.	NA.	MA	No	NA.	Yes	Random-effects	DerSimonian and Laind	MR	Mo	Yes	No	Cochran's Q	Egger's test Funnel plot	NR
Kincald	What is the prevalence of autism spectrum disorder and ASD traits in psychosis? A systematic review	4 Yes	2	Yes	3	PubMed Web of Science	Search: two independent reviewers Study selection: two independent reviewers	No	PRISMA Yes	7.	vo reviewers	Knet, 2004 (modified)	No	No	NA	No	NA.	NA .	NA	NA	NA.	NA .	NA .	NA.	NA.
King	Prevalence rates of childhood trauma in medical students: a systematic review	6 No	11	Incomplete	4	Medline PsychINFO Web of science	Search: two independent reviewers Study selection: two independent reviewers	No	No Yes	Ti co	vo independent viewers	Knet, 2004 (modified)	No	No	MA	No	NA.	NA.	NA.	NA	NA.	NA .	NA.	NA.	NA.
Kingston	A systematic review of the prevalence of cornorbid mental health disorders in people presenting for substance use treatment in Australia	3 Yes	18	Unclear	s	Database Web of Science PsychlikTO PubMed Web of Science Cmbase Medione PsychlikTO Web of science CSNTRAL CMMAR Cmbase Medione PsychlikTO Cochrane Cmbase Medione Medione Medione MyschikTO Cochrane Cmbase Medione Web of Science	Elter and abstract screening: one reviewer (a second reviewer screened 30% to check agreemen) full tota elegibility two independent reviewers totas exercision: one reviewer extracted, another reviewer extracted screening. Two independent reviewers extracted extraction. The control of the control of the land abstract screening; two independent reviewers full and elegibility has independent reviewers. Outs extraction two independent reviewers.	No	No No	N	A .	NA	MA	No	NA.	No	NA	NA.	NA.	NA.	NA.	NA .	NA.	NA .	NA
Klem	presenting for substance use treatment in Australia Prevalence, risk factors, and outcomes of irritable bowel syndrome after infectious ententic: a systematic review and meta- analysis	8 Yes	45	Yes	4	Cochrane Embase Medline Ovid Web of Science	Title and abstract screening: two independent reviewers. Full text elegibility: two independent reviewers. Data extraction: two independent reviewers.	PROSPERO CRD42016035317	PRISMA Yes	Ti re	vo independent viewers	Newcastle-Ottawa Scale (modified)	No	No	NA	Yes	Random-effects	DerSimonian and Laind	NR.	Yes	No	No	ja Sensitivity analysis	Egger's test Funnel plot	Comprehensive Meta- Analysis
Knapik	Prevalence and management of coracoid fracture sustained during sporting activities and time to return to sport: a systematic review	a NR	19	Yes	s	EMBASE, Web of Science, and Cochrane Database of Systematic Reviews	Search: two independent reviewers	No	PRISMA No	N	A	NA	NA.	No	NA	No	NA.	NA.	NA	NA	NA.	NA .	NA.	NA	NA.
Kojima (A)	Prevalence of frailty in end-stage renal disease: a systematic review and meta-analysis	1 NR	7	Yes	3		Title and abstract screening: one neviewer Full text elegibility: one reviewer Clata extraction: one reviewer	No	PRISMA No	N	A .	NA .	MA	No	NA	Yes	Random-effects	NR	NR	No	No	No	Chi-square p	Regg's test Egger's test	StateDirect
Kojima (S)	Prevalence of faility in Japan: a systematic review and meta-analysis	G NA	5	Yes	20	CIMANIL Embase Medine AMED CIMANIL Cochrane Embase CHASH Web CHACS Medine PsycNNO Scopus Web of Science		PROSPERO ORDHZ016036112	PRISMA Yes	N	R	Saney, 1998 (modified)	Yes	Mo	MA	Yes	Random-effects	NR	NR.	Yes	160	No	Cochran's Q	Begg's test Egger's test Funnel pict	StatuDirect
Kalahdooz	Prevalence of overweight and obesity among indigenous populations in Canada: a systematic review and meta-analysis	d Yes	57	incomplete	6	Web of Science CINANI. Cochrane Embase ISI Web of Knowledge PubMed Scopus	Title and abstract screening: two independent reviewers Full text elegibility: two independent reviewers Data extraction: two independent reviewers	No	No Yes	N	R	New tool based on Boyle, 1968	No	No	NA.	Yes	Random-effects	NR	NR	Yes	Yes	No	Cochran's Q	No	STATA
Kong	The prevalence of heterotopic ossification among patients after cervical artificial disc replacement: a systematic review and meta- analysis	G NR	38	Yes	4	Scopus Scopus Cochrane Embase PubMed Web of Science	Data extraction: two independent reviewers	No	PRISMA Yes	Ti ne	vo independent viewers	Loney, 1998	No	No	NA.	Yes	Random-effects	NR	NAT	Yes	Yes	No	Cochran's Q j <sup>2</sup> Sensitivity analysis Meta-regression Cochran's Q	Begg's test Egger's test Funnel plot	R
Kouldrat	High prevalence of erectile dysfunction in diabetes: a systematic review and meta- analysis of 145 studies	9 No	545	Yes	3	Embase PubMed Scopus	Search: two independent reviewers Data extraction: two independent reviewers extracted, a third reviewer verified extraction	No	PRISMA MOOSE Yes	7.	wo reviewers	New tool	No	No	NA.	Yes	Random-effects	NR	NR	Yes	Yes	No	Cochran's Q P Sensitivity analysis Meta-negression	Egger's test Funnel plot Trim and fill	Comprehensive Meta- Analysis
Kouls	Prevalence of primary ciliary dyskinesia in consecutive refernals of suspect cases and the transmission electron microscopy detection rate: a systematic review and meta-analysis.	G Yes	36	Incomplete	2	Google Scholar PubMed Scopus	Title and abstract screening: two independent reviewers Data extraction: two independent reviewers	No	PRISMA Yes	N	R	MOOSE (modified)	No	No	NA.	Yes	Random-effects	Hartung Knapp-Sidik-Jonkman	NR	Yes	No	No	y <sup>a</sup> Seesidvity analysis	No	STATA
Kunzmann	The prevalence of viral agents in esophageal adenocarcinoma and Rarrett's esophagus: a systematic review	10 Yes	30	Yes	3	Embase Medine PubMed	Title and abstract screening: two independent reviewers full text elegibility: two reviewers. Data estraction: one reviewer estracted, a second reviewer worlfied estraction.	No	No Yes	74	wo reviewers	New tool based on Jill Prevalence Critical Appraisal Tool and STROME-ID for epidemiological infection studies	No	No	NA.	Yes	Random-effects	Hartung-Knapp-Sidik-Jonkman	Freeman-Tukey double arcsine	e No	No	No	g <sup>a</sup> Sensitivity analysis	No	STATA
Castikainen	The prevalence of medication-related adverse events in ingadents-a systematic review and meta-analysis	6 No	24	Yes	4	Cochrane MEDLINE Scopus Web of Science	Study selection: two independent reviewers. Data extraction: one reviewer extracted, a second reviewer werified extraction	No	PRISMA Yes	70	vo reviewers	New tool	No	No	NA.	Yes	Random-effects	NR	NA	No	No	No	Cochran's Q	No	STATA
Lameljer	Prevalence of posttraumatic arthritis and the association with outcome measures following distal radius fractures in non-osteoponotic patients: a systematic review	S No	19	Yes	4	Cochrane Embase ExertNED	NR	No	No Yes	70	wo reviewers	Newcastle-Ottawa Scale (Cohort studies)	No	Yes	Oxford Centre for Evidence- Based Medicine	No	NA.	NA .	NA.	NA.	NA	NA .	NA.	NA	NA.
Can	posedent: a upstehnator review  Prevalence of alcohol use, sexual risk behavior, and HV among Russians in high-risk settings: a systematic review and rests sendjets	S Yes	58	Yes	22	PubMEd CRANIC COchrane Coderane Coder Code	Cuita extraction: two independent reviewers	No	PRISMA Yes	7.	wo neviewers	New tool based on Julius, 1996; Crisen, 1998; and Frankes, 1991.	No	No	NA.	Yes	Fandom-effects	NR	Logit	No	Yes	No	Cochran's Q	No	STATA

					I free																				
Lange (A)	Global prevalence of fetal alcohol spectrum disorder among children and youth: a systematic review and meta-analysis	G NR	24	Tes	7 Into End Into Into Into Into Into Into Into Into	NEAHL Thase function Resource formation Center EDUNE yohNFO opus eb of Science	Data extraction: one reviewer extracted, a second reviewer worked extraction	PROSPERO CRD4205633837	PRISMA YW	es p	NR	38 Prevalence Critical Appraisal Tool (modified)	No	No	MA	Yes	Random-effects	NR	Freeman-Tukey double arcsin	e No	No	No	Cochran's Q	Begg's test Egger's test Funnel plot	*
kange (8)	Prevalence of bings disting during pregnancy by country and World Health Organization regions cytometric review and divine analysis against speciments review and divine analysis	d No	SA.	Yes	Can Sub Coll Can CSA Abus Emit EMA Sub Sub Alco Alco Alco Alco Alco Alco Alco Alco	nadian Centre on bitance Abuse library ilection Database mybell Collaboration MANI. Achiane A Sociological structural structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological structural shase Sociological shase Sociological shase Sociological shase shase Sociological shase shas	that and defined investige that independent reviewers followed register, then determined reviewers. Our and solicious contraction of contraction as social reviewer designation by welfact association.	No	PRISMA W	es ,	Two independent reviewers	GetTild (modified)	No.	No	MA	Yes	Randon-effects	N/C	Preenur-Tukey double accin	No.	No	No	Cochranh Q. <sup>2</sup>	Baggy's text Higgsy's text Warrord plot	n
Lange (C)	Prevalence of externalizing disorders and audism spectrum disorders among children with fetal alcohol spectrum disorder: systematic review and meta-analysis	6 NR	20	Yes	CINA Emit ERRO 7 Mes Proyr Scrop West	MARE.  shase  sc  edline  yolNFO  opus  eb of Science	Title and abstract screening: two independent reviewers full soct elegibility: two independent reviewers Data extraction: one reviewer extracted, a second reviewer independently verified extraction	PROSPERO CR042016052041	No Ye	es r	Two independent neviewers	JBI Prevalence Critical Appraisal Tool	No	No	MA	Yes	Random-effects	DerSimonian and Laind	Freeman-Tukey double arcsin	e No	No	No	g <sup>a</sup> Secsitivity analysis	Egger's test Funnel plot	STATA
Laszowska	Prevalence of mental diseases in Austria: systematic review of the published evidence	d Yes	19	Yes	CINA Emit MEI Phys PSY Scop Soci	MANIL hase  CC  CC  CC  CC  CC  CC  CC  CC  CC	NE	No	PRISMA Ye	es P	NR	Loney, 1998	No	No	MA	No	nia.	NA .	NA.	NA	NA.	NA	NA.	NA.	NA.
Lee	HPV prevalence in the foreskins of asymptomatic healthy infants and children: systematic review and mets-analysis	4 Yes		Incomplete	2 Cod	schrane sbase	Title and abstract screening: two independent reviewers Full text elegibility: two independent reviewers Data extraction: two independent reviewers	No	PRISMA Ye		Two independent reviewers	QUIPS tool	No	No	NA.	Yes	Random-effects	DerSimonian and Laird	Freeman-Tukey double arcsin	e No	Yes	No	Cochran's Q p <sup>2</sup> Sensitivity analysis Galbraith plot	Begg's test Egger's test Funnel plot	R
Leverment	Prevalence and factors associated with disturbed sleep in patients with analylosing spendyltis and non-radiographic axial spendylcarthritis: a systematic review	4 NR	25	Incomplete	B AND CINA Emilia Mee Proy Pub Sco	AED NAME	Soudy selection: two independent reviewers Data extraction: two independent reviewers	No	PRISMA Ye	es ?	Two independent reviewers	New tool	Yes	No	NA.	No	NA.	NA.	NA.	NA.	NA	NA	Galbraith plot	NA	NA.
u	The prevalence of acro in Mainland China: a systematic review and meta-acalysis	G NG.	25	Yes	Chir Kno EMI Pub 16 VIP Tecl Wat Chir Wet	ins National oveledge Infrastructure 68/45 bMed D Database for Chinese choical Periodicals an Fang Database for insee Periodicals eb of Science	Table and abstract convexing two hidspendent reviewers. Cota extraction: two independent reviewers.	No	No Ye	es 1	Two independent reviewers	Tool from a previous systematic review of prevalence (Sep., 2005)	No	No	NA.	Yes	Random-effects	NR	NG	Tes	Yes	No	Cochran's Q	Egger's test Funnel gist	Comprehensive Meta- Analysis
tim	Providence and determinants of overweight and deality in Oliflore and addinances from regions and season formworks from input and season formworks families that black Easies - a systematic review and qualifolder insurances. The metabolically instruction for large previously, metabolic risk and effects of disapple insortenet on metabolically instruction and experimental control as PROMA complaint article. Providence of polipsical increased receiving the providence and the receivance of polipsical increased receivance of polipsical increased receivance of polipsical increased receivance and polipsical increased receivance and polipsical receivances. The providence is a political	a NR	10	Incomplete	Mic Unclear Sea eng	ichigon State sivensity Libraries' arch Plus search gine	Title and abstract screening: two independent reviewers Full test elegibility: two independent reviewers Data extraction: one reviewer	No	PRISMA Ye	es ?	Two independent reviewers	Academy of Nutrition and Dienetic's Quality Citeria Checklist for Potracy Bewarch from the Evidence Analysis Manual: Steps in the Academy Evidence Analysis Proces (10 questions + overall)	No	No	NA.	No	NA.	NA.	NA.	NA.	NA.	NA	NA.	NA	N.A.
Lin	The prevalence, metabolic risk and effects of iffestyle intervention for metabolically healthy obesity: a systematic review and meta-analysis: a PREMA-compoliant article	4 Yes	40	Incomplete	4 Emil Med Wel	chrane nbase edline eb of Science	Title and abstract screening: two neviewers full test elegibility: two reviewers. Data extraction: one reviewer extracted, a second reviewer wrified extraction.	No	PRISMA N	ю .	NA.	NA .	NA.	No	NA.	Yes	Random-effects	NR	Arcsine square roots	Yes	Yes	No	jė Sensitivity analysis	Egger's test	STATA
Lorentzen	Prevalence of polypoidal choroidal unculopathy in white patients with esudative age-related mucular degeneration: systematic teview and meta-analysis	a NR	10	Yes	4 Emb 4 Pub	sbase bMed	Full text elegibility: two independent reviewers Data extraction: two reviewers	No	PRISMA MODSE Y		NR	Agency for Healthcare Research and Quality checklist for cross-sectional studies (modified)	No	No	NA.	Yes	Random-effects	NR	Double arcsine	Yes	No	No	Cochran's Q y <sup>2</sup> Sensitivity analysis	Funnel plot	MetaXL
Lundorff	Prevalence of prolonged grief disorder in adult beneavement: a systematic review and meta- analysis	s nr	24	Yes	CING Emit Proye Pub	NASE. nbase yciNFO bMed	Search: two independent reviewers Title and abstract screening: two independent reviewers Full text elegibility: two independent reviewers	PROSPERO CRD42016038416	PRISMA MODSE Ye		NR	Noy, 2012	No	No	NA.	Yes	Random-effects	NR	NR	Yes	Yes	Yes	Cochran's Q y <sup>e</sup> Sensitivity analysis	Egger's test Funnel plot Trim and fill	Comprehensive Meta- Analysis
Mairghani	The prevalence and incidence of diabetic foot sicers among five countries in the Arab world: a systematic review	7 NR	5	Yes	CINA EBS Emb 7 Glot Pub Well	MANE. SCO sbase obal Health bMed eb of Science	Data extraction: two independent reviewers	No	PRISMA Ye	es 7	Two reviewers	Glynn, 2006	No	No	MA	No	NA.	NA.	NA.	NA.	NA.	NA	NA .	NA.	56.6.
Maroufizadeh (A)	Prevalence of diabetic retinopathy in Iran: a systematic review and meta-analysis	5 MR	21	Incomplete	7 Pub Sco Sign	who of Science  MANUAL  STANDARD  SAME  SA	Data extraction: two independent reviewers	No	PRISMA Ye	es r	Two independent reviewers	STRORE	No	No	NA.	Yes	Random-effects	NR	MR	Yes	Yes	No	Cochran's Q (* Sensitivity analysis Galbraith plot	Begg's test Egger's test Funnel plot	STATA
Maroufizadeh (B)	Prevalence of retinopathy of prematurity in tran: a systematic review and meta-analysis	6 NR	26	incomplete	Goo Iran Maj 7 Pub Scoj	ogle Scholar ernedex agiran bMed opus	Study selection: two independent reviewers	No	No Ye	es P	NR.	STROBE (modified)	No	No	NA.	Yes	Random-effects	NR	NR	Yes	Yes	No	Cochran's Q. P Sensitivity analysis Galbraith plot	Begg's test Egger's test Funnel pict Trim and fill	STATA
McWilliams	A systematic review of the prevalence of comorbid cancer and dementia and its implications for cancer-related care	G Yes	e2	Yes	S Emil	ob of Science If NANE. Thase EDUNE yolNFO	Study selection: two independent reviewers	No	PRISMA Ye		NR	Mixed Methods Appraisal Tool (MMAT)	No	No	NA.	No	NA.	NA.	NA.	NA.	NA.	NA.	NA.	NA .	NA.
Medisauskaite	Prevalence of oncologists in distress: systematic review and meta-analysis The prevalence of suberculosis among prisoners in Ethiopia: a systematic review and meta- analysis of published studies	2 NR	a	Yes	1 Wet	eb of Science	NR	PROSPERO CRO42015016325	PRISMA Ye	es P	NR	New tool	No	No	NA.	Yes	Random-effects	NR	Double arcsine	No	No	No	Cochran's Q di Geositivity analysis Cochran's Q	Funnel plot EFK index	Metalli.
Melese	The prevalence of tuberculosis among prisoners in Ethiopia: a systematic review and meta- analysis of published studies	2 No	10	Yes	2 God Med	ichrane sogle Scholar edline	Title and abstract screening: two independent reviewers. Full text elegibility: two independent reviewers	No	PRISMA Y	es ?	Two independent reviewers	New tool	Yes	No	NA.	Yes	Random-effects	DerSimonian and Laind	Double arcsine	Yes	No	No	Cochran's Q sensitivity analysis	Doi plot LFK Index	MetxXX.
Minervini	Positive surgical margins and local recurrence after simple enucleation and standard partial sephrectory for malignant renal tumons: systematic review of the literature and meta- analysis of prevalence	11 NR	22	Yes		nbase edLine eb of Science	Search: two independent reviewers Data extraction: two independent reviewers	No	PRISMA No	io P	NA .	NA	NA.	No	NA.	Yes	Random-effects Fixed effect	DerSimonian and Laind	NR	No	No	No	jė Sensitivity analysis	No	R
Maghastel	Prevalence of Influenza A Infection is the Middle-East: a systematic review and meta- analysis	11 No	71	Incomplete	S Pub S Scot	rakat Knowledge rtwork System bMed opus 5 eb of Science	Data extraction: three independent reviewers	No	PRISMA Ye	es 2	NR.	STRORE	Yes	No	MA	Yes	Random-effects	NR	Freeman-Tukey double arcsin	e Yes	Nes	No	Cochran's Q. I <sup>b</sup> Sensitivity analysis	Regg's test Egger's test	STATA
Mohammadi	Prevalence and major causes of visual impairment in transan adults: a systematic review	7 Yes		Yes	Fluid Iran Mag 7 Pub SID Scool	rakat in Eye Doc agiran bMed 5 opus eb of Science	Title and abstract screening: two independent reviewers Data extraction: two independent reviewers	No	No Ye	es r	Two independent neviewers	No tool	Yes	No	MA	Yes	Random-effects	NR	MR.	No	Yes	No	Cochran's Q P Meta-regression	Funnel plot	STATA
Mohaed	A systematic review on the prevalence of acute represented infrastion in Iran	d Yes	28	locomplete	Pub Scool Problems Scool Problems Scool Sc	who of Science relate n Sye Doc agains a Model Doc agains Abbed Doc appropria Doc appr	NS	No	No Ye	es o	nuk	CHOM	No	Na	MA	No.	NA.	NA.	NA.	NA.	NA.	NA.	NA.	NA	NA.
Mokhayeri	Metabolic syndrome provalence in the Iranian adult's general population and its trend: a systematic review and meta-analysis of observational studies	5 No	26	Yes	Cod Emit Goo Iran Iran Iran Pub Scie Sco Sco	oggle scholar schrane schrane state sogle Scholar indoc indo	Title and abstract screening: two independent reviewers. Data extraction: two independent reviewers		PRISMA YE	es 1	Two reviewers	all Prevalence Citizal Approhall Tool	Yes	No	NA.	Yes	Random-effects	NR	Freeman-Tukey double arcsin	e Yes	Yes	No	Cochran's Q g <sup>2</sup> Galbraith plot	No	STATA
Molendijk	Prevalence rates of the incubus phenomenon: a systematic review and meta-analysis	G No	13	Yes	2 Psys Pub	eb of Science nbase yciNFO bMed	Search: at least two independent reviewers Soudy selection: at least two independent reviewers Data extraction: at least two independent reviewers	No	PRISMA Y	es ?	Two independent reviewers	Newcastle-Ottawa Scale (modified)	No	No	NA.	Yes	Random-effects	NR.	Double arcsine	Yes	No	No	p Sensitivity analysis	No	STATA
																									_

	I			-			Google Scholar	1	1			ı			1	ı										
Moosszadeh	Prevalence of familial multiple sciences in trans a systematic review and meta-analysis	7 No.	: 15	in	ncomplete	a	Google Scholar Irandoc Iranmedex Magiran PubMed Scopus SID Web of Science	Search: two independent reviewers	No	No	Yes	NR	STRONE	Yes	No	NA.	Yes	Random-effects	NR	NR	No	Yes	No	Cochran's Q g <sup>2</sup> Sensitivity analysis	No	STATA
Moorazadeh (B)	Prevalence of Enterobius vernicularis among children in lear: a systematic review and meta- analysis	G Nei		in	ncomplete	7	Web of Science Google Scholar Irandoc Magiran PubMed Scipus Science Direct SID (Scientific Information Database)	Search: two independent reviewers Data extraction: two independent reviewers	No	No	Yes	NR	Tool from a previous systematic review of prevalence (Moosaazdeh, 2013)	Yes	No	NA.	Yes	Random-effects	NR	NR	Yes	Yes	No	Cochran's Q s <sup>p</sup> Sensitivity analysis	No	STATA
Morals	Contemporary migration patterns in the prevalence of Helicobacter pylori infection: a systematic review	s Ye	28	Ye	es	1	PubMed	Titles and abstracts screening; two independent reviewers (three reviewers)  Data extraction: two independent reviewers	No	No	No	NA .	NA .	NA.	No	NA.	No	NA.	NA	MA	NA.	NA.	NA .	NA .	NA .	NA
Moynan	Prevalence of head injury and associated disability in prison populations: a systematic	2 Ye	. 10	in	ncomplete		Embase Ovid MEDUNE Ovid	Study selection: one reviewer	No	No	Yes	Two independent reviewers	New tool based on criteria developed for epidemiological studies (according to Sanderson, 2007)	No	No	NA.	No	NA.	NA.	NA.	NA.	NA.	NA.	NA.	NA.	NA.
Mozhgani	Prevalence of human influenza virus in iran: evidence from a systematic review and meta-	6 N	32	10	ncomplete	4	PubMed PubMed ScienceDirect Scopus Web of Science	Title and abstract screening: two independent reviewers Full text elegibility: two independent reviewers	No	No.	Yes	NR	Nay, 2012 (modified)	No	No	MA.	Yes	Random-effects	NR	NR.	Yes	No	No	Cochran's Q	Egger's test Funnel plot	Review Manager
Monahi	analysis  The prevalence of congenital heart disease in ecosysdromic cleft lip and/or palate: a systematic review of the literature		. 12		vonmolata		Web of Science PubMed	NO	No.	DOKMA	No	NA.	NA.	NA.	No	NA.	Sin	NA.	NA.	na .	NA.	NA.	NA.		NA NA	NA.
	systematic review of the literature						African Journals Online (AIOU)																			
Musa	Trends in prevalence of multi-drug resistant tuberculosis in sub-Saharan Africa: a systematic review and meta-analysis	6 No.	. 51	re	in		African Journals Online (AIOL) BIOLINE Cochrane Embase Google Scholar HNARI Institute of Science Information (ISI) PubMed/Wedline Scopus	Search: three independent reviewers					NRF Quality Assessment Tool for Observational Cohort and Cross-Sectional Studies	Yes	No	NA.	Yes	Random-effects	DerSimonian and Laind	MR	Yes	Yes	No	Cochran's Q I <sup>p</sup> Seculdivity analysis	Regg's test Egger's test Funnel plot Trim and fill	STATA
Nascimento	binding protein 43 (TDP-43) proteinopathy in cognitively normal older adults: systematic review and meta-analysis	13 Ye	, ,	Ye	es .		Embase PubMed Web of Science	Search: three independent reviewers. Titles and abstract screening: two independent reviewers. Full text elegibility: two reviewers.	No	PRISMA MOOSE	Yes	Two independent reviewers	ski Prevalence Critical Appraisal Tool (modified)	No	No	NA.	Yes	Random-effects	NR	Log	Yes	No	No	Cochran's Q	Begg's test Egger's test Funnel plot	STATA
Ng	Prevalence of transactive response DNA- binding postein 43 (TDA-43) proteinopathy in cognitively normal older adults: systematic review and meta-analysis. Wordswise incidence and prevalence of inflammatory lowed disease in the 21st century: a systematic review of population-	12 No	547	Ye		2	Embase Medine	Study selection: two independent reviewers Data extraction: two independent reviewers	No	MOOSE	Yes	NR	Tool from a previous systematic review of prevalence (Kaplan, 2016)	No	No	NA.	No	NA.	NA .	MA	NA.	NA.	NA .	NA.	NA .	NA.
Nguyan	based shudles A systematic review and meta-analysis of the prevalence of nonovirus in cases of gastnoenteritis in developing countries	5 141	178	ı Ye		2	PubMed	NR	No	No	No	NA .	NA .	NA.	No	NA.	Yes	NR	NR	MR	Yes	No	No	,	No	STATA
Nikson	Definitions, measurements and prevalence of fear of childbirth: a systematic review	10 No	24	tre.	es	s	CINANE Cochrane PsyciNFO	Study selection: two reviewers Data extraction: one reviewer extracted, a second reviewer serified extraction	No	PRISMA	Yes	Two reviewers	Unclear	No	No	NA.	No	NA.	NA.	NA.	NA.	NA.	NA .	NA.	NA.	NA.
							CONANE. Cochrane PsychNFO PubMed Scoppus African Index Medicus African Journals Online Embase PubMed		PROSPERO															Contracts C		
Noublap	Prevalence of elevated blood pressure in children and adolescents in Africa: a systematic review and meta-analysis	G No.	a	Ye	es	4	Arnoan Journals Online Embase PubMed	Title and abstract screening: two independent reviewers Data extraction: two independent reviewers	CRD42015019029 Published protocol	No	Yes	Two independent reviewers	Hoy, 2012	No	No	NA.	Yes	Random-effects	NR	Freeman-Tukey double arruin	Yes	Yes	No	Cochran's Q	Egger's test Funnel plot	STATA
O'Concell	Worldwide prevalence of tocophobia in pregnant women: systematic review and meta- analysis	S Ye	. 23	re	es	6		Title and abstract screening: two independent reviewers. Full text elegibility: two independent reviewers. Data extraction: two reviewers.	PROSPERO CR043015017443	PRISMA	Yes	Two independent reviewers	Tool from a previous systematic review of prevalence (Knight, 2022)	No	No	NA.	Yes	Random-effects	NR	NR	Yes	No	No	,	No	STATA
Onyedum	Prevalence of drug-resistant tuberculosis in Nigeria: a systematic review and meta-analysis	3 No	34	Ye	es		AIOL Cochrane Embase Google Scholar HIN ARI PubMed Scopus Web of Science CINAMI	Title and abstract screening; two independent reviewers.  Cata extraction: two independent reviewers.	No	PRISMA		Two independent reviewers	JBI Prevalence Critical Aggrainal Tool	No	No	NA.	Yes	Random-effects	NR	NR	Yes	No	No	Cochran's Q	Bogg's text Funnel plot	Comprehensive Meta- Analysis STATA
Dosterwijk	Prevalence of scar contractures after burn: a systematic review	s ve	1 20		io	4	Scopus Web of Science CINANE. Cochrane PEDro Pubmed CINANE.	Title and abstract screening: two independent reviewers. Full text elegibility: at least two reviewers	No	PRISMA	Yes	NR	ski Prevalence Critical Appraisal Tool (modified)	No	No	NA.	No	MA	NA	NA	NA.	NA.	NA .	NA.	NA.	NA.
Oqub	Prevalence of pulmonary embolism in patients presenting with sprcope. A systematic review and meta-analysis	a No	12	Ye	es	s	Embase LILACS Medline Web of Grience	Title and abstract screening: two independent reviewers Data extraction: two independent reviewers	PROSPERO CRD42017056798	PRISMA	Yes	Two independent reviewers	Tool from a previous systematic review of prevalence (Pourmazari, 2017)	No	No	NA.	Yes	Random-effects	NR	NR	No	No	No		No	Comprehensive Meta- Analysis
Osinubi	The prevalence of psychological comorbidity in people with vitiligo: a systematic review and meta-analysis.	a No	29	Ye	es	4	CINANE. Embase (Ovid) Medline (OVID)	Title and abstract screening: two independent reviewers. Full text elegibility: two independent reviewers. Data extraction: two independent reviewers.	PROSPERO CRD42016036193	PRISMA	Yes	Three independent reviewers	New tool based on Newcastle-Ottawa and the National Heart Lung and Blood Institute scales	No	No	NA.	Yes	Random-effects	DerSimonian and Laind	MR	No	No	No	·	No	STATA
Ouattara	Prevalence, genetic variants and clinical implications of G-6-PD deficiency in Burkina Faso: a systematic neview	10 No		Ye	es	3	PsychiNFO Google Scholar PubMed	Title and abstract screening: two independent reviewers. Full text elegibility: two independent neviewers	No	No	No	NA .	NA NA	NA.	No	NA.	No	NA.	NA .	NA.	NA.	NA.	NA .	NA .	NA NA	NA.
Oudshoom	Prevalence of laceration injuries in professional and amateur rugby union: a systematic review and meta-analysis	s Ye	1 12	Ye	es	4	Ovid PubMed	Title and abstract screening: one reviewer	PROSPERO CRD42015024027	PRISMA	Yes	NR	Tool from a previous systematic review of prevalence (Walden, 2015)	Yes	No	NA.	Yes	NR	NR	MR	No	No	No	NR	No	NR
Oscan	Postpartum depression prevalence and risk factors in Turkey: a systematic review and meta-analysis	3 No	52	in	ncomplete	7	Scopus Web of Science CINANIL Cochrane Medline OVID PsyciNFO Pubmed	Study selection: two independen reviewers	No	PRISMA	Yes	itenement.	New tool based on Polit and Sect., 2009	Yes	No	NA.	Yes	Random-effects	NR	NR	No.	No	No	Cochran's Q	No	Comprehensive Meta- Analysis
Parnoukdjian	Prevalence and predictive value of pre- therapeutic sarcopenia in cancer gatients: a systematic review	6 NS	25	Ye	е.		PubMed	Title and abstract screening: two independent reviewers Full text elegibility: two independent reviewers	No	PRISMA	Yes	NR	ACROBAT-ARSI NIH Quality Assessment Tool for Observational Cohort and Cross-Sectional Studies	No	No	NA.	No	NA.	NA	NA.	NA.	NA.	NA .	NA .	NA .	NA.
Parola	Prevalence of burnout in health professionals working in palliative care: a systematic review	s Ye		Ye	es	4	PubMed Scielo	Data estraction: two independent reviewers	Published protocol	PRISMA	Yes		381 Prevalence Critical Appraisal Tool	Yes	Yes	JBI Grades of Recommendation	No	NA.	NA	NA.	NA.	NA.	NA .	NA	NA .	NA.
Pasha	Prevalence of birth defects in Iran: a systematic review and meta-analysis	S NO		Ya	es	s	Scopus Google Scholar Magiran PubMed Scopus Scientific Information Database (SID)	Title and abstract screening: two independent reviewers	No	PRISMA	No	NA.	N/A	MA	No	NA.	Yes	Random-effects	NR	NR	No	No	No		No	Comprehensive Meta- Analysis
Paz	Systematic review of published data on the worldwide prevalence of John Cunningham virus (ICV) in patients with multiple sclenasis	S No	18	Ye	es	6	Scientific Information Database (SID) Embase Google Scholar LIACS Medline PubMed SciELO	NR.	No	PRISMA	No	NA.	NA.	MA	No	NA.	No	NA.	NA.	NA.	NA.	NA.	NA .	NA	NA .	NA.
Peceira	Prevalence of adenoid hypertrophy: a systematic review and meta-analysis	7 No.	22	86	io	,	SCIELD  EMB reviews Embase Google scholar LULACS MEDLINE PubMed Web of Science	Title and abstract screening; two independent reviewers full text elegibility; two reviewers Data extraction: one reviewer extracted, a second reviewer serified extraction	PROSPERO CROHZ016029375	PRISMA	Yes	Two independent reviewers	(88 Prevalence Critical Appraisal Tool (Matsuri)	No	Yes	GRADE	Yes	Random-effects Fixed effect	NR	NR	No	No	No	,	No	Medicale
Perrin	The prevalence of diabetes-specific emotional distress in people with type 2 diabetes: a systematic review and meta-analysis	S Ye	ı 55	va	es	7	PubMed Web of Science ASSIA CINANIL Cochrane Library Embase MEDLINE PsychiNFO Scopus CINANIL	Title and abstract screening: two independent reviewers.  Data extraction: one reviewer	No	No	Yes	NR	Loney, 1998	No	No	NA.	Yes	Random-effects Fixed effect	NR	Freeman-Tukey double arcsin	Yes	Yes	No	·	Egger's test Funnel plot	STATA
Pestana	Prevalence of voice disorders in singers: systematic review and meta-analysis	a No	11	Ye	es	4	PubMed Medine	NR	No	No	No	NA .	NA NA	NA.	No	NA.	Yes	Random-effects Fixed effect	NR	MR	No	No	No	r	No	MedCalc
Роделя	talización ef astanal, regional, and giples provisione of sicioni un during programa; and food alcohol quadranse, a systematic review and meta-acolypia.	5 Ye	1 202	: 964	8	14	Canadian Centre on Substance Abuse Library Collection Database Campbell Collaboration CINANI. Cochrane CSA Sociological Abstracts	Tab and durinal curvaing has higheredist invisions of all the deploys has independent necessary. One was designed to an excess experience and excess and excess experience and excess and excess excess experiences in which	PROSPERO CICHO1096033885 and CICHO10960338837	No	Yes	Two independent reviewers	Bit Provinces Critical Agents of Tool Control Control Agents of Tool Control Contr	No	No	NA.	Yes	Random-effects	DerGimonian and Laind	Couble arcsine	No	No	No	Cochranh Q P	Degg's best Egger's test Eurorel plot	*
	Systematic review links the prevalence of						Web of Science Medine Ovid																			
Parter	intraductal carcinoma of the prostate to prostate cancer risk categories	10 Ye	24	in	ncomplete	2	PubMed Scopus Google Scholar	Full text elegibility: two independent reviewers	No	PRISMA	No	NA .	NA .	NA.	No	MA	No	NA .	NA	NA	NA.	NA.	NA	NA.	NA .	NA.
Paris	Prevalence of otologic signs and symptoms in adult patients with temponomandibular disorders: a systematic review and meta- analysis	7 No.		Ya	es		Medine Ovid PubMed Scopus Google Scholar LLACS LLWVO OpenGrey ProQuest PubMed Scopus Web of Science	Title and abstract screening; two independent reviewers full test elegibility; two reviewers. Cata extractions one reviewer extracted, a second reviewer writted extraction.	PROSPERO CR043015020826	PRISMA	Yes	Two independent reviewers	361 Prevalence Critical Appraisal Tool	No	No	NA.	Yes	Random-effects	NR	siR	No	No	No	,	No	MedCulc

								T									1						_	_	
						c d	Nina Biology Medicine list (CBMdist)																		
	Worldwide prevalence of adverse pregnancy outcomes among singleton pregnancies after in					K	nowledge infrastructure CNU(Chinese Scientific			PRISMA													Cochran's Q		
iQin (A)	outcomes among singleton pregnancies after in sitro fertilization/intracytoplasmic sperm injection: a systematic review and meta- analysis	7 Yes		linco	omplete	7 8	ournals Full-text latabase (CQVIP) lochrane	NR	No	PRISMA MOOSE	Yes	NR	Newcastle-Ottawa Scale (modified)	No	No	NA.	Yes	Random-effects	NR NR	Ses	No	No	Sensitivity analysis	Bogg's test	R
						G P	Prins Biology Medicine lise (CBMdisc) Prins National Incoveredge Infrastructure CNEI(Chinese Scientific coursels Full-fext statabase (CQUIP) cochrane loogie Scholar vbMed Vanfang Data																		
							ochrane Libraries																		
						G C	Cochrane Libraries Longile Scholar Prina Biology Medicine Issue Collodist) Prina National Incodedge Infrastructure Cournals Full text Labbase (CQVP) Subbase Vanfang Data																		
Qie (B)	Worldwide prevalence of adverse pregnancy outcomes associated with in vitro fertilization/intracytoplasmic sperm injection among multiple births: a systematic review and meta-analysis based on cohort studies	7 Yes		No		, c	Dina National Inowledge Infrastructure	Abstract screening: two independent reviewers Full text elegibility: two independent reviewers Data extraction: two independent reviewers	No.	PRISMA MOOSE	No	NA .	NA.	NA.	No	NA.	Yes	Random-effects	NR NR	Yes	No	No	Cochran's Q	Georg's test	R
	among multiple births: a systematic review and meta-analysis based on cohort studies					C a	CNUD Thinese Scientific ournals Full text	Data extraction: two independent reviewers		MOUSE													Sensitivity analysis		
						P	istabase (CQVIP) ubMed Vanfane Data																		
	Prevalence and predictors of chronic					c	ochrane	Title and abstract screening: one reviewer screened, another reviewer screened a sample																	
Rabbitts	Prevalence and predictors of chronic postsurgical pain in children: a systematic review and meta-analysis	4 Yes	13	Yes		4 6	ochrane mbase fedLine nyciNFO	Title and abstract screening: one reviewer screened, another reviewer screened a sample Full test elegibility; two reviewers. Data estraction coe reviewer estracted, a second reviewer writed estraction.	No	PRISMA	Yes	Two reviewers	QUIPS tool	No	No	NA.	No	MA	NA NA	NA.	NA	NA .	NA.	NA	NA.
Rakesh	Prevalence of anaemia in Kerala State, Southern India - a systematic review	1 No	10	linco	omplete	2 G	ubMed	MS	No	PRISMA	Yes	NR	Centre for reviews and dissemination, University of York	Yes	No	NA	No	NA.	NA NA	NA.	NA.	NA .	NA .	NA .	NA
Raminez	Prevalence and risk factors for esteoporosis and fractures in axial spondyloarthritis: a systematic review and meta-analysis	S Yes	46	Yes		3 6	ochrane mhase	Title and abstract screening: two independent reviewers	No	No	Yes	NR	Stil Prevalence Critical Appraisal Tool	No	No	NA.	Yes	Random-effects	Restricted maximum-likelihood Double arcsine	No	No	No	2	NA .	R
	,					6	Soogle Scholar																		
Ranjbaran	Prevalence of premenstrual syndrome in Iran: a systematic review and meta-analysis	s Yes	. 24	Yes		, 6	fagiran ubMed	NR	No	PRISMA	Yes	Two independent reviewers	STROBE	No	No	NA.	Yes	Random-effects	NR NR	Yes	Yes	No	Cochran's Q	No	STATA
	quenus resea ao meo-angus					å	atabase (SID) copus					· · · · · · · · · · · · · · · · · · ·													
						e is	Veb of Knowledge mbase ranDoc																		
Ownehl	Prevalence of depression in hemodialysis patients in Iran: a systematic review and meta- analysis	7 100	27	leco	omolete	a le	ranMedes Aggiran huid	Title and abstract screening: two independent reviewers		PRISMA	Yes	Two reviewers	STRORE (modified)	No	No	NA.	Yes	Random-effects	DarGimonian and Laind MD	Yes	Ser	No.	Cochran's Q	Connects toward	STATA
	analysis					P S	ubMed copus																Sensitivity analysis		
	The worldwide incidence and prevalence of	-				S W	Aedine Joseph Scholar			-								+							
Rees	The worldwide incidence and prevalence of systemic lupus erythematosus: a systematic review of epidemiological studies	S Ye	26	Yes		2	Indian Out	Data extraction: one reviewer	No	PRISMA	No	NA .	NA .	NA	No	MA	No	NA.	NA NA	NA.	NA.	NA	NA .	NA	NA.
						1	arammedisc sistitute for Science information lagiram ubblied cinetific (information latabase (SID) copus statute for Scientific information Database (SI) arafideder lagiram ubblied ID																		
Rezael	Period prevalence and reporting rate of needlestick injuries to nurses in Iran: a systematic review and meta-analysis	s na	21	linos	omplete	6 h	fagiran ubMed	Study selection: two independen reviewers	No	No	Yes	NR	Tool from a previous systematic review of prevalence of prevalence (Moosazadek, 2013)	Yes	No	NA.	Yes	Random-effects	NR NR	No	Yes	No	Cochran's Q	Egger's test Funnel plot	STATA
						S 0 S	cientific Information Istabase (SID) copus																		
						ie ie	nstitute for Scientific nformation Database (Si)																		
Rezzel	Prevalence of burnout among nurses in Iran: a systematic review and meta-analysis	S Yes	21	linos	omplete	6	ranMedes Aggiran	Study selection: two independent reviewers	No	PRISMA	Yes	NR	Tool from a previous systematic review of prevalence of prevalence (Moosazadek, 2013)	Yes	No	NA.	Yes	Random-effects	NR NR	No	Yes	No	Cochran's Q	Egger's test Funnel plot	STATA
						s	copus																		
Ribeiro	Prevalence of body dysmorphic disorder in plastic surgery and dermatology patients: a systematic review with meta-analysis	1 64	33	linco	amplete	2 C	ENTRAL ubMed cielo	NR	No	No	No	NA .	NA.	NA.	Yes	NR	No	NA.	NA NA	NA.	NA.	NA .	NA.	NA.	NA.
	Racial and ethnic disparities in nonalcoholic							Title and abstract arreaning two independent reviewers																	
Rich	Racial and ethnic disparities in nonalcoholic fatty liver disease prevalence, severity, and outcomes in the United States: a systematic review and meta-analysis	S Yes	34	Yes		2 E	ochrane MBASE Ovid Redline Ovid	Title and abstract screening: two independent reviewers Full text elegibility: two independent reviewers Data extraction: two independent reviewers	No	PRISMA	Yes	NR	NBI Quality Assessment Tool for Observational Cohort and Cross-Sectional Studies	No	No	NA.	No	NA.	NA NA	NA.	NA.	NA	NA .	NA	NA
	Prevalence of dysphagia in people with intellectual disability: a systematic review		,			, C	IMANE, dedline nyciNFO Veb of Science	Full text elegibility: two reviewers Data extraction: one reviewer															_		
	Intellectual disability: a systematic review					P	syciNFO Veb of Science			-															
Rouhi	Prevalence and risk factors for liver fibrosis detected by transient elastography or shear wave elastography in inflammatory arthritis: a systematic review	S Yes	10	Uno	clear	2 6	mbase AedLine Veb of Science	Title and abstract screening: two independent reviewers Full text elegibility: two independent reviewers Data extraction: two independent reviewers	PROSPERO CRD42016041914	PRISMA	Yes	Two independent reviewers	Tool from a previous systematic review of prevalence (Marlais, 2016) (modified)	No	No	NA.	No	NA.	NA NA	NA.	NA	NA	NA .	NA .	NA.
	systematic review					6	ioogle Scholar																		
	A vertametic review on the consulators of					1	iongle Scholar ndex Medicus for the astern Mediterranean segion (MEMR) damic World Science Tation Center (SC) subMed copus	Cull text alsolbility has independent reviewers				Tan interentent													
Salmanian	A systematic review on the prevalence of conduct disorder in the Middle East	2 Yes	. 24	linco	omplete	5	damic World Science Station Center (ISC)	Full text elegibility: two independent reviewers Data extraction: two independent reviewers	Published protocol	No	Yes	Two independent reviewers	STROM	No	No	NA.	No	NA.	NA NA	NA.	NA.	NA .	NA.	NA .	NA.
Schnippel	Adverse drug reactions during drug-resistant TB treatment in high HIV prevalence settings: a systematic review and meta-analysis	S Yes	24	Yes		2 P S	ubMed copus	NR	No	No	No	NA	NA.	NA	No	NA	Yes	NR	NR NR	Yes	No	No	*	No	STATA
Schola-Kreisel	Prevalence of cardiovascular late sequelae in long-term survivors of childhood cancer: a systematic review and meta-analysis	8 NR	a	Yes		2 P	ubMed Veb of Science	Title and abstract screening: one reviewer Full text elegibility: two independent reviewers	No.	PRISMA	No	NA.	NA .	NA.	No	NA.	Yes	Random-effects	N8 N8	No	No	No	Cochran's Q	No	NR.
																							Cochran's Q		
Scotti	Prevalence and incidence of psoriatic arthritis: a systematic review and meta-analysis	4 Yes	28	Yes			fection	Study selection: two independent reviewers.  Title and abstract screening: one reviewer	No	No	No	NA	NA .	NA.	No	NA.	Yes	Random-effects	DerSimonian and Laind Logit	fes	No	No	Sensitivity analysis	Egger's test	R
Senaratna	Prevalence of obstructive sleep apnes in the general population: a systematic review Prevalence of sarcopenia in the world: a systematic review and meta-analysis of	8 No	24	Yes		2 p	mbase Ovid ubMed Ovid ubMed	Full text elegibility: one reviewer Data extraction: two independent reviewers	No	No		Two independent reviewers		No	No	NA .	No	NA	NA NA	NA.	NA.	NA .	NA .	NA .	NA
Shafiee	systematic review and meta- analysis of general population studies Systematic review and mark- analysis	6 No	25	linco	amplete	3 S	copus Veb of Science mbase	Study selection: two reviewers	No	No	Yes		STRONE	No	No	NA.	Yes	Random-effects	NR Logit	Yes	No	No	*	Begg's test	STATA
Shah	general population studies Systematic review and meta-analysis: prevalence of small intestinal bacterial puergrowth in choosic liver disease	S No	19	Yes		3 h	redline Ovid SubMed	Title and abstract screening: two independent reviewers. Data estraction: two independent reviewers	No	PRISMA MOOSE	Yes	NR	Newcastle-Ottawa Scale	No	No	NA.	No	NA	NA NA	NA.	NA	NA	NA.	NA	NA
						G	anadit. ioogle scholar randoc																		
Shams-Hosseini	Prevalence of musculoskeletal disorders among dentists in Iran: a systematic review	s MR	17	lines	amplete	a 14	ubMed Cold  ubMed copus  veb of Science missee Aedline Ovid ubMed  MANE soogle ubolar randoc rannedes Aggiran  #E CUINE copus ID	Study selection: two independent reviewers	No	No	Yes	NR	STRORE (modified)	Yes	No	NA.	Yes	Random-effects	NR NR	No	Yes	No	,	No	STATA
						9	copus ID South Orbodar																		
							iDi loogle Schelar randoc rannedex fagiran ff cuin ubbled copus ID Veb of science	L																	
Sharif	Investigating the prevalence of preterm birth in Iranian population: a systematic review and meta-analysis	s MR	19	Yes		9 h	ragran rebus ubMed	Titles and abstracts screening: two independent reviewers Full text elegibility: two independent reviewers Data extraction: two independent reviewers	No	No	Yes	Two independent reviewers	Hoy, 2012	No	No	NA.	Yes	Random-effects	NR NR	No	Yes	No	Cochran's Q	No	STATA
						9	copus ID Veb of science																		
Shaw	Chronic post-traumatic headache in children and adolescents: systematic review of	a No	10	linco	amplete	4	Neb of science cochrane mbase loogle Scholar ubbMed	MR	No	PRISMA	No	NA.	NA .	NA.	No	NA.	No	NA.	NA NA	NA.	NA	NA .	NA .	NA .	NA.
	Chronic post-traumatic headache in children and adolescents: rystematic review of prevalence and headache features Current evidence on prevalence and clinical sustomes of co-morbid obstructive steep spans and chronic obstructive pulmonary (Bease: a systematic review	_				P	ubMed	Title and abstract screening: two reviewers		-															
Shawon	outcomes of co-morbid obstructive sleep agness and chronic obstructive pulmonary disease: a patternatic review	6 No	27	Yes			ubMed	Title and abstract screening: two neviewers full text election: two reviewers that extraction two reviewers extracted and two reviewers verified extraction. Title and abstract screening: two independent reviewers full text elegibility: two independent reviewers. That sets studies the independent reviewers.	No	MOOSE	Yes	Two reviewers	Newcastle-Ottowa Scale	No	No	MA	No	NA.	NA NA	NA.	NA	NA	NA .	NA .	NA.
-	Estimated prevalence of halitosic a systematic review and meta-regression analysis						ubMed cielo	Title and abstract screening: two independent reviewers		PRISMA		Two reviewers	Mi Persohana Chilari basankal Tand					Random-effects						Egger's test	77074
ons		, No	13	fes		, s	copus Veb of Science	Pain year engolisty: two independent reviewers Data extraction: two independent reviewers Title and abstract screening: one reviewer					an reviews until Appraisi 100	~		an.			- NK	***		The state of the s	Sensitivity analysis	Egger's test Funnel plot	JAIA
Smith	incidence and prevalence of patellofemoral pain: a systematic review and meta-analysis	9 Yes	23	Yes		4 6	ubMed cialo copus Veb of Science INAME Inhase Veb of Science	State and abstract screening: one neviewer.  Full text elegibility: two independent reviewers.  Data extraction: one reviewer extracted, a second reviewer writted extraction.	PROSPERO CRD42016038870	PRISMA MOOSE	Yes	Two independent reviewers	Tool from a previous systematic review of prevalence (Luime, 2004) (modified)	No	No	MA	Yes	Random-effects Fixed effect	NR NR	No	No	No		No	STATA
	Birth prevalence of convenirs talines					Å	frica Wide Information																		
Screythe	Birth prevalence of congenital talipes equinovanus in low- and middle-income countries: a systematic review and meta- analysis	S Yes	48	Yes		6 6	frica Wide Information IMANE MBASE Ilobal Health ILACS Redline	Title and abstract screening: one reviewer Full text elegibility: two independent reviewers Data estraction: one reviewer estracted, a second reviewer writted estraction	No	MOOSE	Yes	NR	NR.	Yes	No	NA.	Yes	Fixed effect	NR NR	No	No	No		No	STATA
						6	LALS ledine																		
So	Lateral lymph node metastasis in papillary thyroid carcinoma: a systematic review and meta-analysis for prevalence, risk factors, and	4 No	23	Yes		2 6	mbase	Study selection: two independent reviewers Data extraction: two reviewers	No	PRISMA	Yes	NR	Newcastle Ottawa Scale	No	No	NA.	No	NA.	NA NA	NA.	NA	NA	NA .	NA .	NA.
	socieds					C	zina National Inculedge Infrastructure CNE) Zinese Bloredicine Basature Database CBM-SinoMed) mbase Bedine shMed																		
	Variations of pterygium prevalence by age,					C	CNII) hinese Blomedicine iterature Database	Study selection: two independent reviewers															Cochran's Q		
Song (A)	Variations of pterygium prevalence by age, gender and geographic characteristics in China: a systematic review and meta-analysis	4 No	47	linco	omplete	6 (1	CBM-SinoMed) mbase	Study selection: two independent reviewers Data extraction: two independent reviewers	No	PRISMA	No	NA .	NA .	NA	No	NA .	Yes	Random-effects	DerSimonian and Laind Logit	No	Yes	No	,	No	R
						P.	recine lubMed Vanfang																		
							_																		

					China Nati	ional							1											1	
Song (B)	Prevalence of epilepsy in China between 1990 and 2005: a systematic review and meta- analysis	0 No	39	Yes	Enowledge (CNG) PubMed VP Wanfang C		Data extraction: at least two independent reviewers	No	PRISMA GATHER	No	NA .	NA	NA.	No	NA.	Yes	Random-effects	DerSimonian and Laind	MR	No	Nes	No	,	No	R
Song (C)	The prevalence of witamin A deficiency in chinese oblithers: a systematic review and layerabn meth-analysis	G NR	54	Yes	China Natà Kinowledge (CNG), Mas Chinese Biomedici Cutabase ( Sinobled), English dat (Publed, i and Emba	ional se infrastructure sofang data and ine Literature (CSM- ) and three stabases (Medline sse).	Title and abstract towerings two independent reviewers fold has elegibility two independent reviewers told on orbitation to a halppendent reviewers told orbitation to a halppendent reviewers.	No	PRISMA	No	NA.	M.	NA.	No	NA.	Yes	Bayesian approach	NA.	Logit	No	Yes	No	No	No	JAGS R
Spottswood	The prevalence of posttraumatic stress disorde in primary care: a systematic review	3 Yes	41	Yes	CINANE. Cochrane Embase Gogle Sch MEDUNE Physinic Embase PubMed Gogle Gogle Gogle Finance Finance Gogle Gogle Finance Gogle Gogle Finance Fina	holar	Title screening: one reviewer Abstract screening: two independent reviewers Full text selection: two reviewers Data extraction: two neviewers	No	PRISMA	Yes	Two independent reviewers	Hoy, 2012 (modified)	No	No	NA.	No	NA.	NA	N/A	NA	NA	NA .	NA.	NA	NA.
Stockdale	Prevalence of hepatitis D virus infection in sub- Saharan Africa: a systematic review and meta- analysis	9 Yes	20	Yes	2 PubMed Scopus		Study selection: two independent reviewers Data extraction: one reviewer	No	PRISMA	Yes	Two independent reviewers	Ski Prevalence Critical Appraisal Tool (modified)	No	No	NA.	Yes	Random-effects	DerSimonian and Laind	Freeman-Tukey double arcsine	Yes	Yes	No	ji Sensitivity analysis	Egger's test Funnel plot	STATA
Strasser	Saharan Africa: a systematic review and meta- analysis. Prevalence and risk factors for autism spectrum disorder in epilepsy: a systematic review and meta-analysis.	S NR	20	Incomplete	Scopus Scopus PsychiNFO PubMed		NR	No	No	Yes	NR	QuiPS tool (modified)	No	No	NA.	Yes	Random-effects	DerSimonian and Laind	Raw	No	No	Yes	Cochran's Q	No	STATA
Surda	Prevalence of rhinitis in athletes: systematic	4 NR	13	No	2 Medine (C PubMed	Ovid) Ovid)	Search: two reviewers Abstract screening: two reviewers Full text elegibility: two reviewers	No	PRISMA	Yes	NR	PRISMA AMSTAR	No	No	NA.	No	NA.	NA .	NA.	NA.	NA.	NA .	NA .	NA .	NA
Sy	Anticoagulation practices and the prevalence or major bleeding, thromboembolic events, and mortality in vencenterial estracorporeal membrane oxygenation: a systematic review and meta-analysis	S No	26	Yes	PubMed CINNANL Cochrane Embase Medica PubMed		Title and abstract screening: two independent reviewers. Full test elegibility: two independent reviewers. Data extraction: at least two independent reviewers.	No	PRISMA	Yes	NR	Newcasife-Ottawa Scale	No	No	NA.	Yes	Random-effects	DerSimonian and Laind	Freeman-Tukey double arcsine	Yes	No	No	g <sup>a</sup> Sensitivity analysis	Egger's test Funnel plot	STATA
Tabrini	Prevalence of sleep quality disorder among iranian diserc: a systematic review and meta- analysis	9 Yes	10	Incomplete	PubMed Code PubMed Code Google Sch transfor transredor Magiran PubMed Scopus SID Web of Sci	holar x dence	Search: two independent reviewers	No	No	Yes	NR	Tool from a previous systematic review of prevalence of prevalence (Moosazadeh, 2013)	Yes	No	MA	Yes	Random-effects	NR	MR	No	Yes	No	Cochran's Q i <sup>2</sup> Sensitivity analysis	No	STATA
Tavares	HEV and tuberculosis co-infection among migrants in Europe: a systematic review on the prevalence, incidence and mortality	7 Yes	27	Yes	3 Scopus Web of Sci	sience	Title and abstract screening; one reviewer screened, another reviewer screened a sample Data extraction: one reviewer	No	PRISMA	No	NA .	NA .	NA	No	NA	No	NA.	NA	NA	NA.	NA.	NA	NA .	NA.	BLA.
Tengan	Prevalence of hepatitis it is people living with HU/AIDS in Latin America and the Caribbean: a systematic review and meta-analysis	S No	28	Yes	2 Embase LILACS PubMed		Title and abstract screening: two independent reviewers Full text elegibility: two reviewers Data extraction: two independent reviewers	No	PRISMA	Yes	Two independent coviewers	New tool based on Boyle, 1998; Fowked and Fulton, 1991; Loney, 1998; and Print 2002	No	No	NA.	yes	Random-effects	DerSimonian and Laind	MR	No	Yes	No	Cochran's Q	No	STATA
Theroux	Prevalence of low back pain in adolescents with idiopathic scollosis: a systematic review	7 No	2	Yes	CINHAHL Cochrane PubMed Cochrane		Title and abstract screening: two independent reviewers Full text elegibility: two independent reviewers Data extraction: one reviewer	No	PRISMA	Yes	Two independent reviewers	Hoy, 2012 (modified)	No	Yes	GRADE	No	NA.	NA .	NA.	NA	NA.	NA.	NA .	NA .	NA.
Trompeter	Prevalence of back pain in sports: a systematic review of the literature	i No	43	Yes	6 Medine PSYNDEX PsyciNFO PubMed		Search: two independent reviewers Data extraction: one reviewer extracted, a second reviewer worlfied extraction	No	PRISMA	Yes	Two independent reviewers	Tool from a previous systematic review of prevalence (Walker, 2000)	Yes	No	NA.	No	NA.	NA.	MA	NA.	NA.	NA .	NA.	NA .	NA.
Tubaishat	Pressure ulcers prevalence in the acute care setting: a systematic review, 2000-2015	4 No	19	Incomplete	4 CINANL Cochrane MEDUNE		Search: one reviewer	No	No	Vies	Two independent reviewers	Hawker, 2002	No	No	NA	No	NA.	NA .	NA.	NA.	NA.	NA .	NA.	NA .	NA
Umer	The prevalence of musculoskeletal symptoms is the construction industry: a systematic review and meta-analysis	5 MR	25	Unclear	PubMed Galleries	Premier d safety science irect us sience	Title and abstract screening: two independent reviewers Full text elegibility: two independent reviewers Data extraction: two independent reviewers	PROSPERO CROM2016036051	PRISMA	Yes	Two independent reviewers	Saney, 1998 (modified)	No	Na	NA.	Yes	Random-effects	NR	MR	No	No	No	٠	No	Review Manager
VanderKruik	The global prevalence of postpartum psychosis: a systematic review	G Yes	6	Yes	GINAPIE  Embase  Global Indi PsychNiCO  PubMed  Sociologics  Embase  PubMed  Science  Gineration  Web of Science  Science  Science  Web of Science  Web of Science  Web of Science  Sci	des Medicus	Title and abstract screening: two independent reviewers. Full text elegibility: two independent reviewers. Cata extraction: two independent reviewers.	No	PRISMA	Yes	Two independent reviewers	New tool	No	No	NA.	No	NA.	NA.	SUA.	NA.	NA.	NA .	NA.	NA	NA.
Vikue	The prevalence and morphometry of an accessory sphero: a meta-analysis and systematic review of 22,487 patients	il No	81	Yes	8/OSIS Embase PubMed Scielo ScienceDin Web of Sci	nect	Study selection: three independent reviewers Data extraction: three independent reviewers	No	PRISMA	No	NA.	N/A	NA	No	NA.	Yes	Random-effects	NR	NR	Yes	No	No	Cochran's Q	No	MetaXL
Vitalis	Othnic differences in the prevalence of peripheral arterial disease: a systematic review and meta-analysis	S No	76	incomplete	2 Embase Medline		NR.	PROSPERO CRD42016041390	PRISMA	No	NA .	NA .	NA.	No	NA.	No	NA.	NA .	NA.	NA	NA	NA .	NA .	NA	NA
Wang	Prevalence of Cryptosporidium, microsporidia and losspora infection in NIVI-infected people: a global systematic neview and meta-analysis	7 Yes	131	Incomplete	2 Embase Medine Chasses W Krowledge Chospie Sch Embase PubMed ScienceSin Warfang	Web of pe g VIP thotar nect	Title and abstract screening: two independent reviewers. Data extraction: two independent reviewers	No	PRISMA	Yes	NR	GRADE (modified)	No	No	MA	Yes	Random-effects	NR	NR	Yes	Yes	No	Cochran's Q g <sup>a</sup> Sensitivity analysis	No	STATA
Wang (A)	Changing trends in the prevalence of H. pylori infection in Japan (1908-2003): a systematic review and meta-regression analysis of 170,753 individuals	7 Yes	46	Yes	2 Embase PubMed		Title and abstract screening: two independent reviewers Full text elegibility: two independent reviewers	No	PRISMA	Yes	Two independent reviewers	JBI Prevalence Critical Appraisal Tool	No	No	NA.	No	NA.	NA.	NA.	NA.	NA.	NA .	NA.	NA .	NA.
Wang (9)	Prevalence of orofacial clefts among live births in China: a systematic review and meta-analysis	11 Yes	41	Yes	China Nath Enculedge (CNE) 4 Embled Warlang E Cochrane EMBAGE 4 Psychico	ional se infrastructure. Dutabase	Title and abstract screening: two independent reviewers. Full text elegibility: two reviewers. Data extraction: two independent reviewers	PROSPERO CRD42015030198	No	Yes	NR	Hoy, 2012 (modified)	No	No	NA.	Yes	Random-effects	NR	NR	Yes	No	No	Cochran's Q	Egger's test Funnel plot	R
Wang (C)	Prevalence of depression and depressive symptoms among outpatients: a systematic review and meta-analysis	12 Yes	83	Yes	Cochrane EMBASE PsycINFO PubMed		Study selection: two independent reviewers Data extraction: two independent reviewers	PROSPERO CR042017054738	PRISMA	Yes	NR	Newcastle-Ottawa Scale (modified)	No	No	NA.	Yes	Random-effects	NR	NR	Yes	Yes	No	Cochran's Q p <sup>a</sup> Sensitivity analysis	Egger's test Funnel plot	R
Wang (D)	Prevalence and burden of Toxoplasma gondii infection in NPV-effected people: a systematic review and meta-analysis	S Yes	74	Incomplete	Publied Chinese W Excusings Chongoing Embase Google Sch Publied Science(Solo Wantang	Web of 19 g VIP holar nect	Title and abstract screening: two independent reviewers full text elegibility: two independent reviewers Data extraction: two independent reviewers	No	PRISMA	Yes	NR	CRACE (modified)	No	No	NA .	Yes	Random-effects	NR	NR	Yes	Ties	No	Cochran's Q	No	STATA
Williamson	Prevalence of mental health disorders in elderly U.S. military veterans: a meta-analysis and systematic review	d Yes	11	Yes	Wanfang EMBAGE Google Sch PILOTS Psychio PubMed Web of Sci	tiolar	Study selection: two independent reviewers Data extraction: two independent reviewers	No	No	Yes	Two independent reviewers	NIH Quality Assessment Tool for Observational Cohort and Cross-Sectional Studies	No	No	NA.	Yes	Random-effects	NR	Double arcsine	No	No	No	Cochran's Q	Begg's test Egger's test Funnel plot	Metalli.
Wojtera	The prevalence of human papillomasinus in pediatric tonsils: a systematic review of the iterature	7 No	11	Incomplete	Cochrane Embase PubMed		Search: two independent reviewers Data extraction: two independent reviewers	No	PRISMA	Yes	Two reviewers	Tool from a previous systematic review of prevalence (Modesti, 2016) Oxford Centre for Evidence-Based Medicine levels of evidence	No	No	MA	No	NA.	NA	MA	NA	NA	NA .	NA.	NA .	NA
Walke	Systematic review and meta-analysis: fussing and crying durations and prevalence of colic in infants	5 NR	28	Yes	a MEDUNE PsyciNFO		Abstract screening: one reviewer (2 reviewers, each one screened half the abstracts) Full text elegibility: two independent reviewers Data extraction: two independent reviewers	No	PRISMA	Yes	NR	New tool	No	No	MA	No	NA.	NA	MA	NA	NA	NA .	NA.	NA .	NA.
Walpe	Prevalence of female sexual dysfunction in Brazil: a systematic review	s No	20	Yes	4 LILACS PubMed Scopus		Title and abstract screening: two independent reviewers Data extraction: two reviewers	No	PRISMA	Yes	Two independent reviewers	Kmet, 2004	No	No	NA.	No	NA.	NA	NA	NA	NA.	NA .	NA .	NA .	NA.
Woody	A systematic review and meta-regression of the prevalence and incidence of perinatal depression	s nr	96	Yes	2 PsyciNFO PubMed		Study selection: one reviewer selected, a second reviewer workled a sample (20%) Data extraction: one reviewer extracted, a second reviewer workled a sample (20%)	No	PRISMA	No	NA .	NA.	NA.	No	NA	Yes	Random-effects	NR	Log	Yes	Yes	No	è	Funnel plot	STATA
Workneh	Prevalence and associated factors of tuberculosis and diabetes mellitus comorbidity: a systematic review	3 No	94	Yes	Cochrane Embase Global Hea Mediine (C Scopus Web of Sci	alth Ovid)	Data estraction: one reviewer	No	PRISMA	Yes	One reviewer	Nine tool	No	No	MA	No	NA	NA .	NA.	NA	NA.	NA .	NA.	NA.	NA
Wa	Socioeconomic status and prevalence of type 2 diabetes in mainland China, Hong Kong and Talwan: a systematic review	S Yes	22	Yes	Scopus Web of Sci Embase 3 Global Hea Medline	alth	Title and abstract screening: two reviewers Full text elegibility: two reviewers Data extraction: two independent reviewers	PROSPERO CR042016047913	PRISMA	Yes		Newcastle Ottawa Scale (modified)	No	No	NA.	No	NA.	NA .	NA.	NA.	NA.	NA .	NA .	NA	NA
Kao	Prevalence and risk factors of epiretinal membranes: a systematic review and meta- analysis of population-based studies	S Yes	13	Yes	2 PubMed Web of Sci	sience	Study selection: two independent reviewers Data extraction: two independent reviewers	No	PRISMA	Yes	Two independent reviewers	Tool from previous systematic reviews of prevalence (de Wieer, 2006; Rogers, 2000)	No	No	NA.	Yes	Random-effects	NR	MR	Yes	No	No	,	No	STATA
Kie	Prevalence and risk factors associated with musculoskeletal complaints among users of mobile handheld devices: a systematic review	a na	15	Yes	CINANE. Embase 5 Medline (C PubMed Web of Sci	Ovid) dence	Study assessment: two independent reviewers	No	No	Yes	Two independent reviewers	Hoy, 2012 SIGN checklists for case-control and cohort studies	No	No	NA.	No	NA.	NA .	NA.	NA.	NA	NA	NA	NA.	NA
Xu	Global prevalence of hypertension among people living with HIV: a systematic review and meta-analysis	a ne	49	Yes	2 PubMed Web of Sci	Senze	Data extraction: two independent reviewers	No	PRISMA	Yes	NR	381 Prevalence Critical Appraisal Tool	No	No	MA	Yes	Random-effects	NR	162	Yes	No	No	Cochran's Q	No	R
Yang	meta-analysis  Prevalence, risk factors and characteristics of the 'adding-on' phenomenon in idopathic collosis affect connection surgery: a systematic review and meta-analysis	i No	35	Yes	Cochrane S Embase PubMed Web of Sci	Pu Library Sence	Study screening: two reviewers Data extraction: two reviewers	No	No	Yes	NR	Newcastle-Ottawa Scale	No	No	MA	Yes	NR	NR	MR	Yes	No	No	Cochran's Q 12 Secultivity analysis	No	STATA

Yao	Prevalence of abdominal artery calcification in dialysis patients with end-stage renal disease: a systematic review and meta-analysis	6	Yes	64	Yes	3	Embase PubMed Web of Science	Study selection: two independent reviewers Data extraction: two independent reviewers	PROSPERO CR042017055492	PRISMA MOOSE	Yes	NR	NH Quality Assessment Tool for Observational Cohort and Cross-Sectional Studies (modified)	No	No	NA.	Yes	Random-effects	NR	NR	Yes	Yes	No	·	Begg's test Egger's test	STATA
2hang	Prevalence of depression and anxiety in systemic lugus erythematicsus: a systematic review and meta-analysis	5	Yes	59	Yes	4	PubMed	Title and abstract screening: two independent reviewers. Full test elegibility: two reviewers. Data estraction: two independent reviewers.	PROSPERO CRD42016044125	PRISMA	Yes	Two reviewers	Newcastle-Ottzwa Scale (modified)	No	No	NA.	Yes	Random-effects	NR	NR	Yes	No	No	je Sensitivity analysis	Egger's test Funnel plot	STATA
2heng	The prevalence of depression and depressive symptoms among eye disease patients: a systematic review and meta-analysis	4	Yes	28	Yes	4	Cochrane Library Embase Medline PubMed	Search: two independent reviewers	No	PRISMA	Yes	NR	Newcastle-Ottawa Scale	No	No	NA.	Yes	Random-effects	NR	NR	Yes	No	No	Cochran's Q	No	R STATA
Zhou	Prevalence, risk factors, and prognosis of orthodalic hypotension in diabetic patients: a systematic review and meta-analysis	4	Yes	21	Incomplete	6	China National Enowledge Infrastructur Embase PubMed SINOMED VIP Chinese Journal Wanfang	re Search: two independent nulewers Data extraction: two independent reviewers	No	No	Yes	NR	STRONE	No	No	NA.	Yes	Random-effects	DerSimonian and Laind	NR	Yes	No	No	Cochran's Q p <sup>2</sup> Sensitivity analysis	Beggi's test Egger's test	STATA