

Additional file 2. Fisher's exact tests for variables associated with spontaneous viral clearance among PWID.

Table 1. 2 x 2 table: The proportion of males and the proportion of HIV+ PWID.

Proportion (%) of males	Proportion (%) of HIV+ PWID		Total
	0-25	26-50	
0-50	1	0	1
51-100	9	3	12
Total	10	3	13

Fisher's exact = 1.000

1-sided Fisher's exact = 0.769

Table 2. 3 x 2 table: The proportion of males and the proportion of HIV+ PWID.

Proportion (%) of males	Proportion (%) of HIV+ PWID		Total
	0-25	26-50	
26-50	1	0	1
51-75	7	1	8
76-100	2	2	4
Total	10	3	13

Fisher's exact = 0.413

Table 3. 2 x 2 table: The proportion of males and age.

Proportion (%) of males	Age		Total
	Below 30 years	Above 30 years	
0-50	0	1	1
51-100	4	9	13
Total	4	10	14

Fisher's exact = 1.000

1-sided Fisher's exact = 0.714

Table 4. 3 x 2 table: The proportion of males and age.

Proportion (%) of males	Age		Total
	Below 30 years	Above 30 years	
26-50	0	1	1
51-75	3	7	10
76-100	1	2	3
Total	4	10	14

Fisher's exact = 1.000

0.413

Table 5. 3 x 3 table: The proportion of males and age.

Proportion (%) of males	Age			Total
	18-28 years	29-39 years	40-50 years	
26-50	1	0	0	1
51-75	7	3	0	10
76-100	2	0	1	3
Total	10	3	1	14

Fisher's exact = 0.520