Additional file 2 – Participant Characteristic and EDQ Differences for Participants who Completed T2 EDQ and Did Not Complete T2 EDQ

Additional file 2 - Participant Characteristic and EDQ Differences for Parti	cipants who Completed T2 EDQ and Did Not Complete T2 EDQ

Characteristic	Full Sample (n=359)	Did not Complete T2 (n=38)	Completed T2 (n=321)	p-value	Statistical Test
Age				0.29	Kruskal Wallis
Mean (sd)	50.6 (11.8)	48.7 (13.8)	50.9 (11.5)		
Median (Min,Max)	51 (20, 82)	48 (25, 79)	52 (20, 82)		
Missing	6	1	5		
Gender				0.83	Fisher Exact
Woman: Cis-Woman	40 (11)	4 (11)	36 (11)		
Man: Cis-Man	293 (83)	32 (86)	261 (82)		
All Other*	21 (6)	1 (3)	20 (6)		
Missing	5	1	4		
Sex				0.12	Fisher Exact
Female	40 (11)	4 (11)	36 (11)		
Male	314 (88)	32 (86)	282 (89)		
Intersex	1 (0)	1 (3)	0 (0)		
Missing	4	1	3		
Relationship status				0.60	Chi Sq
Single	196 (58)	17 (50)	179 (59)		
Married or common law	88 (26)	10 (29)	78 (26)		
Separated or divorced or widowed	55 (16)	7 (21)	48 (16)		
Missing	20	4	16		
Have children				0.85	Chi Sq
Yes	86 (24)	8 (22)	78 (25)		
No	269 (76)	29 (78)	240 (75)		
Missing	4	1	3		
Live alone				0.19	Chi Sq
Yes	186 (52)	15 (41)	171 (53)	-	
No	171 (48)	22 (59)	149 (47)		
Missing	2	0	1		
Source of Income				0.14	Fisher Exact
Employment (Full, Part-Time, or Self)	177 (50)	22 (59)	155 (48)		
Income Support (e.g. Disability, Welfare, Worker's Compensation, Employment Insurance or Long Term Disability)	121 (34)	7 (19)	114 (36)		
Pension, Student Loans, or Savings	41 (11)	5 (14)	36 (11)		
Under the table work or Street Related Work (e. g. panhandling)	3 (1)	1 (3)	2 (1)		
Other	15 (4)	2 (5)	13 (4)		
Missing	2	1	1		

Additional file 2 – Participant Characteristic and EDQ Differences for Participant	rticipants who Completed <sup>-</sup>	I2 EDQ and Did Not Complete T2 EDQ

Characteristic	Full Sample (n=359)	Did not Complete T2 (n=38)	Completed T2 (n=321)	p-value	Statistical Test
Employment status				0.85	Fisher Exact
Employed (Full time or Part time)	167 (47)	19 (54)	148 (46)		
Student, Retired or Volunteering	59 (17)	5 (14)	54 (17)		
Unemployed or On Disability	124 (35)	11 (31)	113 (35)		
Other	5 (1)	0 (0)	5 (2)		
Missing	4	3	1		
Highest level of education				0.38	Chi Sq
No formal education; secondary school completed	88 (25)	7 (19)	81 (25)		
Completed trade or technical training (received certification /diploma) or	132 (37)	12 (32)	120 (38)		
completed college (received degree or diploma)					
Completed university (received degree) or postgraduate education	137 (38)	18 (49)	119 (37)		
Missing	2	1	1		
Race White				0.096	Chi Sq
Yes	255 (81)	22 (69)	233 (83)		
No	59 (19)	10 (31)	49 (17)		
Missing	45	6	39		
Year of HIV diagnosis				0.60	Wilcoxon Rank Sum
Mean (sd)	2004 (10)	2006 (8)	2004 (11)		
Median (Min,Max)	2005 (1980, 2021)	2006 (1996, 2020)	2005 (1980, 2021)		
Missing	115	16	99		
In HIV care		-		1.00	Fisher Exact
Yes	339 (95)	35 (95)	304 (95)		
No	18 (5)	2 (5)	16 (5)		
Missing	2	1	1		
Antiretroviral use		-	-	0.48	Fisher Exact
Yes	351 (98)	36 (97)	315 (98)	0.40	
No	6 (2)	1 (3)	5 (2)		
Missing	2	1	1		
Undetectable viral load	2	-	-	0.092	Fisher Exact
Yes	328 (93)	35 (100)	293 (92)	0.052	
No	26 (7)	0 (0)	26 (8)		
	5	3	20 (8)		
Missing	5	5	2	1.00	
Concurrent health condition – addiction or substance use disorder		22 (72)	0.40 (70)	1.00	Chi Sq
No	276 (78)	28 (78)	248 (78)		
Yes	77 (22)	8 (22)	69 (22)		
Missing	6	2	4		
Concurrent health condition – chronic joint pain				0.11	Chi Sq
No	233 (67)	29 (81)	204 (66)		
Yes	113 (33)	7 (19)	106 (34)		
Missing	13	2	11		

Additional file 2 – Participant Characteristic and EDQ Differences for Participa	ants who Completed T2 EDQ and Did Not Complete T2 EDQ

Characteristic	Full Sample	Did not Complete T2	Completed T2	p-value	Statistical Test
	(n=359)	(n=38)	(n=321)		
Concurrent health condition – chronic neuropathic pain				0.43	Chi Sq
10	266 (77)	30 (83)	236 (76)		
'es	81 (23)	6 (17)	75 (24)		
Лissing	12	2	10		
Concurrent health condition – chronic soft tissue pain				0.69	Chi Sq
lo	247 (71)	27 (75)	220 (70)		
es	102 (29)	9 (25)	93 (30)		
Aissing	10	2	8		
oncurrent health condition – cognitive decline				0.81	Chi Sq
lo	254 (73)	25 (69)	229 (73)		
es	96 (27)	11 (31)	85 (27)		
<b>1</b> issing	9	2	7		
Concurrent health condition – gastrointestinal conditions				0.16	Chi Sq
lo	240 (69)	29 (81)	211 (68)		
/es	108 (31)	7 (19)	101 (32)		
<b>/</b> issing	11	2	9		
oncurrent health condition – high blood pressure				0.094	Chi Sq
lo	247 (71)	31 (84)	216 (69)		
'es	103 (29)	6 (16)	97 (31)		
Лissing	9	1	8		
Concurrent health condition – high cholesterol				0.047	Chi Sq
10	236 (68)	31 (84)	205 (66)		
'es	111 (32)	6 (16)	105 (34)		
Лissing	12	1	11		
Concurrent health condition – mental health condition (anxiety,				0.69	Chi Sq
lepression)					
lo	189 (54)	21 (58)	168 (53)		
es	162 (46)	15 (42)	147 (47)		
<b>/</b> issing	8	2	6		
Concurrent health condition – trouble sleeping (insomnia)				1.00	Chi Sq
10	169 (48)	18 (49)	151 (48)		
/es	182 (52)	19 (51)	163 (52)		
<b>/</b> issing	8	1	7		
moking history				0.66	Fisher Exact
currently smoke (in the last 30 days)	68 (19)	7 (20)	61 (19)		
smoke occasionally (in the last 30 days)	34 (10)	4 (11)	30 (9)		
am a former smoker (have not smoked in the last 30 days)	117 (33)	9 (26)	108 (34)		
have never been a smoker	130 (37)	14 (40)	116 (36)		
prefer not to answer	5 (1)	1 (3)	4 (1)		
Alissing	5	3	2		

Additional file 2 – Participant Characteristic and EDQ Differences for Pa	articipants who Completed	T2 EDQ and Did Not Complete T2 EDQ

Characteristic	Full Sample	Did not Complete T2	Completed T2	p-value	Statistical Test
	(n=359)	(n=38)	(n=321)		
General health status				0.33	Fisher Exact
Excellent	50 (14)	9 (24)	41 (13)		
/ery Good	96 (27)	11 (30)	85 (27)		
Good	102 (29)	7 (19)	95 (30)		
air	77 (22)	7 (19)	70 (22)		
'oor	32 (9)	3 (8)	29 (9)		
Aissing	2	1	1		
lealth status compared to 1 year ago				0.93	Fisher Exact
Auch better now than 1 year ago	54 (15)	6 (16)	48 (15)		
Somewhat better now than 1 year ago	64 (18)	6 (16)	58 (18)		
bout the same as 1 year ago	135 (38)	13 (35)	122 (38)		
omewhat worse now than 1 year ago	76 (21)	8 (22)	68 (21)		
Auch worse now than 1 year ago	28 (8)	4 (11)	24 (7)		
Vlissing	2	1	1		
Aerobic exercise (≥150 min moderate to vigorous aerobic physical activity				0.15	Fisher Exact
n the past week)					
/es	143 (40)	16 (43)	127 (40)		
10	195 (55)	17 (46)	178 (56)		
don't know	18 (5)	4 (11)	14 (4)		
Aissing	3	1	2		
trengthening exercise (at least 2 days in the past week)				0.89	Fisher Exact
les	103 (29)	12 (32)	91 (28)		
lo	242 (68)	24 (65)	218 (68)		
don't know	12 (3)	1 (3)	11 (3)		
Aissing	2	1	1		
Exercise status				0.17	Fisher Exact
Do not exercise, do not intend to start	42 (12)	3 (8)	39 (12)		
o not exercise, thinking of starting	58 (16)	8 (22)	50 (16)		
xercise but not regularly	90 (25)	9 (24)	81 (25)		
xercise regularly but only begun so in last 6 months	36 (10)	0 (0)	36 (11)		
xercise regularly and have done so for >6 months.	101 (28)	13 (35)	88 (28)		
xercised regularly in past but not doing so currently	28 (8)	4 (11)	24 (8)		
Aissing	4	1	3	1	

Additional file 2 – Participant Characteristic and EDQ Differences for P	Participants who Completed	T2 EDQ and Did Not Complete T2 EDQ

Characteristic	Full Sample	Did not Complete T2	Completed T2	p-value	Statistical Test
	(n=359)	(n=38)	(n=321)		
Number of days exercised (30 min or more) in the past week				0.54	Fisher Exact
0 (None)	97 (27)	11 (30)	86 (27)		
1 day	38 (11)	3 (8)	35 (11)		
2 days	43 (12)	4 (11)	39 (12)		
3 days	46 (13)	3 (8)	43 (13)		
4 days	41 (11)	3 (8)	38 (12)		
5 days	32 (9)	2 (5)	30 (9)		
6 days	21 (6)	3 (8)	18 (6)		
7 days	39 (11)	8 (22)	31 (10)		
Missing	2	1	1		

Episodic Disability Questionnaire (EDQ) Scores	Full Sample (n=359)	Did not Complete T2 (n=38)	Completed T2 (n=321)	Rank Sum Test
Median Scores (25th, 75 <sup>th</sup> percentile)				p-value
Severity Scale				
Physical	34 (0, 77)	31 (0, 77)	34 (0, 71)	0.24
Cognitive	20 (0, 100)	24 (0, 100)	20 (0, 100)	0.67
Mental-Emotional	41 (0, 100)	46.5 (0.0, 91.0)	41 (0, 100)	0.61
Uncertainty	39 (0, 100)	35 (0, 82)	42 (0, 100)	0.16
Day-to-Day Activities	21 (0, 100)	15 (0, 89)	21 (0, 100)	0.17
Social	34 (0, 75)	35.5 (0.0, 75.0)	34 (0, 75)	0.65
Presence Scale				
Physical	52 (0, 100)	45 (0, 100)	52 (0, 100)	0.053
Cognitive	67 (0, 100)	50 (0, 100)	67 (0, 100)	0.86
Mental-Emotional	77 (0, 100)	59 (0, 100)	77 (0, 100)	0.49
Uncertainty	78 (0, 100)	59 (0, 100)	78 (0, 100)	0.013
Day-to-Day Activities	42 (0, 100)	23 (0, 100)	42 (0, 100)	0.091
Social	55 (0, 100)	49.5 (0.0, 100.0)	55 (0, 100)	0.35
Episodic Scale				
Physical	10 (0, 100)	10 (0, 100)	10 (0, 100)	0.49
Cognitive	0 (0, 100)	0 (0, 100)	0 (0, 100)	0.64
Mental-Emotional	0 (0, 100)	20 (0, 100)	0 (0, 100)	0.18
Uncertainty	0 (0, 100)	0 (0, 100)	0 (0, 100)	0.45
Day-to-Day Activities	0 (0, 100)	0 (0, 100)	0 (0, 100)	0.29
Social	0 (0, 100)	0 (0, 100)	0 (0, 100)	0.88