

Periods	Baseline	L-NMMA			Post infusion		P (GLM-within)
	0-90 min	90-120 min	120-150 min	150-180 min	180-210 min		
p-sodium (mmol/l)							
Placebo	139± 1	139± 2	138± 2	138± 2	138± 2	< 0.0001	
Tolvaptan 15 mg	141± 1	141± 1	140 ± 1	141± 1	141± 2		
Tolvaptan 30 mg	141± 2	142± 2	142 ±2	142± 2	142± 2		
Tolvaptan 45 mg	141± 1	142± 2	141± 2	142± 2	142± 2		
p (GLM between)	<0.0001						
p (ANOVA)	0.004	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	
p- osm (mosm/kg)							
Placebo	285± 4	284± 4	283± 4	283± 5	281± 3	< 0.0001	
Tolvaptan 15 mg	288± 3	289± 3	288± 3	289± 3	288± 4		
Tolvaptan 30 mg	288± 3	290± 3	290± 3	290± 4	290± 3		
Tolvaptan 45 mg	288± 3	290± 3	289± 4	290± 4	290± 3		
p (GLM between)	<0.0001						
p (ANOVA)	0.018	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	