ADDITIONAL FILE 3. QUESTIONNAIRE (ENGLISH)

ARTICLE TITLE

Care quality following intrauterine death in Spanish hospitals: Results from an online survey

AUTHOR

Paul Richard Cassidy BBS MPhil

Doctoral student Universidad Complutense de Madrid Facultad de Ciencia Política y Sociología Somosaguas, Pozuelo de Alarcon Madrid, 28223 Email: pcassidy@ucm.es

Researcher Umamanita (Stillbirth Charity) C/ Hierbabuena 15, Esc B, 4 Izq Madrid, 28039 Email: paulcassidy@umamanita.es

SURVEY FOR MOTHERS ON THEIR EXPERIENCES IN THE SPANISH HEALTHCARE SYSTEM FOLLOWING AN INTRAUTERINE FETAL DEATH

ENGLISH TRANSLATED VERSION - NOT TESTED

ABOUT THE SURVEY:

- The objective of this study is to better understand the experiences of parents in the hospital during and after an intrauterine death between 16 weeks and up to and including during labour.
- The questionnaire has been developed with the support of Umamanita, a charity that supports parents following perinatal death.

WHO SHOULD FILL IN THE QUESTIONNAIRE?

- Although we understand that the number of weeks gestation at which a death occurs is often not important for parents, for reasons to do with care processes, this questionnaire is only for mothers who have experienced an intrauterine death from 16 weeks gestation and up to and including during labour. If your baby was born alive (neonatal death) the questionnaire is not applicable. The questionnaire is designed for the following classes of death: spontaneous intrauterine death (stillbirth), medical termination of pregnancy due to threat to the mother's life or incompatibility with life of the fetus and selective reduction in multiple pregnancies.
- Although the questionnaire is only applicable for mothers that does not preclude the possibility that your partner or other family member might be able to help you fill it in, we understand that in many instances they will handle paperwork or arrangements for disposition, or have clearer memories of certain aspects of care.
- If you have had more than one pregnancy loss, please answer the questionnaire only in relation to the last loss.
- If you have experienced multiple losses in the same pregnancy (e.g. twins or triplets), you should only answer the questionnaire once.

IMPORTANT! PLEASE READ BEFORE FILLING IN THE QUESTIONNAIRE:

- We are conscious that the questionnaire deals with an emotionally difficult subject and we are very grateful for your participation. Our commitment is to use the information that you provide to promote care improvement.
- It is important to remember that there are no right and wrong answers, only your personal opinion, therefore it is very important for the reliability of the questionnaire that your answers reflect only your personal experiences.
- If there is a question that you don't understand or that you think you cannot answer accurately, don't worry, leave it blank and continue to the next question.
- The questionnaire should take about 45 minutes to complete and it is better that you complete it in one sitting, however, if you have to stop, don't worry, just leave the questionnaire open in your internet browser.
- The questionnaire is anonymous. Remember that all your answers will only be used for statistical purposes and never individually. We guarantee absolute confidentiality in accordance with the Spanish Data (Personal) Protection Law 15/99.
- If you have any doubts or questions about the research, please get in touch with Paul Cassidy by email: investigación@umamanita.es

hel	o us classify your answers.		Married, civil union or cohabiting with a partner 1
1	Please select the province where you currently live? Drop down list		Single 2 Widow 3
	·		Separated 4
2	Please select the province where you lived at the time		Divorced 5
	of the loss?		Divorced and newly married, civil union or cohabiting
	Drop down list		with a partner 6
3 A	Was the hospital you attended public or private?	9	What was your marital status at the time of the loss?
	Public hospital 1 → P3C		Married, civil union or cohabiting with a partner 1
	Private hospital 2 P3C		Single
	First private and then public		Widow
	First public and then private 4		Separated 4 Divorced 5
	If the respondent was transferred to another hospital When were you transferred to the second hospital	10	What type of pregnancy did you have?
	After the diagnosis 1		Single 1
	After the birth		Twin 2
	Other, please specify		<i>Triplets</i> 3
			Quadruplets or more
3C	What is the name of the hospital where you were admitted? If you were admitted to more than one hospital, state the hospital where you spent more time (nights spent	11	Which of the following options best describes the type of loss you had?
	in the hospital)		Spontaneous intrauterine death
	Open-ended text field		health
4	How old are you? Number field		Medical termination due to a threat to the mother's health
5	What is your nationality? Drop down list		Selective reduction of a multiple pregnancy 4
3	What is your nationality:		Neonatal 5 Death during labour 6
6	Which of the following options best describes your		Other, please specify
	education level?		Open text (short)
	Unable to read or write (help with answering the questionnaire) 1	12	How many weeks pregnant were you when your baby died?
	5 or less years of schooling		
	5 or more years of schooling but without completing		Between 16 and 19 weeks 1
	the lower second level exams		Between 20 and 21 weeks 2
	Lower second level 4		Between 22 and 25 weeks
	Lower Second level		Between 26 and 29 weeks 4
	Opper second rever		Between 30 and 33 weeks 5
	Professional/vocational level I6		Between 34 and 36 weeks 6
	Professional/vocational level II7		Between 37 and 41 weeks 7
	Third level diploma 8		Between 42 y birth (not during the birth) 8
	Third level degree 9		During the birth/labour 9
	Master or doctorate10	13	How many babies did you lose?
7	Which of the following options best describes your		Boys Number field Girls Number field
•	occupation?	14Δ	In what month and year did you lose your baby/s?
	Professional or technical1		Month Drop down list Year Drop down list
	Executive/director of a public body or a company 2	440	When did the death occur?
	Administrative worker	14B	when did the death occur?
			During the last six weeks 1
	Merchant or salesperson4		During the last 3 months (90 days)
	Service sector worker 5		Between 4 and 6 months ago
	Agricultural or fisheries sector worker 6		Between 7 and 12 months ago
	Production worker, transport equipment drivers and		More than a year ago (12 months)
	labourers (non-agricultural)		Sign a your ago (12 monato)
	Member of the armed forces 8	15	Did you have fertilization treatment/assistance (IVF)
	Student 9		during the conception?
			-
	Home worker		Yes
	Pensioner, retired or in receipt of an annuity 11		No 2
	Person who can't be classified 12		

8 What is your current marital status?

Before we start we'd like to ask you some questions to

16	Had you ever had any of the following types of pregnancy loss or perinatal death prior to the last loss/death? Please tick all that apply	22	Did you have any of the following complications during the pregnancy? Tick all that apply	
	No	234	I didn't have any complications during the pregnancy Gestational diabetes: excess sugar in the blood	2 3
	Selective reduction of a multiple pregnancy		Hypertension (pregnancy-related): Hypertension that begins after 20 weeks of pregnancy and disappears after childbirth	5
	health Neonatal death up to 28 after birth		Anemia: Lower level of healthy red blood cells than normal	
	Death of a child after 28 days	9	Placental abruption: The placenta separates from the uterine wall before delivery, which may mean that the	
	Open text (short)		baby is not getting enough oxygen Placenta previa: The placenta covers the entire	
	This questionnaire is about your last loss between weeks and birth. Since that loss have you had an e loss (up to 15 weeks)?		opening of the cervix inside the uterus or part of it Intrauterine growth restriction	9 10
	No	0	membranes and amniotic fluid) Maternal thyroid problems	
	Yes, I've had one early loss		Maternal obesity or significant weight problems	
	Yes, I've had more than one early loss	2	Threat of premature birth	
10	Did you have any children before this loss?		Premature rupture of membranes	
10	Did you have any children before this loss?		Incompetent cervix	
	Yes	1	Threat of misscarriage (up to 20 weeks)	
	No		Vaginal bleeding/ spotting	
			Cholestasis (pregnancy)	
	e loss/death occurred more than six weeks ago		Other, please specify	
19	Are you pregnant at the moment or have you had a		Open text (short)	21
	children born alive since your last loss at 16 weeks more?	of	' ' '	
	Tick all that apply I'm pregnant at the moment Yes, I've had a child/children born alive No	1 2	Where were you when the told you that your baby had died or that the diagnosis was not very good? Emergency room	1 2
	140	3	Family room	
20	Did you know the gender of your baby before you		Neonatal unit / neonatal intensive care	7 5
	received the diagnosis that your baby had died?		Intensive care	6
			Labour room.	7
	Yes	DOO		8
	No 2 →	P22		9
21	If you knew your baby's gender before the diagnos	is,	Room in the hospital	
	had you given him/her a name?		3.7	11 12
	Yes	4		13
	No			14
		_	Other, please specify	15
		24	Who communicated the bad news to you?	
			A doctor 1	
			A midwife or a nurse	
			,	26
			Other, please specify4	
			Open text (short)	
			If a doctor, midwife or nurse communicated the bad news	
		25	Were you accompanied by anyone or were you alon when they told you your baby had died or that the diagnosis was not good?	е
			Yes, by my partner 1	
			Yes, by a family member or a friend 2	
			No, I was alone 3 -> F	27

	If the mother was accompanied during the diagnosis			30	What type of birth did you have?	
26	Did they offer you a private place to be with your				Eutocic or spontaneous labour (vaginal delivery that	
	partner or family after they gave you the diagnosis	6				1
	Yes	1			ends spontaneously, i.e., it is not necessary to	-
	No	2			perform surgical procedures to facilitate the delivery of the baby)	
27	Now, we'd like you to think about your interactions	6			Dystocia (vaginal delivery in which physical	
	with the health professionals around the time they	to	ld		manoeuvres or surgery is used to completion the	
	you your baby had died or that the diagnosis was i	no	t		delivery, that is, instruments are needed to facilitate	
	good.				the delivery of the baby, usually suction, spatulas or forceps)	2
	Choose the number which best reflects your curre				Stimulated-induced labour (vaginal delivery in which	
	level of agreement or disagreement with each of the	ıe			it is necessary to induce contractions of labour by	
	following statements. If you are not sure, use the		_		medication: prostaglandins and / or oxytocin)	3
	category 'neither agree nor disagree'. Please only i		е		Stimulated-induced and dystocia labour (vaginal	
	this category when you definitely don't have a clea opinion.	ır			childbirth in which contractions of labour are induced	
	opinion.				by prostaglandins and / or oxytocin and the birth ends with surgical manoeuvres to facilitate delivery of	
	1 = I completely agree				the baby, usually suction, spatulas or forceps)	4
	2 = I agree				Planned cesarean	
	3 = I neither agree nor disagree				Emergency cesarean	
	4 = I disagree 5 = I completely disagree				Cesarean due to failed induction	
					Other, please specify	8
	When I arrived at the hospital or health	4	5		Open text (short)	
	centre I was treated with priority 1 2 3	7	J			
	I could tell by the reaction of the health		_	31	Were you accompanied by anyone during the birth?	?
	professional that the news was bad 1 2 3	4	Э		Voc. by my portner	P33
	I could tell by looking at the monitor that					гээ Р33
	the news was bad 1 2 3	4	5		No, I was alone 3	1 00
	The doctor took a long time to come and				710, 7 1100 010110	
	see me	4	5	32	You indicated that you were alone during the birth,	
	I received a clear explanation of the				could you tell us why?	
	diagnosis in easy to understand language 1 2 3	4	5			
					I wanted it that way	
	I had an opportunity to ask questions	1	5		There wasn't anyone to be with me My partner didn't want to come in	
	about the diagnosis	7	5			4
	The person who gave me the bad news	1	5		enter	•
	was empathetic and understanding	4	5		Because I was under general anaesthetic	
	I felt accompanied by the health professionals in the time immediately after				Other, please specify	6
	receiving the bad news 1 2 3	4	5		Open text (short)	
				33	Apart from the loss, was there any complication	
28	Which of the following best describes your accommodation?				during the birth?	
	Delivata value (not above)				Yes	1
	Private room (not shared) 1 Shared room with an obstetric/ maternity . 2	D	30		No	
	Shared room with a non-obstetric/	г	30			
	maternity patient			34	How many nights did you spend in the hospital?	
	General ward 4					
	Emergency ward 5				Less than 1 day, I didn't spend the night	
	Dilation room/ delivery room 6				1-2 nights	
	First a shared room and then private 7				5-7 nights	
	Room shared with another mother who				8 nights - 2 weeks	
	had had a pregnancy loss				More than 2 weeks	
	Not admitted for an overnight					
	Open text (short)			35	Were you given tranquilizers or sedatives at any sta	age
					during the hospital stay? (medication to sedate or	
29	Could you hear babies in the maternity ward crying	g			tranquilize NOT medication for pain or anaesthetics	
	from your room?				related to labour or sleeping pills) Tick all that apply	
	No 1	1			Hot all that apply	
	Somewhat 2					P43
	Yes				Yes, after the diagnosis or during the	
					initial stages of the labour 2	
					Yes, during the labour (either just before	
					or after the birth/expulsion)	
					Yes, after the birth 4	

	initial stages of labour	45	You have indicated that you didn't see your baby.	
36	You have indicated that you were given sedatives		Please choose the number which best reflects your	
	after the diagnosis or during the initial stages of		current level of agreement or disagreement with each	
	labour, which of the following options best describes		of the following statements. If you are not sure, use	
	the reason why they gave you sedatives, at that time?		the category 'neither agree nor disagree'. Please only	
			use this category when you definitely don't have a	
	I asked them to give me something to relax me 1		clear opinion.	
	They told me it would be better if I took something to			
	help me relax 2			
	They gave me sedatives without consulting with me 3		1 = I completely agree	
			2 = I agree	
37	Did they explain the effects of the sedatives before		3 = I neither agree nor disagree	
	they gave them to you?		4 = I disagree	
			5 = I completely disagree	
	Yes, they explained it very well 1		I received enough information about the	
	Yes, but not fully		decision to see or not see my baby/ies 1 2 3 4	5
	No 3			
			They advised me that it would be better to	5
If s	edatives were administered during the birth		not see my baby/ies 1 2 3 4	J
	You have indicated that you were given sedatives		Even though I decided to not see my baby	
	during the labour, either just before or after the		I felt pressured to do so	5
	birth/expulsion, which of the following options best			
	describes the reason why they gave you sedatives, at		My partner and I had different opinions	_
			about seeing the baby/ies 1 2 3 4	S
	that time?		I regret not seeing my baby/ies 1 2 3 4	5
	Lacked them to give me compthing to roley me		- •	
	I asked them to give me something to relax me 1	46	At any time did a health professional tell you that you	
	They told me it would be better if I took something to		couldn't see your baby?	
	help me relax2		couldn't see your baby:	
	They gave me sedatives without consulting with me 3		<i>No</i> 1	
			Yes	a
39	Did they explain the effects of the sedatives before		763	Э
	they gave them to you?		1646	
	, ,		If the respondent was told she couldn't se her baby	
	Yes, they explained it very well 1	47	Please indicate who told you that you couldn't see	
	Yes, but not fully		your baby/ies:	
			Tick all that apply.	
	No 3			
			A doctor	
	edatives were administered after the birth		A midwife or a nurse	
40	You have indicated that you were given sedatives		Other, please specify	
	after the birth, which of the following options best		Open text (short)	
	describes the reason why they gave you sedatives, at			
	that time?	48	What reason did they give for saying that you	
			couldn't see your baby/ies?	
	I asked them to give me something to relax me 1		Please use the space below to tell us	
	They told me it would be better if I took something to			_
	help me relax 2		Open text (long)	
	They gave me sedatives without consulting with me 3		Oben text (long)	_
41	Did they explain the effects of the sedatives before		If the mother didn't see her baby/ies	
	they gave them to you?		Is there anything else related to not seeing your baby	,
		45		
	Yes, they explained it very well 1		which we haven't asked about, that you would like to	
	Yes, but not fully 2		tell us?	
	No		Please use the space below to tell us	
42	Do you feel that the sedatives affected your memories		Open text (long)	
	of the time in the hospital?			_
	or and anno in the neophtari		If the mother saw her baby	
	Vac a lat /I faal that I dan't ramambar important		You indicated that you saw your baby after the birth,	
	Yes, a lot (I feel that I don't remember important	00	where did you see him/her?	
	things) 1		Tick all that apply	
	Yes, a little (but I feel that I remember most important 2		пск ан шасарру	
	things)			
	I don't think the sedatives affected my memory 3		In the room where I was staying 1	
	, ,		In the emergency room/intensive care unit 2	
43	After the birth, did you or your partner see your baby?		In the doctor's office/ consulting room 3	
	•		In the delivery room 4	
	<i>No</i> 1		In the room just off the delivery room 5	
	Yes, but not me, only my partner 2		In the family room	
	Yes, but only me		In the neonatal unit	
	Yes, but only my partner4 P44 t P50		Surgery	
			Surgical reanimation	
44	Did another family member or friends see the		Other please specify)
	baby/ies?		Open text (short)	
	Tick all that apply			

If the mother didn't see the baby...

If sedatives were administered after diagnosis and/or during

•	t tI	2	mai	nor	saw	hor	hahi	,

51 Please indicate if you or you partner did any of the following when you saw your baby/ies:

Tick all that apply

		Me		
		and my	My	
	Me	partner	partner	No
Touch him/her	1	2	3	4
Hold him/her	1	2	3	4
Dress or wrap him/her	1	2	3	4
Wash him/her	1	2	3	4
Spend some time with him				
or her (vigil)	1	2	3	4
Take photographs	1	2	3	4

If the mother saw her baby...

52 In total how much time, approximately, did you spend with your baby?

1-2 minutes	
3-5 minutes	2
6-20 minutes	3
21-60 minutes	4
1 to 2 hours	5
More than 2 hours	_
I don't know/ I can't say	7

If the mother saw her baby...

53 You indicated that you saw your baby after the birth. Please choose the number which best reflects your current level of agreement or disagreement with each of the following statements. If you are not sure, use the category 'neither agree nor disagree'. Please only use this category when you definitely don't have a clear opinion.

1	=	ഥ	mn	lete	lv ad	ree

2 = I agree

3 = I neither agree nor disagree

4 = I disagree

5 = I completely disagree

I received enough information about the decision to see or not see my baby/ies	1	2	3	4	5
They advised me that it would be better to	•	_	Ü	•	Ŭ
not see my baby/ies	1	2	3	4	5
I felt pressured to see my baby/ies	1	2	3	4	5
My baby was presented to me in a respectful and affectionate manner	1	2	3	4	5
The place where I saw my baby/ies was private	1	2	3	4	5
I felt that I could spend as much time with my baby/ies as I wanted	1	2	3	4	5
The professionals were respectful in their physical treatment of my baby/ies	1	2	3	4	5
The professionals participated in the process of seeing / holding / spending time with my baby/ies	1	2	3	4	5
My partner and I had different opinions	4	2	2	4	_
about seeing the baby/ies	ı	2	3	4	Э
It was a good decision to see my baby/ies	1	2	3	4	5

If the mother saw her baby...

54 Is there anything else related to seeing your baby that we haven't asked about and that you would like to tell

Please use the space below to tell us

Open text (long)

55	baby, how did they refer to him/her? Tick all that apply	tne
	By his/her name	1
	The baby	2
	The fetus	3
	Him or her	4
	I don't know / I can't remember	5
56	When the doctors spoke to you about the baby, ho did they refer to him/her?	w
	Tick all that apply	
	By his/her name	1
	The baby	2
	The fetus	3
	Him or herI don't know / I can't remember	4
	I don't know / I can't remember	5
57	Which of the following items did you keep from the hospital? Tick all that apply	e
	None	1
	Photographs	2
	Hand and/or foot prints	3
	Lock of hair	4
	Identification bracelet	5
	Ultrasound	6
	Clothing, blankets	7
	Umbilical cord clamp	8
	Medical paperwork Other, please specify	9 10
	Open text (short)]
58	Do you have any object or physical memory from thospital or from during the pregnancy that is especially important to you and your relationship your baby? Please use the space below to tell us	
	Open text (long)	
59	Were you asked about religious or spiritual beliefs any time during the hospital stay?	at
	Yes	1
	No	2
	I don't know / I can't remember	3
60	Were you asked if you would like to talk to psychologist, trained in intrauterine/neonatal grief while you were in the hospital?	,
	Yes 1	
	No	P62
	ne mother was offered the possibility of seeing a rechologist	
	Did you accept the offer to see a psychologist?	
	Yes 1	
	No 2	

62 Now, we'd like you to think about your interactions with the doctors, midwives and nurses.

Please choose the number which best reflects your current level of agreement or disagreement with each of the following statements. If you are not sure, use the category 'neither agree nor disagree'. Please only use this category when you definitely don't have a clear opinion.

1 =	I comp	oletel	lv	aar	ee

- 2 = I agree
- 3 = I neither agree nor disagree
- 4 = I disagree
- 5 = I completely disagree

. , ,					
I felt that the professionals listened to me	. 1	2	3	4	5
I felt that I could express myself emotionally in front of the professionals	. 1	2	3	4	5
The professionals were always respectful to me and my family	. 1	2	3	4	5
They gave me/ us sufficient information to help make the decisions we had to make	. 1	2	3	4	5
The professionals were sensitive in their use of language	. 1	2	3	4	5
Although I lost my baby I was treated like a mother	. 1	2	3	4	5
I felt emotionally supported by the doctors (e.g. gynaecologists and obstetricians)	. 1	2	3	4	5
I felt emotionally supported by the nurses and midwives	. 1	2	3	4	5
I felt I could ask questions if I wanted to They helped me/ us to keep physical	. 1	2	3	4	5
memories of the baby, such as photographs, identification bracelet, etc	. 1	2	3	4	5
Some of the professionals treated me well and others poorly	. 1	2	3	4	5
The nurses and midwives seemed to know how to deal with cases of pregnancy loss	. 1	2	3	4	5
The doctors seemed to know how to deal with cases of pregnancy loss		2			5

63 Which of the following pathology studies or tests were you offered (later we'll ask about which studies were conducted)?

Tick all that apply

None	. 1
General autopsy/ necropsy	. 2
Autopsy of the placenta	. 3
Biopsy	4
Phenotypic study (genetic test)	. 5
Other, please specify	6
Open text (short)	

64 Who, if anyone, explained the possibilities of conducting pathology studies or tests?

Tick all that apply

No one	1
A doctor	2
A pathologist	3
A nurse or a midwife	
Other, please specify	5
Open text (short)	

If someone explained the possibility of having pathology studies conducted..

65	Please indicate when you were spoken to about the
	possibility of having pathology tests conducted:
	Tick all that apply

Before the birth	1
During the labour/birth	
After the birth	3

66 We asked you what pathology tests were offered, now we'd like you to tell us which studies/tests were conducted:

Tick all that apply

General autopsy/ necropsy 1	
Autopsy of the placenta 2	→ P68
<i>Biopsy</i> 3	→ P68
Phenotypic study (genetic test) 4	→ P75
None, no pathology study was conducted 5	→ P75

If a general autopsy was conducted...

67 Did you or your partner sign a consent form for the autopsy?

Yes	1
No	2
Don't know / can't remember	3

If a general autopsy or biopsy was conducted...

68 How long did it take for the autopsy or biopsy results to arrive?

If both an autopsy and biopsy were conducted, answer in relation to the autopsy

Less than 1 month 1	
1-3 months 2	
4-6 months	
More than 6 months 4	
Still haven't arrived 5	→ P75

If the results of the autopsy / biopsy have arrived...

69 Which of the following best describes how the results arrived or were delivered?

By post	1
By appointment in the hospital/During a revision	2
By email	3
Going and asking/ making a complaint	4
Other, please specify	5
Open text (sho	ort)

If the results of the autopsy / biopsy have arrived...

70 Please indicate who, if anyone, explained the results of the autopsy or biopsy:

Tick all that apply

No one	1
A doctor	2
A pathologist	3
A nurse or a midwife	
Other, please specify	
Open text (short)	

	If the results of the autopsy were explained With respect to the explanation of the results of he autopsy or biopsy, please choose the number which best reflects your current level of agreement or disagreement with the following statement.
	If you are not sure, use the category 'neither agree nor disagree'. Please only use this category when you definitely don't have a clear opinion.
	1 = I completely agree 2 = I agree 3 = I neither agree nor disagree 4 = I disagree 5 = I completely disagree
	I received a clear and understandable explanation of the results of the autopsy or biopsy
	If the results of the autopsy / biopsy have arrived Did the autopsy or biopsy identify a cause of death?
	Yes 1 Yes, but not definitive 2 No 3
	If the results of the autopsy (not biopsy) have arrived Which of the following best describes your current feelings about the decision to authorize the autopsy?
	It was a good decision
	If a general autopsy or biopsy was conducted Is there anything in relation to the autopsy or biopsy that we haven't asked that you'd like to tell us about? Please use the space below
	Open text (long)
75	Who explained the procedures and options for the disposition of the body? Tick all that apply
	No one 1 A doctor 2 A midwife or a nurse 3 Someone from the funeral home 4 Social worker 5 Hospital porter 6 Administrator 7 Don't know, my partner or other family member took charge of the arrangements for disposition 8 Other, please specify 9 Open text (short)

76 Which of the following options best describes the funeral procedure or the method of disposition of the body?

The body was donated to research Private burial		→ P78 → P78
Private cremation througha funeral home (ashes recovered)	. 3	→ _{P78}
Cremation in the hospital (no ashes recovered)	. 4	
They didn't return the body to us as it was an early loss	. 5	→ P78
They told us tat if there was an autopsy that we couldn't recover the body	6	→ P78
Burial in a common plot (managed by the	. 0	P 1 70
hospital)		
Private cremation (no ashes recovered)		
I don't know / no options given		
Other, please specify Open text (short)	. 10]	→ P78

77 You have indicated that you chose to have the body cremated in the hospital, without possibility of recovering the ashes, why did you choose that option?

Please use the space below

Open text (long)

78 Now, thinking about the procedures related to care in the hospital, please choose the number which best reflects your current level of agreement or disagreement with each of the following statements.

If you are not sure, use the category 'neither agree nor disagree'. Please only use this category when you definitely don't have a clear opinion.

- 1 = I completely agree
- 2 = I agree
- 3 = I neither agree nor disagree
- 4 = I disagree
- 5 = I completely disagree

They explained the birth process in cases of loss in a clearly understandable way	1	2	3	4	5
time	1	2	3	4	5
The room where I was accommodated was peaceful and quiet place	1	2	3	4	5
All the personnel on the ward were aware of my situation					
In general they kept informed me/us well informed about all the steps and procedures during the hospital stay					
The doctors seemed competent in their work					
The nurses and midwives seemed competent in their work	1	2	3	4	5
The doctors and nurses/midwives seemed to work well as a team	1	2	3	4	5
There was one professional who guided me/us through the whole process	1	2	3	4	5
I felt that I was in control of the decisions related to medical aspects of care (e.g. the birth, sedatives/medication)					
I felt that I was in control of the decisions related to ritual (e.g. seeing/holding)	1	2	3	4	5

79	Please, using the scale below, indicate how information you received (verbally or in writing each of the following areas, during the hosp 1 = None 2 = Little	ng)	fo			The best part of me died with the baby	4 5 4 5 4 5
	3 = Quite a bit 4 = A lot					Sometimes I feel like I need a professional counsellor to help me get my life back	
	Information about the possibility of keeping physical mementos of the baby,					together again 1 2 3 4 I feel as though I'm just existing and not	
	such as photographs, identification bracelet etc	2	3	3	4	really living since he/she died 1 2 3 4 I feel so lonely since he/she died 1 2 3 4	
	Information about the grief process	2			4	I feel somewhat apart and remote, even	+ 5
	Information about where to find useful					among friends	4 5
	information about perinatal bereavement					Its safer not to love 1 2 3	4 5
	(e.g. web pages, books)	2	3	3	4	I feel depressed	
	Information about self-care for lactation and after discharge 1	2	3	2	4	I find it hard to get along with certain people 1 2 3	
	Information about the disposition of the corpse (e.g. the funeral arrangements,	2		,	4	I feel empty inside 1 2 3 4 I can't keep up with my normal activities 1 2 3	
	cremation etc.) 1	2	3	3	4	If the death occurred at 22 weeks gestation or later	
	Information about the autopsy and other					83 Before you were discharged did they give you (or y	our
	medical/pathology tests 1				4	partner) the Birth Registration/Statistics Form (the BEP)?	
80	Thinking about the hospital stay, what was t that helped you most (something someone s did), if anything?					The BEP is a document from the Civil Register, that contains the details of the birth, the mother and father, gender of the baby, number of weeks gestation, etc. It is	is a
	Open text (long)					document that the gynaecologist should give you filled and signed.	in
81	Thinking about the hospital stay, what was t		No				
	that helped you least (something someone s did), if anything?	aid	or			Yes, completely filled inYes, partially filled in	
	did), if anything:					Yes, but it wasn't filled in	4
	Open text (long)					I don't know / I don't remember	
	such as yours. There are no right or wrong responses to these statements. Choose the number which best reflects your current level of agreement or disagreement with each of the following statements. If you are not sure, use the				Yes, I/we took it to the civil registry Yes, the funeral home took charge I/we still haven't gotten round to it No I/we forgot to do it	2 3	
	category 'neither agree nor disagree'. Please or category when you definitely don't have a clear			No, we didn't know that you had to take it to the civil registry			
	IMPORTANT: These questions are related to how you feel now , not at the time when you suffered the loss. 1 = I completely agree 2 = I agree					85 After being discharged from the hospital, which of following options best describes the follow-up care that you had?	the
	3 = I neither agree nor disagree					Tick all that apply	
	4 = I disagree 5 = I completely disagree					I haven't had any follow-up since discharge/ not yet 1 because it's too early	
	I feel depressed					I went for a check-up in the same hospital2	
	I find it hard to get along with certain people 1					I had a house call from the health centre midwife 3	
	I feel empty inside 1 I can't keep up with my normal activities 1					I had an appointment with the midwife in the health 4	
	I feel a need to talk about the baby					centre	
	I am grieving for the baby1					centre	
	I am frightened 1					I had a follow-up with mental health services 6	
	I have considered suicide since the loss 1					I had a follow-up appointment with the 7	
	I take medicine for my nerves1	2	3	4	5	gynaecologist at 6 weeks	
	I very much miss the baby1					I had a follow-up appointment with the 8	
	I feel I have adjusted well to the loss 1					gynaecologist 1-3 weeks after discharge	
	It is painful to recall memories of the loss 1					I had a check-up with a private gynaecologist 9 I had follow-up appointments with specialist 1	
	I get upset when I think about the baby 1					diagnostics	J
	I cry when I think about him/her 1					I had to emergencies because of complications 1	1
	I feel guilty when I think about the baby 1	2	3	4	5	I had continued periodic check-ups 1	2
	I feel physically ill when I think about the baby1	2	2	1	E	Other, please specify	3
	Daby	2	3	4	3	Open text (short)	
	I feel unprotected in a dangerous world						

anymore 1 2 3 4 5 Time passes so slowly since the baby died ... 1 $\,$ 2 $\,$ 3 $\,$ 4 $\,$ 5

Both after discharge and during a subsequent pregnancy	following options best describes how you are with the death of your baby?		91	If the pregnancy was singleton If the possibility had existed would y your breast milk to a bank?	ou h	nave	e do	nat	ed
Quite bad (more bad days than good days) 2 Neither good on bad (good days and bad days about the same) 3 Quite good (more good days than bad days) 4 Very good (most days are good, but maybe with the following times? 5 I don't know can't say. 6 87 Have you received any psychological help, support or therapy at any of the following times? 7 Tick all that apply 7 No	Vary had (avery day seems had)	1		Vos definitely					1
Neither good nor bad (good days and bad days) about the same) 3 Quite good (more good days than bad days). 4 Very good (more good days than bad days). 5 (forth Know/ can't say. 5 (forth Know/ can't sa									
about five same) 3 Quite good (more good days than bad days) 4 Very good (more good days than bad days) 4 Very good (most days are good, but maybe with the odd bad one) 5 I don't know (can't say. 6 7 Have you received any psychological help, support or therapy at any of the following times? 7 Tick all that apply 1 No. 1 After being discharged from the hospital 2 During a subsequent pregnancy 3 Both after discharge and during a subsequent pregnancy 4 88 Where did you go for psychological support or thorapy? 7 Tick all that apply 1 No. never 1 No. never 1 Yes, we made a claim report it 3 Have you wer looked for information on porfinatal death on the internet? Tick all that apply 1 No. never 1 Yes, during the hospital stay 1 Yes, during the hospital stay 2 Yes, after being discharged it on periodist in grief 4 Psychologist / psychiatrist - paecialist in grief 4 Perinatal grief support group 6 Perinatal grief support group 7 Alternativentural therapy 8 Psychologist / psychiatrist public mental health service - specialist in prematel grief 9 Other, please specify 9 Other bease specify 9 Other large support group 6 Private psychologist / psychiatrist public mental health 1 Service - specialist in periodist of the specialist in grief 4 Psychologist / psychiatrist public mental health 1 Service - specialist in periodist grief 9 Other, please specify 9 Other please specify 9 Other please specify 1 Other bears and/or midwives 4 Psychologist / psychiatrist - specialist in grief 1 During a subsequent pregnancy 9 Other please specify 1 Psychologist / psychiatrist - specialist in grief 1 No. man service - specialist in periodist grief support group 6 Private psychologist / psychiatrist - specialist in grief 1 Service - specialist in periodist grief support group 7 Alternativentural therapy 9 Psychologist / psychiatrist - specialist in grief 1 Service - specialist in periodist in specialist in grief 1 Service - specialist in periodist in specialist in grief 1 Service - specialist in pe		2							
Quite good (more good days than bad days). 4 Very good (more good days reach). 5 I don't know' can't say. 6 87 Have you received any psychological help, support or tharapy at any of the following times? 7 Trick all that apply 1 No. 1 After being discharged from the hospital 2 During a subsequent pregnancy . 3 Both after do you go for psychological support or tharapy? 7 Trick all that apply 1 88 Where did you go for psychological support or tharapy? 1 Trick all that apply 1 89 Have you had any contact with other parents or a support group between the public mental health service . 2 Private psychologist / psychiatrist - specialist in gerinatal grief . 7 Psychologist / psychiatrist public mental health service - specialist in perinatal grief support group . 6 Psychologist / psychiatrist public mental health service - specialist in perinatal grief support group . 6 Psychologist / psychiatrist public mental health service - specialist in perinatal grief support group . 7 Psychologist / psychiatrist public mental health service - specialist in perinatal grief . 7 Mo . 1 After being discharged from the hospital . 1 After being discha		2							
Very good (most days are good, but maybe with the odd bad one). 5 6 I don't know (can't say.) 87 Have you received any psychological help, support or therapy at any of the following times? 18 Where clid sply: 19 After being discharged from the hospital. 2 2 During a subsequent pregnancy. 3 3 Both after discharge and during a subsequent pregnancy. 4 4 2 3 4 Have you have from the public mental health service. 9 Private psychologist / psychiatrist public mental health service. 9 Private psychologist / psychiatrist public mental health service and pregnancy. 8 Psychologist / psychiatrist public mental health service and pregnancy. 9 Psychologist / psychiatrist public mental health service and pregnancy. 9 Psychologist / psychiatrist public mental health service and psychologist / psychiatrist public mental health service and psychologist / psychiatrist and psychologist / psychiatrist public mental health service and psychologist / psychiatrist public mental health service and psychologist / psychiatrist public mental				No, definitely not					4
odd bad one) 5 I don't know can't say 6 87 Have you received any psychological help, support or therapy at any of the following times? Tick all that apply No.				- 1					
## Allow you received any psychological help, support or therapy at any of the following times? **Tick all that apply** **No			92		vas	any	me	dic	al
87 Have you received any psychological help, support or therapy at any of the following times? Tick all that apply No				negligence in your case?					
187 Have you received any psychological help, support or thorapy at any of the following times? Tick all that apply No	I don't know/ can't say	6							
Tick all that apply No. No. Subsequent pregnancy. 3 Both after discharged from the hospital. 2 During a subsequent pregnancy. 3 Both after discharged and during a subsequent pregnancy. 4 88 Where did you go for psychological support or therapy? Tick all that apply Psychologist / psychiatrist public mental health service. 2 Private psychologist / psychiatrist - specialist in grief. Private psychologist / psychiatrist public mental health service and content of the support group. 7 Alternativendural therapy. 6 Brennatal grief support group. 7 Alternativendural therapy. 7 By Has you partner received any psychological psychologist / psychiatrist public mental health service. 9 Dother, please specify. 9 Dother, please specify. 9 Dother please specify. 9 Dother please specify. 9 Dother please specify. 9 Dother please specify spychiatrist public mental health service and the special sport or therapy at any of the following times? Tick all that apply No. 1 After being discharged from the hospital 1 Doring a subsequent pregnancy. 2 Both after discharge and during a subsequent pregnancy. 4 Psychologist / psychiatrist public mental health service 2 Rives psychologist / psychiatrist specialist in grief 3 Private psychologist / psychiatrist - specialist in grief 3 Private psychologist / psychiatrist - specialist in grief 3 Private psychologist / psychiatrist - specialist in grief 3 Private psychologist / psychiatrist - specialist in grief 3 Private psychologist / psychiatrist - specialist in grief 3 Private psychologist / psychiatrist - specialist in grief 3 Private psychologist / psychiatrist - specialist in grief 3 Private psychologist / psychiatrist - specialist in grief 3 Private psychologist / psychiatrist - specialist in grief 3 Private psychologist / psychiatrist public mental health service - specialist in perinal grief 4 General grief support group. 7 Alternative privative processing to perinate pro									
No. After being discharged from the hospital 2 2 During a subsequent pregnancy 4 3 Have you ever looked for information on perinatal death on the Internet? Tick all that apply 2 2 During a subsequent pregnancy 4 3 Have you ever looked for information on perinatal death on the Internet? Tick all that apply 4 3 Have you have recovered from the public mental health service 2 Private psychologist / psychiatrist specialist in grief 4 Private psychologist / psychiatrist specialist in perinatal grief 4 Private psychologist / psychiatrist specialist in perinatal grief support group 5 Perinatel grief support group 5 Perinatel grief support group 4 After being discharged from the hospital 1 Purity a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent 4 B	87 Have you received any psychological help, su	pport or							
No. After being discharged from the hospital 2 2 During a subsequent pregnancy 4 3 Have you ever looked for information on perinatal death on the Internet? Tick all that apply 2 2 During a subsequent pregnancy 4 3 Have you ever looked for information on perinatal death on the Internet? Tick all that apply 4 3 Have you have recovered from the public mental health service 2 Private psychologist / psychiatrist specialist in grief 4 Private psychologist / psychiatrist specialist in perinatal grief 4 Private psychologist / psychiatrist specialist in perinatal grief support group 5 Perinatel grief support group 5 Perinatel grief support group 4 After being discharged from the hospital 1 Purity a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 2 Both after discharge and during a subsequent 4 B	therapy at any of the following times?			Yes, but we didn't make a claim/ report	it				3
Alter being discharged from the hospital 2 During a subsequent pregnancy 3 Both after discharge and during a subsequent pregnancy 4 88 Where did you go for psychological support or therapy? Tick all that apply Psychologist / psychiatrist public mental health service 2 Private psychologist / psychiatrist specialist in grief 4 Private psychologist / psychiatrist public mental health service 4 Private psychologist / psychiatrist public mental health service 4 Private psychologist / psychiatrist public mental health service 4 Private psychologist / psychiatrist public mental health service 4 Private psychologist / psychiatrist public mental health service 4 Private psychologist / psychiatrist public mental health service 4 Private psychologist / psychiatrist public mental health service 4 Programatical control of the psychologist / psychiatrist public mental health service 4 Private psychologist / psychiatrist specialist in grief									
Both after discharge and during a subsequent pregnancy. 88 Where did you go for psychological support or therapy? Tick all that apply 89 Psychologist / psychiatrist public mental health service. Nurse from the public mental health service agrief. Nurse from the public mental health service private psychologist / psychiatrist - specialist in grief. Private psychologist / psychiatrist - specialist in preintal grief. Private psychologist / psychiatrist - specialist in perintal grief support group. 6 Perintal grief support group. 6 Perintal grief support group. 7 Alternative/natural therapy. 89 Has your partner received any psychological help, support or therapy at any of the following times? Tick all that apply 10 Open text (short) 11 After being discharged from the hospital. 12 During a subsequent pregnancy. 90 Where did your partner go for psychological support or therapy? Tick all that apply 11 During a subsequent pregnancy. 12 Obth after discharge and during a subsequent pregnancy and uning a subsequent pregnancy. 12 Obth after discharge and during a subsequent pregnancy. 13 Psychologist / psychiatrist public mental health service. Nurse from the public mental health service.			93		ı on	per	inat	al	
Both after discharge and during a subsequent pregnancy	During a subsequent pregnancy	3							
88 Where did you go for psychological support or thorapy? Tick all that apply Psychologist / psychiatrist public mental health service. Nurse from the public mental health service private psychologist / psychiatrist - specialist in perinatal grief. Private psychologist / psychiatrist - specialist in perinatal grief service. Private psychologist / psychiatrist - specialist in perinatal grief service. Private psychologist / psychiatrist - specialist in perinatal grief service. Private psychologist / psychiatrist - specialist in perinatal grief service. Private psychologist / psychiatrist - specialist in perinatal grief service. Private psychologist / psychiatrist - specialist in perinatal grief service specialist in perinatal grief service. Private psychologist / psychiatrist - specialist in perinatal grief service - specialist in peri	Both after discharge and during a subsequent			The same and the s					
88 Where did you go for psychological support or therapy? Tick all that apply Psychologist / psychiatrist public mental health service. Private psychologist / psychiatrist - specialist in grief Private psychologist / psychiatrist public mental health service - specialist in perinatel grief 9 Other, please specify If the respondent is still married/ civil union/ cohabiting with partner 9 Hypothologist / psychiatrist psychological help, support or therapy at any of the foliowing times? Tick all that apply If the respondent is still married/ civil union/ cohabiting with partner 9 Hypothologist / psychiatrist psychological help, support or therapy at any of the foliowing times? Tick all that apply If the respondent is still married/ civil union/ cohabiting with partner 9 Hypothologist / psychiatrist psychological support or therapy at any of the foliowing times? Tick all that apply No.		4		No never					1
Where did you go for psychological support or therapy? Tick all that apply Psychologist / psychiatrist public mental health service. Nurse from the public mental health service. 2 Private psychologist / psychiatrist - specialist in grief. Private psychologist / psychiatrist - specialist in grief. Private psychologist / psychiatrist - specialist in grief. General grief support group. Alternative/natural therapy. Psychologist / psychiatrist public mental health service. Psychologist / psychiatrist public mental health service service. Psychologist / psychiatrist public mental health service psychologist / psychiatrist public mental health service. Psychologist / psychiatrist public mental health service psychologist / psychiatrist public mental health service psychologist / psychiatrist public mental health service programacy. No									
therapy? Tick all that apply Psychologist / psychiatrist public mental health service	88 Where did you go for psychological support o	r							
Psychologist / psychiatrist public mental health service		-		res, alter being discharged					3
Service. Nurse from the public mental health service. 2 Private psychologist / psychiatrist - non specialist in grief. Private psychologist / psychiatrist - specialist in grief. Private psychologist / psychiatrist public mental health service - specialist in perinatal grief — 9 Other, please specify. No. 1 After being discharged from the hospital. 1 During a subsequent pregnancy. 3 Psychologist / psychiatrist public mental health 1 perinatal grief — 4 Private psychologist / psychiatrist - specialist in grief. 3 Private psychologist / psychiatrist - s	Tick all that apply	4	94	support group/association that helps					
Nurse from the public mental health service. 2 Private psychologist / psychiatrist - non specialist in a grief. Private psychologist / psychiatrist - specialist in grief. 4 Private psychologist / psychiatrist - specialist in grief. 4 Private psychologist / psychiatrist - specialist in grief. 4 Private psychologist / psychiatrist - specialist in grief. 5 General grief support group. 7 Alternative/natural therapy. 8 Psychologist / psychiatrist public mental health service - specialist in perinatal grief of the psychologist / psychiatrist public mental health service - specialist in perinatal grief. 9 Other, please specify. 0pen text (short) If the respondent is still married/ civil union/ cohabiting with pathers. 9 Pake your partner received any psychological help, support or therapy at any of the following times? Tick all that apply No. 1 After being discharged from the hospital. 1 During a subsequent pregnancy. 2 Both after discharge and during a subsequent pregnancy. 4 Psychologist / psychiatrist public mental health service. Nurse from the public mental health service. Private psychologist / psychiatrist - non specialist in grief. 3 Private psychologist / psychiatrist - specialist in grief. 3 Private psychologist / psychiatrist - specialist in grief. 3 Private psychologist / psychiatrist - specialist in grief. 3 Private psychologist / psychiatrist - specialist in grief. 3 Private psychologist / psychiatrist - specialist in grief. 3 Private psychologist / psychiatrist - specialist in grief. 3 Private psychologist / psychiatrist - specialist in grief. 3 Private psychologist / psychiatrist - specialist in grief. 3 Private psychologist / psychiatrist - specialist in grief. 3 Private psychologist / psychiatrist - specialist in grief. 3 Private psychologist / psychiatrist - specialist in grief. 3 Private psychologist / psychiatrist - specialist in grief. 3 Private psychologist / p									
Private psychologist / psychiatrist - non specialist in 3 grief. Private psychologist / psychiatrist - specialist in grief. Private psychologist / psychiatrist - specialist in grief. Private psychologist / psychiatrist - specialist in perinatal grief. Perinatal grief support group. Seprenatal grief support group. Alternative/natural therapy. Psychologist / psychiatrist public mental health service - specialist in perinatal grief. Poentext (short) Poentext (shor				нск ан тпат арріу					
Yes. Ye been in contact with a support association by telephone or email. 2 2 2 2 2 2 2 2 2				No					1
Private psychologist / psychiatrist - specialist in grief. Private psychologist / psychiatrist - specialist in perinatal grief. General grief support group. Alternative/natural therapy. Alternative/natural therapy. Other, please specify. No									•
Private psychologist / psychiatrist - specialist in perinatal grief of support group	.			by tolophone or omeil	ass	UCIA	iliOii		2
Second grief support group 6 6 7 6 7 7 7 7 7 7		riet. 4							2
General grief support group. Perinatal grief support group. Alternative/natural therapy. Psychologist / psychiatrist public mental health service. Psychologist / psychiatrist public mental health service. Private psychologist / psychiatrist public mental health service. Private psychologist / psychiatrist sublic mental health service. Private psychologist / psychiatrist specialist in grief. Private psychologist / psychiatrist specialist in grief. Perinatal grief support group. A Yes, I've attended or participated in a support group. A Yes, I've been in contact with other mothers/fathers, but not in a formal support group. 4 Yes, I've been in contact with other mothers/fathers, but not in a formal support group. 5 Yes, I've attended or participated in a support group. 4 Yes, I've been in contact with other mothers/fathers, but not in a formal support group. 5 Yes, I've attended or participated in a support group. 5 Yes, I've been in contact with other mothers/fathers, but not in a formal support group. 5 Yes, I've attended or participated in a support group. 5 Yes, I've been in contact with other mothers/fathers, but not in a formal support group. 5 Yes, I've been in contact with other mothers/fathers, but not in a formal support group. 5 Yes, I've been in contact with other mothers/fathers, but not in a formal support group. 5 Yes, I've been in contact with other mothers/fathers, but not in a formal support group. 5 Yes, I've been in contact with other mothers/fathers, but not in a formal support group. 5 Yes, I've been in contact with other mothers/fathers, but not in a formal support group. 5 Yes, I've attended or participated in a support group. 5 Yes, I've been in contact with other mothers/fathers, but not in a formal support group. 5 Yes, I've attended or participated in a support group. 5 Yes, I've attended or participated in a support group. 5 Yes, I've attended or participated in a support group. 5 Yes, I've attended or participated in a support group. 5 Yes, I've attended or participated in a support		_			_	-			^
Self-help group									3
Alternative/natural therapy 8									
Service - specialist in perinatal grief 9 9 Other, please specify 0 Other,									4
Service - Specialist in perinatal grief	Alternative/natural therapy	8							
Other, please specify Open text (short) If the respondent is still married/ civil union/ cohabiting with partner 89 Has your partner received any psychological help, support or therapy at any of the following times? Tick all that apply No	Psychologist / psychiatrist public mental health								
Service Private psychologist / psychiatrist public mental health service Private psychologist / psychiatrist - specialist in perinatal grief Spychologist / psychiatrist public mental health service - specialist in perinatal grief Spychologist / psychiatrist public mental health service - specialist in perinatal grief Spychologist / psychiatrist public mental health service - specialist in perinatal grief Spychologist / psychiatrist public mental health service - specialist in perinatal grief Spychologist / psychiatrist public mental health service - specialist in perinatal grief Spychologist / psychiatrist public mental health service Spychologist / Spychiatrist public mental health service Spychologist / Spychiatris	service - specialist in perinatal grief	9		Yes, I've attended a commemoration ev	∕ent.				6
Service Private psychologist / psychiatrist public mental health service Private psychologist / psychiatrist - specialist in perinatal grief support group Psychologist / psychiatrist public mental health service - specialist in perinatal grief support group Psychologist / psychiatrist public mental health service - specialist in perinatal grief support group Psychologist / psychiatrist public mental health service - specialist in perinatal grief support group Psychologist / psychiatrist public mental health service - specialist in perinatal grief support group Psychologist / psychiatrist public mental health service - specialist in perinatal grief support group Psychologist / psychiatrist public mental health service Private psychologist / psychiatrist public mental health service Private psychologist / psychiatrist - specialist in perinatal grief support group Psychologist / psychiatrist public mental health service Psychologist / psychiatrist public mental health service Private psychologist / psychiatrist - specialist in perinatal grief support group Psychologist / psychiatrist public mental health service Private psychologist / psychiatrist - specialist in perinatal grief support group Psychologist / psychiatrist public mental health service Private psychologist / psychiatrist public mental health service Psychologist / psychiatrist	Other, please specify	10							
If the respondent is still married/ civil union/ cohabiting with partner 89 Has your partner received any psychological help, support or therapy at any of the following times? Tick all that apply No. 1 After being discharged from the hospital									
## Also your partner received any psychological help, support or therapy at any of the following times? Tick all that apply No.			95		ort	that	t you	u ha	ıve
Has your partner received any psychological help, support or therapy at any of the following times? No		g with		received from the following people?					
support or therapy at any of the following times? Tick all that apply No				N					
Tick all that apply No									
A lot of support = 4 Not relevant (don't know any such person) = 5		es?							
No. After being discharged from the hospital 1 During a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 4 During a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 4 During a subsequent pregnancy 2 Doctors 1 2 3 4 Doctors 1 2 3	Tick all that apply								
After being discharged from the hospital									
After being discharged from the hospital	No	1		Not relevant (don't know any such person	on) =	= 5			
During a subsequent pregnancy 2 Both after discharge and during a subsequent pregnancy 4 Both after discharge and during a subsequent pregnancy 4 Both after discharge and during a subsequent pregnancy 4 Both after discharge and during a subsequent pregnancy 4 Both after discharge and during a subsequent pregnancy 4 Both after discharge and during a subsequent pregnancy 4 Both after discharge and during a subsequent pregnancy 4 Both after discharge and during a subsequent pregnancy 4 Both after discharge and during a subsequent pregnancy 4 Both after discharge and during a subsequent pregnancy 4 Both after discharge and during a subsequent pregnancy 1 2 3 4 Both after discharge and during a subsequent 1 2 3 4 Both after discharge and during a subsequent 1 2 3 4 Both after discharge and during a subsequent 1 2 3 4 Both after discharge and during a subsequent 1 2 3 4 Close family 1 general 1 2 3 4 Both after discharge and during a subsequent 1 2 3 4 Close family 1 general 1 2 3 4 Both after discharge and during a subsequent 1 2 3 4 Both after discharge and during a subsequent 1 2 3 4 Close family 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 general 1 2 3 4 Both after discharge and unity 1 ge									
Both after discharge and during a subsequent pregnancy				1) Nurses and/or midwives	1	2	3	4	5
pregnancy		-		,					5
## Of the did your partner go for psychological support or therapy? ## Tick all that apply ## Psychologist / psychiatrist public mental health service	· · · · · · · · · · · · · · · · · · ·	4							5
90 Where did your partner go for psychological support or therapy? Tick all that apply Psychologist / psychiatrist public mental health service	programoy	¬				2			5
or therapy? Tick all that apply Psychologist / psychiatrist public mental health service. Nurse from the public mental health service. Private psychologist / psychiatrist - non specialist in perinatal grief Private psychologist / psychiatrist - specialist in perinatal grief support group. Private grief support group. Alternative/natural therapy Psychologist / psychiatrist public mental health service. Ocea text (short) 6) Close friends. 1 2 3 4 8) A psychologist/psychiatrist. 1 2 3 4 8) A psychologist/psychiatrist. 1 2 3 4 9) Other mothers/fathers who have experienced a perinatal death. 1 2 3 4 10) An online support group. 1 2 3 4 11) A support group/self-help group 1 2 3 4 (physically attend). 12) Work colleagues. 1 2 3 4 13) A support association. 1 2 3 1 14 1 15 2 3 4 16 1 17 2 3 4 18 3 2 3 4 19 3 4 19 3 4 10 3 4 10 3 4 11 3 4 12 3 4 13 4 14 1 15 3 4 16 1 17 3 4 18 3 4 19 3 4 19 3 4 10 4 10 4 10 4 10 5 4 10 6 10 6 10 7 8 10 8 10 8 10 8 10 8 10 8 10 8 10 8 10 8 10 8 10 8 10 8 10	90 Where did your partner as for payabolasical a	unnort							
Tick all that apply 7) Friends in general 1 2 3 4 8) A psychologist/psychiatrist 1 2 3 4 Psychologist / psychiatrist public mental health 1 2 3 4 Nurse from the public mental health service 2 2 3 4 Private psychologist / psychiatrist - non specialist in 2 3 4 grief 2 3 4 Private psychologist / psychiatrist - specialist in 1 2 3 4 Private psychologist / psychiatrist - specialist in 1 3 4 Private psychologist / psychiatrist - specialist in 1 3 4 Private psychologist / psychiatrist - specialist in 1 3 4 Private psychologist / psychiatrist - specialist in 1 3 4 Private psychologist / psychiatrist - specialist in 1 3 4 Private psychologist / psychiatrist - specialist in 1 3 4 Private psychologist / psychiatrist - specialist in 1 3 5 4 Private psychologist / psychiatrist - specialist in 1 3 5 4 Private psychologist / psychiatrist - specialist in 1 3 5 4 Private psychologist / psychiatrist - specialist in 1 3 5 4 Private psychologist / psychiatrist - specialist in 1 3 5 4 Private psychologist / psychiatrist - specialist in 1 5 5 4 Private psychologist / psychiatrist - specialist in 1 5 5 4 Private psychologist / psychiatrist - specialist in 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		upport							
Psychologist / psychiatrist public mental health 1 9) Other mothers/fathers who have experienced a perinatal death 1 2 3 4 Nurse from the public mental health service 2 4 Private psychologist / psychiatrist - non specialist in 2 grief 2 7 Private psychologist / psychiatrist - specialist in grief 3 7 Private psychologist / psychiatrist - specialist in perinatal grief 4 7 General grief support group 6 7 Alternative/natural therapy 8 7 Psychologist / psychiatrist public mental health service - specialist in perinatal grief 9 0 Other, please specify 1 2 3 4 9) Other mothers/fathers who have experienced a perinatal death 1 2 3 4 10) An online support group 1 2 3 4 11) A support group/self-help group 1 2 3 4 12) Work colleagues 1 2 3 4 13) A support association 1 2 3 4 14) Other, please specify 1 10									
Psychologist / psychiatrist public mental health service service must be public mental health service service psychologist / psychiatrist - non specialist in 2 grief (physically attend) perinatal grief support group 4 General grief support group 6 Perinatal grief support group 7 Alternative/natural therapy 8 Psychologist / psychiatrist public mental health service - specialist in perinatal grief 9 Other, please specify 10 Ocean text (short) 11 9) Other mothers/fathers who have experienced a perinatal death 11 2 3 4 10) An online support group 1 2 3 4 11) A support group/self-help group 1 2 3 4 12) Work colleagues 1 2 3 4 13) A support association 1 2 3 4 13) A support association 1 2 3 4 13) A support association 1 2 3 4 14 15 16 17 18 18 19 19 10 10 10 10 10 10 10 10	Tick all that apply						3	-	5
service					7	2	3	4	5
Nurse from the public mental health service		1				_	_		_
Private psychologist / psychiatrist - non specialist in 2 grief							3		5
Private psychologist / psychiatrist - non specialist in 2 grief	Nurse from the public mental health service			10) An online support group		2	3		5
grief (physically attend) 12 3 4 Private psychologist / psychiatrist - specialist in grief 3 12) Work colleagues 1 2 3 4 Private psychologist / psychiatrist - specialist in perinatal grief 4 General grief support group 6 Perinatal grief support group 7 Alternative/natural therapy 8 Psychologist / psychiatrist public mental health service - specialist in perinatal grief 9 Other, please specify 10				11) A support group/ self-help group	1	2	3	4	5
Private psychologist / psychiatrist - specialist in grief 3 Private psychologist / psychiatrist - specialist in grief 3 Private psychologist / psychiatrist - specialist in perinatal grief 4 General grief support group 6 Perinatal grief support group 7 Alternative/natural therapy 8 Psychologist / psychiatrist public mental health service - specialist in perinatal grief 9 Other, please specify 10									
Private psychologist / psychiatrist - specialist in perinatal grief						2	3	4	5
perinatal grief		.5 0						4	
General grief support group 6 Perinatal grief support group 7 Alternative/natural therapy 8 Psychologist / psychiatrist public mental health service - specialist in perinatal grief 9 Other, please specify 10		4		i ay i i ang pari addodiadidii iiiiiiiiiiiiiiiiiiiiiiiii	•	_	-	•	٥
Perinatal grief support group									
Alternative/natural therapy 8 Psychologist / psychiatrist public mental health service - specialist in perinatal grief 9 Other, please specify 10									
Psychologist / psychiatrist public mental health service - specialist in perinatal grief									
Psychologist / psychiatrist public mental health service - specialist in perinatal grief		8							
Service - specialist in perinatal grief									
Other, please specify		9							
Open taxt (chart)									
	Open text (s								
	- Ferriori (,							

If the pregnancy was singleton

86 Thinking about how you feel at present, which of the

96	Thinking about how you feel now about the care that you received in the hospital choose the number which	100	Which of the following social classes would you say you belong to?
	best reflects your current level of agreement or		
	disagreement with each of the following two		High 1
	statements.		Middle to high
	If you are not ours, use the estagent insither agree nor		Middle
	If you are not sure, use the category 'neither agree nor		Middle to lower
	disagree'. Please only use this category when you		Lower 5
	definitely don't have a clear opinion.	101	Which of the following best describes where you live?
	1 = I completely agree		In the provincial capital 1
	2 = I agree		In the suburbs of the provincial capital
	3 = I neither agree nor disagree		In a small city or large town
	4 = I disagree		In a small town
	5 = I completely disagree		In a village 5
	Despite the circumstances I feel satisfied with the care that I received in the hospital 1 2 3 4 5		On a farm or in a house in the countryside 6
	I would recommend this hospital to other parents	102	Currently, between all members of the family and including all income sources, which of the following
97	Which of the following best defines your religious		categories best describes your family's total monthly income?
	beliefs?		
	Catholic 1		Less than or equal to 300 € 1
			Between 301 and 600 € 2
	Evangelic or protestant		Between 601 and 900 €
	Muslim		Between 901 and 1.200 €
	Mormon 5		Between 1.201 and 1.800 €
	Orthodox 6		Between 1.801 and 2.400 €
	Buddhist 7		Between 2.401 and 3.000 € 7
	Jehovah's Witness 8		Between 3.000 and 4.500 € 8
	Non-believer / agnostic		Between 4.501 and 6.000 €
	Atheist 10		More than 6.000 € 10
	At the moment I have strong doubts about my 11	400	V 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	religious beliefs	103	You've reached the end of the questionnaire!
	Other		Would you be interested in participating in other research projects?
	If the respondent is married/ civil union/ cohabiting with partner		Yes, I would like to participate
98	Which of the following best describes your partner's educational level?		information before committing
	5 or less years of schooling 1	404	W 1 . P . I . I
	j	104	You have indicated that you would like to participate
	5 or more years of schooling but without completing the lower second level exams		in other research studies, please leave your name,
			telephone number and email address and we will be in contact.
	Lower second level		
	Upper second level 4		Please remember that your personal details are strictly
	Professional/vocational level I5		confidential and will never appear in relation to the
	Professional/vocational level II6		research.
	Third level diploma7		Nome
	Third level degree8		Name Telephone number
			E-mail
	Master or doctorate9 If the respondent is married/ civil union/ cohabiting with		
	partner		If the respondent answered that they don't wish to participate in further research
	Which of the following best describes your partner's occupation?		Would you like to receive information about the results of the research?
	Professional or technical1		Yes 1
	Executive/director of a public body or a company 2		No
	Administrative worker		
	Merchant or salesperson		If the respondent has indicated that they would like to
			received information about the results of the research
	Service sector worker 5		You have indicated that you would like to receive
	Agricultural or fisheries sector worker6		information about the results of the research, please
	Production worker, transport equipment drivers and		leave your name, telephone number and email
	labourers (non-agricultural)		address and we will be in contact.
	Member of the armed forces 8		Please remember that your personal details are strictly
	Student9		confidential and will never appear in relation to the
			research.
	Home worker		
	Pensioner, retired or in receipt of an annuity 11		Name
	Person who can't be classified12		E-mail
	Professional or technical		

107 If there is anything about the survey that you would like to tell us, something that we have forgotten to ask or a suggestion for improvement, please use the space below.

Open text (long)

Thank you very much for all your help, we promise to use the information that you have provided to promote improvements in the care that parents receive after a perinatal death.

HELP US TO CONTACT OTHER MOTHERS

It's very important for the research that we contact as many mothers as possible. If you know a mother or family that have experienced a loss your pregnancy after week 16 we would be very grateful if you could copy the link below and send it to them by email or communicate it by other means.

Link to send the survey to other mothers:

XXXXX

INFORMATION ABOUT THE SURVEY:

If you have any doubts or questions about the research, please get in touch with Paul Cassidy by email: investigación@umamanita.es

INFORMATION ABOUT PERINATAL GRIEF AND SUPPORT

If you would like to receive more information about perinatal grief or support, please visit Umamanta's webpage or facebook page:

http://www.umamanita.es https://www.facebook.com/uma.manita?fref=ts

For information about group support, click here:

Group support Facebook page

We can also recommend the following associations that also support mothers and fathers after pregnancy loss and perinatal death:

Petits am llum http://www.petitsambllum.org/

Superando un aborto (SUA) http://superandounaborto.foroactivo.com/