

Supp Table 1 - Genetic findings in TPC-1 and FB2 cell lines

Cell line	Karyotype	CGH
TPC-1	49,XX, der(1)t(1;10;21)(1pter→1q31::21q21→21qter) , +der(1)t(1;3)(p13;p21),der(3)t(3;9)(p11;q22), del(7)(q22q31) , +i(8)(q10) , der(10)t(1;10;21)(10q11.2→10pter::1q31→1qter) , +der(10)inv(10)(q11.2q21)t(3;10)(q25;p11), der(21)t(1;10;21) (21pter→21q21::10q21.2→10q11.2::10q21.2→10qter) [25]	rev ish enh(1)(q),dim(3)(p12p21),enh(3)(q24q29), dim(7)(q21q31) , amp(8)(q) ,enh(9)(q22q34),enh(10)(q)
FB2	82~87,XXXX, der(1)t(1;10;21)(1pter→1q31::21q21→21qter) x2, -4,del(7)(q22q31) x2, i(8)(q10) , der(10)t(1;10;21)(10pter- >10p15::10q11.2→10p15::1q31→1qter) x2,-11,-14,-15,-16,-17, +20, der(21)t(1;10;21)(21pter→21q21::10q21.2→ 10q11.2::10q21.2→10qter) x2[20]/82~87, idem, der(6)t(1;6)(p32;q15)[5]/82~87, idem,der(11)t(11;17)(q14;q24), add(12)(q24)[6]	rev ish dim(4), dim(7)(q22q31) ,dim(8)(p21p23), enh(8)(q) , dim(11)(q14q25),dim(14)(q),dim(15)(q),dim(16)(p11p13), dim(16)(q),enh(20)

Karyotype and CGH descriptions follow the ISCN 2005 guidelines. Shared chromosomal aberrations are depicted in bold.