


Haemoglobin < 7 g/dL




Diagnostic OR (95% CI)

Desai 2002	2.68 (2.09 - 3.45)
Getaneh 2000	11.12 (3.61 - 34.27)
Stoltzfus 1999a	3.38 (1.82 - 6.27)
Stoltzfus 1999b	4.31 (1.17 - 15.96)
Stoltzfus 1999 c	35.74 (15.32 - 83.37)

Random Effects Model

Pooled Diagnostic Odds Ratio = 6.64 (2.56 to 17.24)

Cochran-Q = 38.02; df = 4 (p = 0.0000)




Diagnostic OR (95% CI)

Desai 2002	3.17 (2.45 - 4.10)
Getaneh 2000	8.00 (2.50 - 25.60)
Stoltzfus 1999a	5.57 (2.81 - 11.04)
Stoltzfus 1999b	5.72 (2.12 - 15.38)
Stoltzfus 1999c	23.24 (10.09 - 53.55)

Random Effects Model

Pooled Diagnostic Odds Ratio = 6.81 (3.22 to 14.39)

Cochran-Q = 23.10; df = 4 (p = 0.0001)



Diagnostic OR (95% CI)

Desai 2002	2.96 (2.28 - 3.83)
Getaneh 2000	14.02 (3.84 - 51.25)
Stoltzfus 1999a	4.82 (1.27 - 18.30)
Stoltzfus 1999b	8.98 (3.41 - 23.63)
Stoltzfus 1999c	67.70 (28.57 - 160.43)

Random Effects Model

Pooled Diagnostic Odds Ratio = 10.29 (2.71 to 39.09)

Cochran-Q = 53.48; df = 4 (p = 0.0000)