

Facility	F1	F2	F3	F4	F5	F6	F7	F8	F9	F10	F11	F12	F13	F14	HW
Resuscitation couch	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Alw
Oxygen Cylinder	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Most
Oxygen catheter	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Alw
Oxygen mask	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Most
Oxygen regulator	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Most
Heater	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Most
Ambulatory bag mask	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Alw
Incubator	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Most
Phototherapy for Billirubin	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Occa
Burette	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Most
Neonatal cannulae	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Com
Suction Machine	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Alw
Torchfor	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Occa
Otoscope examination	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Occa
Nebulizer	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Occa
Thermometer	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Alw
Nasogastric tubes	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Com
Weighing scales	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Alw
Pulse Oxymeter	■	■	■	■	■	■	■	■	■	■	■	■	■	■	Occa

Key for the availability of essential equipments at the time of visit: ■ Available at the time of visit ■ Not available at the time of visit.

Key for the health workers opinions HW: Never available (Nev) = 0 months, Occasionally available (Occa) = 1 - 3 Months, Commonly available (Com) = 4 - 6 months Most available (Most) = 7 - 9 months, Always (Alw) = 10 -12 months