


Overweight



Obese



Study	Obesity	Sex	Age	F-up	Country	N	Outcome	Risk Est (95% CI)	Risk Est (95% CI)	
Wang (2005) [82]	WC	M	40-75	13	US	27270	IRR	2.77 (2.27 - 3.37)	6.47 (5.51 - 7.60)	
Meisinger (2006) [77]	WC	M	35-74	9.5	Germany	3055	IRR	1.87 (1.29 - 2.71)	4.67 (3.43 - 6.38)	
Wang (2005) [82]	WC	M	40-75	13	US	27270	RR-P	2.72 (2.24 - 3.31)	6.16 (5.26 - 7.21)	
Meisinger (2006) [77]	WC	M	35-74	9.5	Germany	3055	RR-P	1.81 (1.26 - 2.60)	4.07 (3.02 - 5.48)	
IRR: All studies (2)								3.3(0.07)*	2.36 (1.76 - 3.15)	5.67 (4.46 - 7.20)
RR-P: All studies (2)								3.8(0.05)*	2.27 (1.67 - 3.10)	5.13 (3.81 - 6.90)
Wannamethee (2005) [79]	BMI	M	40-59	17.6	UK	7176	IRR	2.69 (2.12 - 3.40)	7.12 (5.40 - 9.40)	
Koh-Banerjee (2004) [80]	BMI	M	40-75	3.7	US	22172	IRR	2.63 (1.99 - 3.46)	8.79 (6.34 - 12.19)	
Meisinger (2006) [77]	BMI	M	35-74	9.5	Germany	3055	IRR	2.20 (1.37 - 3.53)	6.10 (3.84 - 9.69)	
Oguma (2005) [81]	BMI	M	23.8	23.8	US	20187	IRR	2.19 (1.95 - 2.47)	5.60 (4.51 - 6.97)	
Wannamethee (2005) [79]	BMI	M	40-59	17.6	UK	7176	RR-P	2.63 (2.09 - 3.32)	6.46 (4.97 - 8.40)	
Meisinger (2006) [77]	BMI	M	35-74	9.5	Germany	3055	RR-P	2.16 (1.36 - 3.43)	5.53 (3.52 - 8.68)	
Oguma (2005) [81]	BMI	M	23.8	23.8	US	20187	RR-P	2.11 (1.88 - 2.36)	4.56 (3.74 - 5.56)	
IRR: All studies (4)								3.2(0.37)*	2.40 (2.12 - 2.72)	6.74 (5.55 - 8.19)
RR-P: All studies (3)								2.9(0.23)*	2.29 (1.98 - 2.64)	5.36 (4.32 - 6.65)
IRR: F-up<10 yrs (2)								0.4(0.53)*	2.51 (1.98 - 3.19)	7.78 (5.96 - 10.16)
IRR: F-up>=10 yrs (2)								2.3(0.13)*	2.28 (2.06 - 2.54)	6.14 (5.17 - 7.29)
IRR: US studies (2)								1.4(0.24)*	2.34 (2.03 - 2.71)	6.84 (4.96 - 9.43)
Carey (1997) [78]	WC	F	30-55	7.6	US	42492	IRR	4.85 (3.89 - 6.06)	15.26 (12.43 - 18.72)	
Meisinger (2006) [77]	WC	F	35-74	9.5	Germany	2957	IRR	2.99 (1.76 - 5.05)	9.81 (6.23 - 15.43)	
Folsom (2000) [19]	WC	F	55-69	9.4	US	31702	IRR	2.63 (2.12 - 3.26)	8.88 (7.49 - 10.52)	
Meisinger (2006) [77]	WC	F	35-74	9.5	Germany	2957	RR-P	2.80 (1.67 - 4.70)	8.39 (5.38 - 13.09)	
IRR: All studies (3)								15.4(0)*	3.40 (2.42 - 4.78)	11.10 (8.23 - 14.96)
RR-P: All studies (1)									2.80 (1.67 - 4.70)	8.39 (5.38 - 13.09)
Hu (2001) [75]	BMI	F	30-55	16	US	84941	IRR	5.47 (4.82 - 6.22)	19.58 (17.37 - 22.06)	
Weinstein (2004) [76]	BMI	F	45+	6.9	US	37878	IRR	4.01 (3.37 - 4.78)	13.47 (11.45 - 15.86)	
Folsom (2000) [19]	BMI	F	55-69	9.4	US	31702	IRR	3.27 (2.77 - 3.85)	9.49 (8.09 - 11.14)	
Meisinger (2006) [77]	BMI	F	35-74	9.5	Germany	2957	IRR	3.26 (1.97 - 5.39)	8.34 (5.37 - 12.97)	
Weinstein (2004) [76]	BMI	F	45+	6.9	US	37878	RR-P	3.97 (3.34 - 4.72)	12.83 (10.93 - 15.07)	
Meisinger (2006) [77]	BMI	F	35-74	9.5	Germany	2957	RR-P	3.12 (1.90 - 5.11)	7.41 (4.81 - 11.42)	
IRR: All studies (4)								26.2(0)*	3.92 (3.10 - 4.97)	12.41 (9.03 - 17.06)
RR-P: All studies (2)								0.8(0.37)*	3.64 (2.93 - 4.52)	10.47 (7.31 - 15.00)
IRR: F-up<8 yrs (1)									4.01 (3.37 - 4.78)	13.47 (11.45 - 15.86)
IRR: F-up>=8 yrs (3)								25.1(0)*	3.88 (2.84 - 5.28)	11.96 (7.79 - 18.37)
IRR: US studies (3)								24.9(0)*	4.17 (3.24 - 5.37)	13.60 (9.70 - 19.07)



RR

RR