Baseline assessment (1,700 Aboriginal children, 700 families)

#### **General health assessment**

Questionnaires for child and parent (all) Physical measures (including, height, weight, waist circumference, blood pressure) (all)

#### Ear health and hearing

Audiology Clinic: Hearing and middle ear examination by audiologists (including, age appropriate testing, otoscopy/pneumatic otoscopy, tympanometry, audiometry) (6 months – 17 years)

#### Speech, language and development

Speech Pathology Clinic: Speech and language testing by speech pathologists (including age appropriate testing) Parental Evaluation of Developmental Status (1 to 7 years)

### Data linkage

Linkage to population health databases (including, general practitioner services, medications and hospital inpatient episodes)

# Strengths and Difficulties Questionnaire validation study

Focus groups, survey data and clinical interviews used to determine whether the Strengths and Difficulties Questionnaire is a culturally appropriate and useful screening tool for Aboriginal children living in urban communities in NSW.

#### Randomised controlled trial of health-broker ntervention (subgroup with otitis media)

Prevalent or incident otitis media diagnosed and GP care plan initiated

Family unit randomised. Half provided early intervention (first 3-months) and half provided late intervention (usual care plus intervention in second 3months). Intervention is provided by Aboriginal health-broker

Management of otitis media is reviewed over first 3-month period by an outcomes assessor blinded to intervention group

### Resilience study

Focus groups and in-depth interviews in selected ACCHOs

# Housing feasibility study (50-80 families from baseline)

An audit of the housing situation of 50-80 families participating in the SEARCH cohort study, with a particular emphasis on factors proven to influence child health:

- Temperature
- Child safety
- Mould

## Cohort study: 2 year follow-up

Follow-up assessments of all participants at 2 years, including questionnaires and physical measures

#### Cohort study: longitudinal follow-up

Ongoing longitudinal data linkage plus follow-up of cohort at least every 5 years over several decades (including, questionnaires and physical measures)