RCT ID = Reference number in bibliography

- OA = exclusion protocols for RCTs involving patients with osteoarthritis
- RA = exclusion protocols for RCTs involving patients with rheumatoid arthritis

| | Antithrombotic agents: Platelet aggregation inhibitors excluding heparin | | Antithrombotic agents: Vitamin K antagonists | Other anticoagulants: (unspecified) |
|--------|--|---------------------------|--|---|
| RCT ID | | | | |
| OA | | | | |
| Ref 24 | Aspirin | Ticlopodine hydrochloride | Warfarin | |
| Ref 26 | Aspirin | Ticlopodine hydrochloride | Warfarin | |
| Ref 27 | | | | |
| Ref 28 | | | | |
| Ref 29 | Aspirin | Ticlopodine hydrochloride | | Other anticoagulants |
| Ref 30 | Aspirin | Ticlopodine hydrochloride | | Other anticoagulants |
| Ref 33 | Aspirin | Ticlopodine hydrochloride | Warfarin | |
| Ref 34 | Aspirin | Ticlopodine hydrochloride | Warfarin | |
| Ref 36 | | | | |
| RA | | | | |
| Ref 23 | Aspirin | Ticlopodine hydrochloride | | Other anticoagulants |
| Ref 35 | | | | |

Protocols for the 7-day safety trial (Ref 32), the 2-week safety trial (Ref 25) and the pooled trial (Ref 31) are not included.