Table 2: Relationship between risk factors of, sanitation status among PLWHA on Home Based Care clients of Gondar town, 2009. (n= 294)

		Sanitation status		Crude OR	Adjusted OR	
Characteristics		Unimproved	Improved	(95% CI)	(95% CI)	
	Illiterate(can't			1.0	1.0	
	Read and	98	31			
Educational	write)					
status	Read and write	32	9	1.12(0.48, 2.61)	1.31(0.52, 3.30)	
	Elementary	29	22	0.41(0.21, 0.82)*	0.41(0.18, 0.94)*	
	Secondary	31	27	0.36(0.18,0 .69)*	0.29(0.13, 0.63)*	
Income quintile	Above	_	8	0.27(0.09,0 .82)*	0.26(0.07,0.94)*	
	grade12	7				
	Lowest(32	21	0.73(0.32, 1.68)	1.05(0.36, 3.01)	
	poorest)					
	Second (poor)	26	15	0.83(0.34, 2.03)	1.67(0.56, 4.97)	
	Third (middle)	68	32	1.02(0.48, 2.16)	1.88(0.74, 4.77)	
	Fourth(High)	40	14	1.38(0.58, 3.28)	1.73(0.60, 4.97)	
	Fifth (Highest)	31	15	1.0	1.0	
Household	Yes	86	84	1.0	1.0	
latrine	No		12	8.34(4.36, 15.95)*	10.39 (5.13, 21.03)*	
availability		111	13			
House hold	yes	11	3	1.85(0.50, 6.80)	4.18 (0.52, 33.28)	
members	No					
discriminate in				1.0	1.0	
the latrine		186	94			

Have you	yes	11	5	1.08(0.36, 3.22)	0.30(0.05, 1.62)
discriminated in	No	196	02	1.0	1.0
the latrine		186	92		
do you need help	yes	10	2	2.54(0.54, 11.82)	1.57 (0.26, 9.49)
with walking	No	187	95	1.0	1.0
diarrhea for the	Yes	14	9	0.74(0.31, 1.79)	0.61(0.19, 1.87)
past 24 hour		102	0.0	1.0	1.0
	No	183	88		

^{*} Statistically significant association P<0.05