

Additional file 2

Table S2 Characteristics for the total group at 18 months and those participating at three time points

<b>Dietary behaviours and maternal education</b>	<b>18 months</b>			
	Total (n = 57783)		Three time points (n = 9025)	
	n	%	n	%
<b>Fruit (times/week)</b>	56674		8926	
Low ( $\leq 5$ )	17513	<b>30.9</b>	3353	<b>37.6</b>
Medium (5.1-13.9)	34428	<b>60.7</b>	5002	<b>56.0</b>
High ( $\geq 14$ )	4733	<b>8.4</b>	571	<b>6.4</b>
<b>Vegetables (times/week)</b>	57263		8983	
Low ( $\leq 5$ )	21634	<b>37.8</b>	3545	<b>39.5</b>
Medium (5.1-7)	12820	<b>22.4</b>	2126	<b>23.7</b>
High ( $> 7$ )	22809	<b>39.8</b>	3312	<b>36.9</b>
<b>SSB (times or glasses/week)</b>	55540		8771	
Low ( $\leq 1.5$ )	34630	<b>62.4</b>	4357	<b>49.7</b>
Medium (1.6-4.9)	11931	<b>21.5</b>	2309	<b>26.3</b>
High ( $\geq 5$ )	8979	<b>16.2</b>	2105	<b>24.0</b>
<b>Maternal education</b>	54990		8686	
Low ( $\leq 12$ years)	16689	<b>30.3</b>	2967	<b>34.2</b>
Medium (13-16 years)	23862	<b>43.4</b>	3985	<b>45.9</b>
High ( $\geq 17$ years)	14439	<b>26.3</b>	1734	<b>20.0</b>

SSB: Sugar-sweetened beverages

All differences between the total sample and those participating at three time points are significant  $P < .001$