

Box 2: Healthcare consumption and absenteeism per age group during the entire study period

	<i>Younger children</i>	<i>Older children</i>	<i>Adults</i>	<i>Elderly</i>	<i>All ages</i>
	<i>0-4 yo</i>	<i>5-14 yo</i>	<i>15-64 yo</i>	<i>≥65 yo</i>	
	<i>(n=50)</i>	<i>(n=91)</i>	<i>(n=46)</i>	<i>(n=14)</i>	<i>(n=201)</i>
<b>Initial consultation at GP or Pediatrician</b>					
CONSULTATION AT THE MEDICAL OFFICE					
<i>number of patients (% of total patients)</i>	50 (100%)	91 (100%)	46 (100%)	14 (100%)	201 (100%)
<i>number of contacts (total)</i>	1	1	1	1	1
<b>Vaccine</b>					
<i>number of patients (% of total patients)</i>	2 (4%)	3 (3%)	2 (4%)	8 (57%)	15 (7%)
<b>Follow up contacts with physician investigator</b>					
CONSULTATION AT THE MEDICAL OFFICE					
<i>number of patients (% of total patients)</i>	6 (12%)	11 (12%)	10 (22%)	8 (57%)	35 (17%)
<i>number of contacts (total)</i>	8	17	15	11	50
<i>mean ±SD</i>	1.3±0.8	1.5±0.7	1.4±0.5	1.4±0.5	1.4±0.6
<i>min-max</i>	1-3	1-3	1-2	1-2	1-3
CONSULTATION BY TELEPHONE					
<i>number of patients (% of total patients)</i>	4 (8%)	13 (14%)	11 (2%)	5 (36%)	33 (16%)
<i>number of contacts (total)</i>	7	19	16	6	48
<i>mean ±SD</i>	1.7±1.5	1.5±0.9	1.5±0.7	1.2±0.4	1.5±0.8
<i>min-max</i>	1-4	1-4	1-3	1-2	1-4
CONSULTATION BY HOME VISIT					
<i>number of patients (% of total patients)</i>	0	1 (1%)	2 (4%)	1 (7%)	4 (2%)
<i>number of contacts (total)</i>	0	2	3	2	7
<i>mean ±SD</i>	-	-	1.5±0.7	-	1.7±0.5
<i>min-max</i>	-	-	1-2	-	1-2
<b>Follow up contacts with other physician</b>					

	<i>Younger children</i>	<i>Older children</i>	<i>Adults</i>	<i>Elderly</i>	<i>All ages</i>
	<i>0-4 yo</i>	<i>5-14 yo</i>	<i>15-64 yo</i>	<i>≥65 yo</i>	
	<i>(n=50)</i>	<i>(n=91)</i>	<i>(n=46)</i>	<i>(n=14)</i>	<i>(n=201)</i>
<b>CONSULTATION AT THE MEDICAL OFFICE</b>					
<i>number of patients (% of total patients)</i>	0	4 (4%)	3 (6%)	1 (7%)	8 (4%)
<i>number of contacts (total)</i>	0	6	3	1	10
<i>mean ±SD</i>	-	1.5±0.6	1	-	1.3±0.4
<i>min-max</i>	-	1-2	1-1	-	1-2
<b>CONSULTATION BY HOME VISIT</b>					
<i>number of patients (% of total patients)</i>	1 (2%)	0	1 (2%)	0	2 (1%)
<i>number of contacts (total)</i>	1	0	1	0	2
<i>mean ±SD</i>	-	-	-	-	1
<i>min-max</i>	-	-	-	-	1-1
<b>Emergency services</b>					
<i>number of patients (% of total patients)</i>	0	3 (3%)	0	0	3 (2%)
<b>Hospitalization</b>					
<i>number of patients (% of total patients)</i>	1 (2%)	1 (1%)	0	0	2 (1%)
<b>Drugs</b>					
<b>TOTAL DRUGS TAKEN</b>					
<i>number of patients (% of total patients)</i>	45 (90%)	86 (94%)	42 (91%)	13 (93%)	186 (93%)
<b>ANTIBIOTICS</b>					
<i>number of patients (% of total patients)</i>	8 (16%)	14 (15%)	9 (19%)	7 (50%)	38 (19%)
<b>ANTIVIRALS</b>					
<i>number of patients (% of total patients)</i>	9 (18%)	15 (16%)	14 (30%)	2 (14%)	40 (20%)
<b>OTHERS</b>					
<i>number of patients (% of total patients)</i>	45 (90%)	84 (92%)	42 (91%)	13 (93%)	184 (92%)
<b>Additional tests</b>					
<i>number of patients (% of total patients)</i>	4 (8%)	5 (5%)	5 (11%)	2 (14%)	16 (8%)
<b>Paramedical care</b>					
<i>number of patients (% of total patients)</i>	0	0	0	0	0

	<i>Younger children</i>	<i>Older children</i>	<i>Adults</i>	<i>Elderly</i>	<i>All ages</i>
	<i>0-4 yo</i>	<i>5-14 yo</i>	<i>15-64 yo</i>	<i>≥65 yo</i>	
	<i>(n=50)</i>	<i>(n=91)</i>	<i>(n=46)</i>	<i>(n=14)</i>	<i>(n=201)</i>
<b>Sick leave (from work)</b>					
<i>number of patients (% of total patients)</i>	-	-	27 (59%)	0	27 (13%)
<i>average duration (days±SD)</i>	-	-	6.5±5.4	0	6.5±5.4
<i>min-max</i>	-	-	1-24	0	1-24

yo: years old