

**Supplementary Table 2. Number and proportion of influenza cases each year overall, by type, and by subtype/lineage**

Year	Any influenza	n (% of cases)							
		Any A	Any B	A(H3N2)	A(H1N1)	A (other, not subtyped)	B Victoria	B Yamagata	B not characterized
2010	73,770	44,850 (60.8)	28,920 (39.2)	16,542 (22.4)	24,108 (32.7)	4,200 (5.7)	2,871 (3.9)	1,759 (2.4)	24,290 (32.9)
2011	48,181	33,401 (69.3)	14,780 (30.7)	10,564 (21.9)	21,232 (44.1)	1,605 (3.3)	2,827 (5.9)	1,047 (2.2)	10,906 (22.6)
2012	73,707	40,929 (55.5)	32,778 (44.5)	34,875 (47.3)	3,916 (5.3)	2,138 (2.9)	10,178 (13.8)	4,523 (6.1)	18,077 (24.5)
2013	55,696	44,148 (79.3)	11,548 (20.7)	25,208 (45.3)	17,756 (31.9)	1,184 (2.1)	937 (1.7)	2,886 (5.2)	7,725 (13.9)
2014	99,293	71,346 (71.9)	27,947 (28.1)	42,340 (42.6)	27,069 (27.3)	1,937 (2.0)	1,395 (1.4)	10,420 (10.5)	16,132 (16.2)
2015	104,312	75,316 (72.2)	28,996 (27.8)	57,426 (55.1)	15,271 (14.6)	2,619 (2.5)	1,482 (1.4)	17,960 (17.2)	9,554 (9.2)
2016	120,381	75,268 (62.5)	45,113 (37.5)	39,459 (32.8)	33,299 (27.7)	2,510 (2.1)	22,910 (19.0)	7,479 (6.2)	14,724 (12.2)
2017	136,394	103,005 (75.5)	33,389 (24.5)	71,134 (52.2)	25,394 (18.6)	6,477 (4.7)	8,097 (5.9)	17,634 (12.9)	7,658 (5.6)
<i>Total</i>	<i>711,734</i>	<i>488,263 (68.6)</i>	<i>22,3471 (31.4)</i>	<i>297,548 (41.8)</i>	<i>168,045 (23.6)</i>	<i>22,670 (3.2)</i>	<i>50,697 (7.1)</i>	<i>63,708 (9.0)</i>	<i>109,066 (15.3)</i>