Supplementary File 6

Fomba et al. Management of uncomplicated malaria among children under five years at public and private sector facilities in Mali

Description of case management practices by study site type and correct/incorrect case management designation

| | Parasitological | testing | | Treatment provided | | |
|------------------------|----------------------|---------|------|---|-----|------|
| | Scenario | n | % | Scenario | n | % |
| | Tested by RDT | 101 | 24.0 | Negative test result, given no antimalarial drug of any type | 26 | 6.2 |
| | Tested by microscopy | 251 | 59.6 | Positive test result, given ACT and no other antimalarial | 108 | 25.7 |
| | Correctly managed | 352 | 83.6 | Correctly managed | 134 | 31.8 |
| | Not tested | 69 | 16.4 | Positive test result, given ACT and non-ACT antimalarial | 30 | 7.1 |
| | | | | Positive test result, given non-ACT antimalarial but not ACT | 123 | 29.2 |
| ES | | | | Positive test result, not given any type of antimalarial | 3 | 0.7 |
| PUBLIC URBAN FACLITIES | | | | Negative test result, given ACT and no other antimalarial | 47 | 11.2 |
| FA | | | | Negative test result, given ACT and non-ACT antimalarial | 7 | 1.7 |
| BAR | | | | Negative test result, given non-ACT antimalarial but not ACT | 8 | 1.9 |
| 5 | | | | Not tested, given ACT and no other antimalarial | 35 | 8.3 |
| BLIC | | | | Not tested, given ACT and non-ACT antimalarial | 4 | 1.0 |
| PU | | | | Not tested, given non-ACT antimalarial but not ACT | 12 | 2.9 |
| | | | | Not tested, no antimalarial | 18 | 4.3 |
| | | | | Tested, did not know result and given ACT and no other antimalarial | 0 | 0.0 |
| | | | | Tested, result unknown, given ACT and non-ACT | 0 | 0.0 |
| | | | | Tested, result unknown, given non-ACT but not ACT | 0 | 0.0 |
| | | | | Tested, did not know result, no antimalarial | 0 | 0.0 |
| | Incorrectly managed | 69 | 16.4 | Incorrectly managed | 287 | 68.2 |

| | Parasitological testing | | | Treatment provided | | |
|---|-------------------------|-----|------|---|-----|-----|
| | Scenario | n | % | Scenario | n | % |
| | Tested by RDT | 112 | 26.7 | Negative test result, given no antimalarial drug of any type | 7 | 1.7 |
| | Tested by microscopy | 1 | 0.2 | Positive test result, given ACT and no other antimalarial | 15 | 3.6 |
| | Correctly managed | 113 | 26.9 | Correctly managed | 22 | 5.2 |
| | Not tested | 307 | 73.1 | Positive test result, given ACT and non-ACT antimalarial | 57 | 13. |
| | | | | Positive test result, given non-ACT antimalarial but not ACT | 26 | 6.2 |
| | | | | Positive test result, not given any type of antimalarial | 1 | 0.2 |
| | | | | Negative test result, given ACT and no other antimalarial | 1 | 0.2 |
| | | | | Negative test result, given ACT and non-ACT antimalarial | 4 | 1.0 |
| | | | | Negative test result, given non-ACT antimalarial but not ACT | 2 | 0.5 |
| | | | | Not tested, given ACT and no other antimalarial | 13 | 3.3 |
| | | | | Not tested, given ACT and non-ACT antimalarial | 115 | 27. |
| , | | | | Not tested, given non-ACT antimalarial but not ACT | 170 | 40. |
| | | | | Not tested, no antimalarial | 9 | 2.1 |
| | | | | Tested, did not know result and given ACT and no other antimalarial | 0 | 0.0 |
| | | | | Tested, result unknown, given ACT and non-ACT | 0 | 0.0 |
| | | | | Tested, result unknown, given non-ACT but not ACT | 0 | 0.0 |
| | | | | Tested, did not know result, no antimalarial | 0 | 0.0 |
| | Incorrectly managed | 307 | 73.1 | Incorrectly managed | 398 | 94. |

| | Parasitological testing | | | Treatment provided | | |
|--------------------------|-------------------------|-----|------|---|-----|-----|
| | Scenario | n | % | Scenario | n | % |
| | Tested by RDT | 283 | 66.6 | Negative test result, given no antimalarial drug of any type | 79 | 19 |
| | Tested by microscopy | 0 | 0.0 | Positive test result, given ACT and no other antimalarial | 112 | 27 |
| | Correctly managed | 283 | 66.6 | Correctly managed | 191 | 46 |
| | Not tested | 142 | 33.4 | Positive test result, given ACT and non-ACT antimalarial | 5 | 1. |
| S | | | | Positive test result, given non-ACT antimalarial but not ACT | 33 | 8. |
| XXE. | | | | Positive test result, not given any type of antimalarial | 19 | 4. |
| Š | | | | Negative test result, given ACT and no other antimalarial | 16 | 3. |
| I | | | | Negative test result, given ACT and non-ACT antimalarial | 1 | 0. |
| COMMUNITY HEALTH WORKERS | | | | Negative test result, given non-ACT antimalarial but not ACT | 5 | 1. |
| <u>_</u> | | | | Not tested, given ACT and no other antimalarial | 45 | 10 |
| <u>Z</u> ⊇ | | | | Not tested, given ACT and non-ACT antimalarial | 21 | 5. |
| ≥ | | | | Not tested, given non-ACT antimalarial but not ACT | 46 | 11 |
| Ō | | | | Not tested, no antimalarial | 30 | 7. |
| _ | | | | Tested, did not know result and given ACT and no other antimalarial | 2 | 0. |
| | | | | Tested, result unknown, given ACT and non-ACT | 0 | 0. |
| | | | | Tested, result unknown, given non-ACT but not ACT | 0 | 0. |
| | | | | Tested, did not know result, no antimalarial | 1 | 0. |
| | Incorrectly managed | 142 | 33.4 | Incorrectly managed | 224 | 54. |

| | Parasitological | testing | | Treatment provided | | | |
|-----------------------------|----------------------|---------|------|---|-----|-----|--|
| | Scenario | n | % | Scenario | n | % | |
| | Tested by RDT | 11 | 3.3 | Negative test result, given no antimalarial drug of any type | 8 | 2.4 | |
| | Tested by microscopy | 35 | 10.4 | Positive test result, given ACT and no other antimalarial | 14 | 4.2 | |
| | Correctly managed | 46 | 13.7 | Correctly managed | 22 | 6.5 | |
| | Not tested | 290 | 86.3 | Positive test result, given ACT and non-ACT antimalarial | 14 | 4.2 | |
| | | | | Positive test result, given non-ACT antimalarial but not ACT | 3 | 0.9 | |
| 2 | | | | Positive test result, not given any type of antimalarial | 0 | 0.0 | |
| TRIVALE ORBAIN FACILITIES | | | | Negative test result, given ACT and no other antimalarial | 2 | 0.6 | |
| | | | | Negative test result, given ACT and non-ACT antimalarial | 2 | 0.6 | |
| ֭֭֭֡֝֟֝֟֝֟֝֟֝֟֝֓֓֓֓֓֓֓֓֓֓֓֓ | | | | Negative test result, given non-ACT antimalarial but not ACT | 0 | 0.0 | |
| 5 | | | | Not tested, given ACT and no other antimalarial | 105 | 31. | |
| ; 1 | | | | Not tested, given ACT and non-ACT antimalarial | 2 | 0.6 | |
| | | | | Not tested, given non-ACT antimalarial but not ACT | 43 | 12. | |
| • | | | | Not tested, no antimalarial | 140 | 41. | |
| | | | | Tested, did not know result and given ACT and no other antimalarial | 1 | 0.3 | |
| | | | | Tested, result unknown, given ACT and non-ACT | 0 | 0.0 | |
| | | | | Tested, result unknown, given non-ACT but not ACT | 1 | 0.3 | |
| | | | | Tested, did not know result, no antimalarial | 1 | 0.3 | |
| | Incorrectly managed | 290 | 86.3 | Incorrectly managed | 314 | 93. | |