

Condition	Pneumonia	Diarrhoea	HIV/AIDS	HIV/AIDS	HIV transmission from mother to child	Tuberculosis + HIV	Tuberculosis	Malaria	Malaria
Intervention	Integrated management of childhood illness (IMCI)	Safe water (software)	Highly active anti-retroviral therapy (HAART)	Voluntary Counselling and Testing (VCT)	Single dose Nevirapine (targeted treatment)	Community based DOTs	Community based DOTs	Intermittent treatment of pregnant mothers	Impregnated bed nets
Total costs per life year saved (USD)	3		1800						
Total cost per DALY saved (USD)	---	27	---	18	11	14-21	14-21	4-29	19-85
Quality of evidence: (Poor/average/good)	Poor	Average	Average	Average	Good	Average	Average	Average	Good
Data sources	Jha 1998	Varley, 1998	Creese, 2002 Harries, 2001	Creese, 2002 Sweat, 2000	Creese, 2002 Marseille, 1999	Creese, 2002, Floyd, 1997	Creese, 2002, Floyd, 1997 Jha 1998	Goodman, 1999; 2000	Goodman, 1999; 2000

* The search for evidence was restricted to the period 1995-2002. Especially for HART, new evidence on cost-effectiveness has been published, and this evidence might potentially have changed the ranking of interventions.