a


Good arm and hand therapy in hospital (n=264)
Good arm and hand therapy at home (n=266)
ATs useful in the future, needs development (n=263)
Carer support important for using ATs (n=266)
Difficult to access training/advice (n=263)
ATs may be used to replace therapy (n=266)
Using ATs is efficient use of therapy time (n=260)
Do not know much about ATs (n=262)
No reason why ATs not used in first 4 weeks (n=260)
ATs only used when therapy failed (n=259)
ATs should only be used when HCP present (n=263)
ATs should only be used on HCP recommendation (n=258)
Unsupervised ATs may lead to poor movement (n=263)
People with stroke lack confidence to use ATs at home (n=264)
0%
20%
40%
60%
80%
100%
Percentage
Strongly disagree/disagree
Neutral
Strongly agree/agree

b


Good arm and hand therapy in hospital (n=123)
Good arm and hand therapy at home (n=123)
ATs useful in the future, needs development (n=118)
Carer support important for using ATs (n=119)
Difficult to access training/advice (n=112)
ATs may be used to replace therapy (n=113)
Using ATs is efficient use of therapy time (n=111)
Do not know much about ATs (n=116)
No reason why ATs not used in first 4 weeks (n=106)
ATs only used when therapy failed (n=110)
ATs should only be used when HCP present (n=112)
ATs should only be used on HCP recommendation (n=114)
Unsupervised ATs may lead to poor movement (n=110)
PwS lack confidence to use ATs at home (n=117)
0%
20%
40%
60%
80%
100%
Percentage
Strongly Disagree/Disagree
Neutral
Agree/Strongly Agree