

Additional file 1. Template for questionnaire.

(translated from the original Danish version)

Questionnaire regarding patients with vaginal bleeding in early pregnancy who consult GPs

This questionnaire is developed to GPs who see the patient population: *Women with vaginal bleeding in early pregnancy (1st trimester)*. The purpose of this questionnaire is to investigate the pattern of referral for this patient population in the two different scenarios: scenario A and scenario B. The scenarios vary in relation to having access to an ultrasonography scanner in the consultation with the patient. **Answers to both scenarios are required!**

Gender: Female Male Other

Work location: North Denmark Region Central Denmark Region
 Region of Southern Denmark Region Zealand
 Capital Region of Denmark

Do you use ultrasonography scanner in your daily work? Yes No

If yes, how many years have you used an ultrasonography scanner? _____ Year(s)

Scenario A: You do not have access to an ultrasonography scanner

<p>A.1: If you DO NOT have the possibility to perform a transvaginal ultrasonography scanning in your consultation with women with vaginal bleeding in early pregnancy (1st trimester), where will you then refer these patients to:</p>	<p><input type="checkbox"/> Mostly/only private gynaecologist</p> <p><input type="checkbox"/> Mostly/only hospital</p> <p><input type="checkbox"/> It varies, I refer to both</p> <p><input type="checkbox"/> None of the above (please elaborate on the back of the paper)</p>
<p>A.2: If it varies, what percentage of the patients will you refer to a private gynaecologist or to the hospital, respectively?</p>	<p>Private gynaecologist: _____ %</p> <p>Hospital: _____ %</p>

Scenario B: You do have access to an ultrasonography scanner

<p>B.1: What percentage of women with vaginal bleeding in early pregnancy (1st trimester) do you estimate to complete the clinical management of?</p>	<p>_____ %</p>
<p>B.2: If you think you are not able to complete the clinical management of the patient, where will you then refer the patients to?</p>	<p><input type="checkbox"/> Mostly/only private gynaecologist</p> <p><input type="checkbox"/> Mostly/only hospital</p> <p><input type="checkbox"/> It varies, I refer to both</p> <p><input type="checkbox"/> None of the above (please elaborate on the back of the paper)</p>
<p>B.3: If it varies, what percentage of the patients that you are not able to complete the clinically management of, will you refer to a private gynaecologist or to the hospital, respectively?</p>	<p>Private gynaecologist: _____ %</p> <p>Hospital: _____ %</p>

Elaboration of question A.1

Elaboration of question B.2

Additional comments

Thank you for your response!

