## Additional file 2. Raw response data from anonymous general practitioners.

Doctor No.	Gender	Region	POCUS in usual practice	Year(s)	A.1	A.2 (%, gynaecologist/hospital)	B.1 (%)	Referral (%)	B.2	B.3 (%, gynaecologist/hospital)	Additional comments
1	Female	Central Denmark Region	No	-	Hospital	0/100	50	50	Hospital	0/100	-
2	Male	Region of Southern Denmark	Yes	10	Hospital	0/100	60	40	Hospital	0/100	-
3	Male	Central Denmark Region	Yes	2	Hospital	0/100	50	50	Hospital	0/100	-
4	Male	North Denmark Region	Yes	5	Hospital	0/100	75	25	Hospital	0/100	-
5	-	Capital Region of Denmark	Yes	-	Hospital	0/100	40	60	Hospital	0/100	-
6	Female	Central Denmark Region	Yes	15	Hospital	1/99	92,5	7,5	Hospital	0/100	-
7	Male	Region of Southern Denmark	Yes	5	Private gynaecologist	100/0	95	5	Private gynaecologist	100/0	B.2: only when treatment at the hospital is expected to be required.
8	Male	North Denmark Region	Yes	6	Hospital	0/100	95	5	Hospital	0/100	B.2: Often I can complete the clinical management of the patients. In case of suspicion of extrauterine pregnancy, patients are referred.
9	Female	Region of Southern Denmark	Yes	1	Hospital	0/100	80	20	Hospital	0/100	A.1: The number of private gynaecologists in my area is very limited.
10	Male	Capital Region of Denmark	Yes	2	Hospital	0/100	95	5	Hospital	0/100	-
11	Male	Region of Southern Denmark	Yes	2,5	-	-	50	50	Hospital	0/100	-
12	Male	North Denmark Region	Yes	4	Hospital	20/80	80	20	Hospital	10/90	B.2: Patients who are worried about spontaneous abortion are very happy to have a fast clarification without the need for a referral.
13	Male	North Denmark Region	Yes	4	Private gynaecologist	90/10	80	20	Both	30/70	A.1: Hospitals offer acute consultations. Other: Often hospital as further examinations or operations are often required.
14	Male	Region of Southern Denmark	Yes	2	Both	30/70	75	25	Private gynaecologist	50/50	-
15	Male	Region of Southern Denmark	Yes	1	Both	75/25	75	25	Both	50/50	-
16	Male	Central Denmark Region	Yes	2	Hospital	10/90	50	50	Hospital	10/90	-
17	Female	North Denmark Region	Yes	4	Hospital	0/100	60	40	Hospital	0/100	-
18	Male	Region of Southern Denmark	Yes	5	Hospital	0/100	90	10	Hospital	20/80	-
19	Male	Region of Southern Denmark	Yes	5	Private gynaecologist	100/0	98	2	Hospital	0/100	B.2: If patients have a missed abortion, I refer them to the hospital for a curettage of the uterus.
20	Male	Capital Region of Denmark	Yes	6	Both	25/75	66	34	Both	10/90	-
21	Male	Capital Region of Denmark	Yes	1	Hospital	10/90	75	25	Hospital	0/100	-
22	Male	Capital Region of Denmark	Yes	3	-	-	75	25	Both	75/25	-
	Average			3,43		23/77	73,02	26,98		16/84	

The sign (-) indicates no response.