

Variable	Score	Variable	Score
Age	<75	Basal dyspnea (MRC Scale)	Grade 1-4
	75-85		Grade 5
	>85		
Use of inspiratory accessory muscle or paradoxical breathing at ED arrival	4	Glasgow altered at ED arrival	3
		Previous LT-DOT or NIMV	3

SCORE 0-18

SCORE 0

n=1081

SCORE 2-6

n=865

SCORE 7-11

n=441

SCORE 12-18

n=97

	n(%)
Short term Mortality ^{b,c,d}	3(0.28)
In hospital Mortality ^{b,c,d}	1(0.17)
1 month Mortality ^{b,c,d}	5(0.46)
ICU ^{c,d}	2(0.34)
IMV ^{c,d}	6(1.01)
IRCU ^{b,c,d}	38(6.41)
ICU-IRCU or IMV ^{b,c,d}	38 (6.41)

MILD (a)

	n(%)
Short term Mortality ^{a,c,d}	11(1.27)
In hospital Mortality ^{a,c,d}	11(2.06)
1 month Mortality ^{a,c,d}	22(2.54)
ICU ^{c,d}	7(1.31)
IMV ^c	10(1.87)
IRCU ^{a,c,d}	77(14.37)
ICU-IRCU or IMV ^{a,d}	80 (14.93)

MODERATE (b)

	n(%)
Short term Mortality ^{a,b,d}	20(4.54)
In hospital Mortality ^{a,b,d}	19(5.94)
1 month Mortality ^{a,b,d}	32(7.26)
ICU ^{a,b,d}	17(5.31)
IMV ^{a,b}	15(4.69)
IRCU ^{a,b}	99(30.94)
ICU-IRCU or IMV ^a	108 (33.75)

SEVERE (c)

	n(%)
Short term Mortality ^{a,b,c}	24(24.74)
In hospital Mortality ^{a,b,c}	24(27.91)
1 month Mortality ^{a,b,c}	28(28.87)
ICU ^{a,b,c}	11(12.79)
IMV ^a	4(4.65)
IRCU ^{a,b}	28(32.56)
ICU-IRCU or IMV ^{a,b}	30 (34.88)

VERY SEVERE (d)