Supplementary data

Supplemental Table 2 Comparison of participants who completed one CES-D questionnaire to those who completed it at least two during follow-up, NutriNet-Santé study ^a

Baseline characteristics	1 completed CES-D questionnaire	At least 2 completed CES-D questionnaires	P ^b
Age, y	42.2 ± 14.5	47.3 ± 14.1	< 0.0001
Sex, n (%)			< 0.0001
Male	4,803 (19.9)	9,820 (24.0)	
Female	19,351 (80.1)	31,011 (76.0)	
Marital status, n (%)			< 0.0001
Living alone	4,516 (18.7)	6,122 (15.0)	
Cohabiting	17,315 (71.7)	30,194 (73.9)	
Separated/Divorced/Widowed	2,323 (9.6)	4,515 (11.1)	
Educational level, n (%)			< 0.0001
< High school diploma	4,610 (19.1)	8,440 (20.7)	
High school diploma	4,084 (16.9)	6,469 (15.8)	
University level	15,460 (64.0)	25,922 (63.5)	
Occupational categories, n (%)	, , ,	, , ,	< 0.0001
Never-employed/other activity	1,327 (5.5)	1,351 (3.3)	
Self-employed	1,493 (6.2)	2,192 (5.4)	
Employee	7,473 (30.9)	10,657 (26.1)	
Intermediate profession	6,231 (25.8)	11,676 (28.6)	
Managerial staff	7,630 (31.6)	14,955 (36.6)	
Household income per consumption unit, n (%)	.,,	, ()	< 0.0001
Not answered	2,943 (12.2)	4,120 (10.1)	
< 1200 euros	4,333 (17.9)	5,476 (13.4)	
1200-1800 euros	6,163 (25.5)	9,674 (23.7)	
1800-2700 euros	5,558 (23.0)	10,266 (25.1)	
≥ 2700 euros	5,157 (21.4	11,295 (27.7)	
Residential area, n (%)	-, (, (,	< 0.0001
Rural	5,182 (21.4)	8,917 (21.8)	
Urban	18,972 (78.6)	31,914 (78.2)	
Smoking status, n (%)	-,- (,	- ,- (,	< 0.0001
Former smoker	7,942 (32.9)	14,897 (36.5)	
Current smoker	4,189 (17.3)	5,283 (12.9)	
Never-smoker	12,023 (49.8)	20,651 (50.6)	
Physical activity ^c , n (%)	12,020 (1710)	20,001 (00.0)	< 0.0001
Low	6,750 (27.9)	10,118 (24.8)	(0.0001
Moderate	5,907 (24.5)	9,691 (23.7)	
High	11,497 (47.6)	21,022 (51.5)	
Body mass index d , n (%)	11,157 (17.0)	21,022 (31.3)	< 0.0001
Underweight	1,260 (5.2)	1,940 (4.8)	10.0001
Normal weight	15,335 (63.5)	26,225 (64.2)	
Overweight	5,095 (21.1)	9,178 (22.5)	
Obesity	2,464 (10.2)	3,488 (8.5)	
Prevalence of chronic diseases ^e , n (%)	1,068 (4.4)	4,420 (10.9)	< 0.0001
Baseline CES-D score	12.4 ± 9.4	10.9 ± 8.7	< 0.0001

CES-D Center for Epidemiologic Studies Depression Scale

 $^{^{\}mathrm{a}}$ Values are means \pm standard deviation or numbers (percentages) as appropriate

^b P-values are based on T-test or chi-square test

c Physical activity was classified as low (< 30 minutes of physical activity; equivalent to brisk walking/day), moderate (30-60 min) and high (≥ 60 min)

 $[^]d$ Body mass index (BMI) was classified as underweight (BMI < 18.5), normal weight (18.5 < BMI < 25), overweight (25 \leq BMI < 30) and obesity (BM I \geq 30)

^e Incident cases of cancer, Type 2 diabetes, hypertension and cardiovascular diseases