

**Supplement Table 3. Odds ratios for newly diagnosed diabetes by early life socioeconomic conditions.<sup>a</sup>**

	Early life socioeconomic conditions	Newly diagnosed diabetes (n=1994)	
		Adjusted for age and sex Odds ratio (95% CI)	Adjusted for age, sex and current socioeconomic conditions Odds ratio (95% CI)
Model 1	High	1.00	1.00
	Medium	1.59 (0.98-2.58)	1.45 (0.89-2.37)
	Low	1.93 (1.19-3.12)	1.63 (0.98-2.71)
Model 1, adjusted for BMI	High	1.00	1.00
	Medium	NA <sup>b</sup>	NA
	Low	1.52 (0.92-2.50)	NA
Model 1, adjusted for physical activity	High	1.00	1.00
	Medium	NA	NA
	Low	1.90 (1.17-3.09)	NA
Model 1, adjusted for smoking status	High	1.00	1.00
	Medium	NA	NA
	Low	1.94 (1.20-3.14)	NA
Model 1, adjusted for alcohol use	High	1.00	1.00
	Medium	NA	NA
	Low	1.89 (1.16-3.07)	NA

<sup>a</sup> No diabetes, n=1864; newly diagnosed diabetes: n=130. <sup>b</sup> NA: not applicable.