**Additional file 2** Health-Related Quality of Life in Relation to Symptomatic and Radiographic Definitions of Knee Osteoarthritis: Data from Osteoarthritis Initiative (OAI) 4-Year Follow-Up Study

These figures report distribution of SF-6D disutility scores presented as histograms and normal curves.




Figure S1. Histograms of SF-6D score frequencies and normal curves, radiographic (N=14,161) and symptomatic (N=14,074) definitions of knee OA




Figure S2. Histograms of SF-6D score frequencies and normal curves, radiographic (N=14,161) and symptomatic (N=14,074) definitions of knee OA




Figure S3. Histograms of SF-6D score frequencies and normal curves, radiographic (N=14,161) and symptomatic (N=14,074) definitions of knee OA




Figure S4. Histograms of SF-6D score frequencies and normal curves, radiographic definition of knee OA (N=14,161), the highest K-L grade




Figure S5. Histograms of SF-6D score frequencies and normal curves, radiographic definition of knee OA (N=14,161), mean of K-L grades







Figure S6. Histograms of SF-6D score frequencies and normal curves, radiographic definition of knee OA (N=14,161), combination of K-L grades (figure continues)


## **Additional file 2** Health-Related Quality of Life in Relation to Symptomatic and Radiographic Definitions of Knee Osteoarthritis: Data from Osteoarthritis Initiative (OAI) 4-Year Follow-Up Study


























Combination of K-L grades: (4;4)