| Datasets | Sample details | Therapy | Biopsy time point | Clinical response |
|--|---|---------------------------|---|--|
| Immunotherapy Data Set 1 (Chen etal) | 16 pre-anti-CTLA4 therapy cases, 5 on-anti-CTLA4 therapy cases, 15 pre-anti-PD-1 therapy cases and 10 on-anti-PD-1 therapy cases | anti-CTLA4 & anti-PD-1 | 4.4 months before therapy, 3.2 months on anti-CTLA4 therapy, 3 months before anti-PD-1 therapy, 1.4 months on anti-PD-1 therapy, and 4.4 months after restaging | ≥ SD by RECIST (Response Evaluation Criteria in Solid Tumors) |
| Immunotherapy Data Set 2 (GSE91061) | 51 pre-treatment cases and 57 on-treatment cases | anti-PD-1 | 1-7 days before therapy and 23-29 days on cycle 1 therapy | ≥ SD by RECIST v1.1 |
| Immunotherapy Data Set 3 (GSE93157) | 65 pre-treatment cases | anti-PD-1 | none | ≥ SD by modified RECIST 1.1 |
| Immunotherapy Data Set 4 (GSE67501) | 11 pre-treatment cases | anti-PD-1 | 2-81 months before therapy | ≧ SD by RECIST |
| Immunotherapy Data Set 5 (GSE35640) | 56 pre-treatment cases | anti-MAGE-A3 | none | ≧ SD by RECIST v1.0 |

Supplementary table2 The details of the 5 immunotherapy Cohorts.