

6-month
Standard REP
Run-in Phase

Exclude 1 Network (n=4 sites)

Sites reported > 80% of outreach list documented (n=72 patients, median per site 18, Range 9-26)

Exclude 66 sites in 20 Networks

Sites reported > 80% of outreach list documented (n=1,130 patients, median per site 17, Range 4-39)

August 31, 2012

Sites Non-responsive to REP * Randomized 20 VA Regional Networks
(n=88 sites)

Allocation

September 1, 2012

Allocated to Standard REP (n=11)
49 sites (n=856 patients; median per site 18, Range 4-44)

Allocated to Enhanced REP (n=9)
39 sites (n=675 patients; median per site 16, Range 4-28)

Phase 2
6 month
Intervention

12 Month Assessment
(n=11 networks)

12 Month Assessment
(n=9 networks)

Crossover
Allocation
March 1, 2013

35 Non-response* sites allocated to Enhanced REP (n=10)
(n=621 patients; median per site 18, Range 4-44)

39 Sites re-allocated to Standard REP (n=9)
(n=675 patients; median per site 16, Range 4-28)

Phase 3
6 month
Intervention

14 Responder sites (n=8) remain in Standard REP
Sites reported > 80% of outreach list documented (n=235 patients; median per site 17, Range 9-22)

Follow-up, Analysis
August 31, 2013

18 Month Assessment
(n=11 networks)

18 Month Assessment
(n=9 networks)

Follow-up, Analysis
August 31, 2014

Standard REP
(Months 19-30)

Standard REP
(Months 19-30)