Appendix 3. Included Studies

	Year	Reference
1.	2012	Belardinelli R, Georgiou D, Cianci G, Purcaro A. 10-year exercise training in chronic heart failure: a randomized controlled trial. <i>Journal of the American college of cardiology</i> . 2012; 60(16):1521-1528.
2.	2012	Cheng S-H, Lee T-T, Chen C-C. A longitudinal examination of a pay-for-performance program for diabetes care: evidence from a natural experiment. <i>Medical care</i> . 2012; 50(2):109-116.
3.	2012 (CR: Martin, 2011)	Rothschild SK, Martin MA, Swider SM, Lynas CT, Avery EF, Janssen I <i>et al.</i> The Mexican-American Trial of Community Health workers (MATCH): design and baseline characteristics of a randomized controlled trial testing a culturally tailored community diabetes self-management intervention. <i>Contemporary clinical trials.</i> 2012; 33(2):369-377.
4.	2012	Tamone C, Fonte G, Panico A, Molinatti PA, D'Amelio P, Isaia GC. Impact of a phone follow-up program on persistence with teriparatide or PTH (1–84) treatment. <i>Calcified tissue international</i> . 2012; 90(4):272-278.
5.	2012	Toobert DJ, Glasgow RE, Strycker LA, Barrera Jr M, King DK. Adapting and RE-AIMing a heart disease prevention program for older women with diabetes. Translational behavioral medicine. 2012;2(2):180-7.
6.	2011	Baker LC, Johnson SJ, Macaulay D, Birnbaum H. Integrated telehealth and care management program for Medicare beneficiaries with chronic disease linked to savings. <i>Health Affairs</i> . 2011; 30(9):1689-1697.
7.	2011 (CR: Toobert, 2012)	Barrera M, Toobert DJ, Strycker LA, Osuna D, King DK, Glasgow RE. Multiple-behavior–change interventions for women with Type 2 diabetes. <i>Diabetes Spectrum</i> . 2011; 24(2):75-80.
8.	2011	Gibson TB, Mahoney J, Ranghell K, Cherney BJ, McElwee N. Value-based insurance plus disease management increased medication use and produced savings. <i>Health Affairs</i> . 2011; 30(1):100-108.
9.	2011 (CR: Kim, 2008)	Kim MT, Han HR, Hedlin H, Kim J, Song HJ, Kim KB <i>et al.</i> Teletransmitted monitoring of blood pressure and bilingual nurse counseling–sustained improvements in blood pressure control during 12 months in hypertensive Korean Americans. <i>The Journal of Clinical Hypertension.</i> 2011; 13(8):605-612.
10.	2011	Martin MA, Swider SM, Olinger T, Avery E, Lynas CM, Carlson K et al. Recruitment of Mexican American adults for an intensive diabetes intervention trial. Ethnicity & disease. 2011;21(1):7-12.
11.	2010 (CR: Gilmore, 2007; Chung, 2003)	Chen JY, Kang N, Juarez DT, Hodges KA, Chung RS, Legorreta AP. Impact of a pay-for-performance program on low performing physicians. <i>J Healthc Qual</i> . 2010; 32(1):13-21; quiz 21-12.
12.	2010	Desouza CV, Rentschler L, Haynatzki G. The effect of group clinics in the control of diabetes. <i>Primary care diabetes</i> . 2010; 4(4):251-254.
13.	2010	Hughes SL, Seymour RB, Campbell RT, Desai P, Huber G, Chang HJ. Fit and Strong!: bolstering maintenance of physical activity among older adults with lower-extremity osteoarthritis. <i>American journal of health behavior</i> . 2010; 34(6):750.
14.	2010	Huizinga M, Gebretsadik T, Ulen CG, Shintani A, Michon S, Shackleford L <i>et al.</i> Preventing glycaemic relapse in recently controlled type 2 diabetes patients: a randomised controlled trial. <i>Diabetologia.</i> 2010; 53(5):832-839.
15.	2010	Wisse W, Rookhuizen MB, de Kruif MD, van Rossum J, Jordans I, ten Cate H <i>et al.</i> Prescription of physical activity is not sufficient to change sedentary behavior and improve glycemic control in type 2 diabetes patients. <i>Diabetes research and clinical practice</i> . 2010; 88(2):e10-e13.
16.	2010	Xian Y, Pan W, Peterson ED, Heidenreich PA, Cannon CP, Hernandez AF <i>et al.</i> Are quality improvements associated with the Get With the Guidelines-Coronary Artery Disease (GWTG-CAD) program sustained over time?: A longitudinal comparison of GWTG-CAD hospitals versus non–GWTG-CAD hospitals. <i>American heart journal.</i> 2010; 159(2):207-214.
17.	2009	Chavannes NH, Grijsen M, van den Akker M, Schepers H, Nijdam M, Tiep B et al. Integrated disease

		management improves one-year quality of life in primary care COPD patients: a controlled clinical
		trial. Primary care respiratory journal: journal of the General Practice Airways Group.
		2009;18(3):171-6.
18.	2009	Jia H, Chuang H-C, Wu SS, Wang X, Chumbler NR. Long-term effect of home telehealth services on
		preventable hospitalization use. <i>J Rehabil Res Dev.</i> 2009; 46(5):557-566.
19.	2009	Olson KL, Delate T, Rasmussen J, Humphries TL, Merenich JA. Outcomes of patients discharged
		from pharmacy-managed cardiovascular disease management. The American journal of managed
		care. 2009; 15(8):497-503.
20.	2009	Radziewicz RM, Rose JH, Bowman KF, Berila RA, O'Toole EE, Given B. Establishing treatment
		fidelity in a coping and communication support telephone intervention for aging patients with
		advanced cancer and their family caregivers. <i>Cancer nursing</i> . 2009; 32(3):193-202.
21.	2009	Svetkey LP, Pollak KI, Yancy WS, Dolor RJ, Batch BC, Samsa G et al. Hypertension Improvement
		Project Randomized Trial of quality improvement for physicians and lifestyle modification for
	2000	patients. <i>Hypertension</i> . 2009; 54(6):1226-1233.
22.	2009	van Wetering CR, Hoogendoorn M, Mol S, Rutten-van Mölken M, Schols A. Short-and long-term
		efficacy of a community-based COPD management programme in less advanced COPD: a
	• • • • •	randomised controlled trial. <i>Thorax</i> . 2010; 65(1):7-13.
23.	2008	Bocchi EA, Cruz F, Guimarães G, Moreira LFP, Issa VS, Ferreira SMA et al. Long-Term
		Prospective, Randomized, Controlled Study Using Repetitive Education at Six-Month Intervals and
		Monitoring for Adherence in Heart Failure Outpatients The REMADHE Trial. <i>Circulation: Heart</i>
2.4	2000	Failure. 2008; 1(2):115-124.
24.	2008	Giannuzzi P, Temporelli PL, Marchioli R, Maggioni AP, Balestroni G, Ceci V et al. Global secondary
		prevention strategies to limit event recurrence after myocardial infarction: results of the GOSPEL study, a multicenter, randomized controlled trial from the Italian Cardiac Rehabilitation Network.
		Archives of Internal Medicine. 2008; 168(20):2194-2204.
25.	2008	Kim MT, Kim EY, Han HR, Jeong S, Lee JE, Park HJ et al. Mail education is as effective as in-class
23.	2008	education in hypertensive Korean patients. Journal of clinical hypertension (Greenwich, Conn).
		2008;10(3):176-84.
26.	2008	Lawrence DB, Allison W, Chen JC, Demand M. Improving medication adherence with a targeted,
20.	2000	technology-driven disease management intervention. <i>Disease Management</i> . 2008; 11(3):141-144.
27.	2008	Mildestvedt T, Meland E, Eide GE. How important are individual counselling, expectancy beliefs and
_,.		autonomy for the maintenance of exercise after cardiac rehabilitation? Scandinavian journal of public
		health. 2008; 36(8):832-840.
28.	2007	Berg GD, Wadhwa S. Health services outcomes for a diabetes disease management program for the
		elderly. <i>Disease Management</i> . 2007; 10(4):226-234.
29.	2007	Chin MH, Drum ML, Guillen M, Rimington A, Levie JR, Kirchhoff AC et al. Improving and
		sustaining diabetes care in community health centers with the health disparities collaboratives.
		Medical care. 2007; 45(12):1135-1143.
30.	2007	Del Sindaco D, Pulignano G, Minardi G, Apostoli A, Guerrieri L, Rotoloni M et al. Two-year
		outcome of a prospective, controlled study of a disease management programme for elderly patients
		with heart failure. Journal of Cardiovascular Medicine. 2007; 8(5):324-329.
31.	2007	Dennison CR, Post WS, Kim MT, Bone LR, Cohen D, Blumenthal RS et al. Underserved Urban
		African American Men: Hypertension Trial Outcomes and Mortality During 5 Years*. American
		journal of hypertension. 2007; 20(2):164-171.
32.	2007	Gilmore AS, Zhao Y, Kang N, Ryskina KL, Legorreta AP, Taira DA et al. Patient outcomes and
		evidence-based medicine in a preferred provider organization setting: a six-year evaluation of a
		physician pay-for-performance program. Health services research. 2007;42(6 Pt 1):2140-59;
22	2007	discussion 294-323. doi:10.1111/j.1475-6773.2007.00725.x.
33.	2007	Hess PL, Reingold JS, Jones J, Fellman MA, Knowles P, Ravenell JE et al. Barbershops as
		hypertension detection, referral, and follow-up centers for black men. <i>Hypertension</i> . 2007;
2.4	2007	49(5):1040-1046.
34.	2007	Jiraporn Getpreechaswas M, Boontorterm N. A model of health services for hypertension in primary
2.5	2006	care unit in Patumthani Province. J Med Assoc Thai. 2007; 90(1):129-136.
35.	2006	Bailie RS, Robinson G, Kondalsamy-Chennakesavan SN, Halpin S, Wang Z. Investigating the
		sustainability of outcomes in a chronic disease treatment programme. Social Science & Medicine.

		2006; 63(6):1661-1670.
36.	2006	Inglis SC, Pearson S, Treen S, Gallasch T, Horowitz JD, Stewart S. Extending the horizon in chronic heart failure effects of multidisciplinary, home-based intervention relative to usual care. <i>Circulation</i> . 2006; 114(23):2466-2473.
37.	2005	Maroto Montero JM, Artigao Ramirez R, Morales Duran MD, de Pablo Zarzosa C, Abraira V. [Cardiac rehabilitation in patients with myocardial infarction: a 10-year follow-up study]. <i>Rev Esp Cardiol</i> . 2005; 58(10):1181-1187.
38.	2005	Phillips LS, Ziemer DC, Doyle JP, Barnes CS, Kolm P, Branch WT <i>et al.</i> An Endocrinologist-Supported Intervention Aimed at Providers Improves Diabetes Management in a Primary Care Site Improving Primary Care of African Americans with Diabetes (IPCAAD) 7. <i>Diabetes Care</i> . 2005; 28(10):2352-2360.
39.	2004	Bakitas M, Stevens M, Ahles T, Kirn M, Skalla K, Kane N <i>et al.</i> Project ENABLE: A palliative care demonstration project for advanced cancer patients in three settings. <i>Journal of palliative medicine</i> . 2004; 7(2):363-372.
40.	2004	Fihn SD, McDonell MB, Diehr P, Anderson SM, Bradley KA, Au DH <i>et al.</i> Effects of sustained audit/feedback on self-reported health status of primary care patients. <i>The American journal of medicine</i> . 2004; 116(4):241-248.
41.	2004	Group CM-CTDS. Closing the Gap: Effect of Diabetes Case Management on Glycemic Control Among Low-Income Ethnic Minority Populations The California Medi-Cal Type 2 Diabetes Study. <i>Diabetes Care</i> . 2004; 27(1):95-103.
42.	2003	Behnke M, Jorres R, Kirsten D, Magnussen H. Clinical benefits of a combined hospital and home-based exercise programme over 18 months in patients with severe COPD. <i>Monaldi archives for chest disease</i> . 2003; 59(1):44-51.
43.	2003	Chung RS, Chernicoff HO, Nakao KA, Nickel RC, Legorreta AP. A quality-driven physician compensation model: four-year follow-up study. Journal for healthcare quality: official publication of the National Association for Healthcare Quality. 2003;25(6):31-7.
44.	2003	Gæde P, Vedel P, Larsen N, Jensen GV, Parving H-H, Pedersen O. Multifactorial intervention and cardiovascular disease in patients with type 2 diabetes. <i>New England Journal of Medicine</i> . 2003; 348(5):383-393.
45.	2003	Gary TL, Bone LR, Hill MN, Levine DM, McGuire M, Saudek C <i>et al.</i> Randomized controlled trial of the effects of nurse case manager and community health worker interventions on risk factors for diabetes-related complications in urban African Americans. <i>Preventive medicine</i> . 2003; 37(1):23-32.
46.	2002	Allen-Rameym FC, Diette GB, McDonald RC, Skinner EA, Steinwachs DM, Wu AW. Methods Aimed at Improving Asthma Care and Outcomes Management. <i>Disease Management & Health Outcomes</i> . 2002; 10(8):495-503.
47.	2002	Froehlich JB, Karavite D, Russman PL, Erdem N, Wise C, Zelenock G <i>et al.</i> American College of Cardiology/American Heart Association preoperative assessment guidelines reduce resource utilization before aortic surgery. <i>Journal of vascular surgery.</i> 2002; 36(4):758-e751.
48.	2001	Baker AM, Lafata JE, Ward RE, Whitehouse F, Divine G. A Web-based diabetes care management support system. <i>Joint Commission Journal on Quality and Patient Safety</i> . 2001; 27(4):179-190.
49.	2000	Coleman E, Eilertsen T, Kramer A, Magid D, Beck A, Conner D. Reducing emergency visits in older adults with chronic illness. A randomized, controlled trial of group visits. <i>Effective clinical practice: ECP.</i> 2000; 4(2):49-57.
50.	2000	Hedges JR, Feldman HA, Bittner V, Goldberg RJ, Zapka J, Osganian SK <i>et al.</i> Impact of Community Intervention to Reduce Patient Delay Time on Use of Reperfusion Therapy for Acute Myocardial Infarction Rapid Early Action for Coronary Treatment (REACT) Trial. <i>Academic Emergency Medicine.</i> 2000; 7(8):862-872.
51.	2000	Rowley KG, Daniel M, Skinner K, Skinner M, White GA, O'Dea K. Effectiveness of a community-directed healthy lifestyle'program in a remote Australian Aboriginal community. <i>Australian and New Zealand journal of public health.</i> 2000; 24(2):136-144.
52.	2000	Skinner CS, Arfken CL, Waterman B. Outcomes of the Learn, Share & Live breast cancer education program for older urban women. <i>American Journal of Public Health</i> . 2000; 90(8):1229.
53.	2000	Stroebel RJ, Broers JK, Houle SK, Scott CG, Naessens JM. Improving hypertension control: a team approach in a primary care setting. <i>Joint Commission Journal on Quality and Patient Safety.</i> 2000; 26(11):623-632.

54.	1999	Daniel M, Green LW, Marion SA, Gamble D, Herbert CP, Hertzman C <i>et al.</i> Effectiveness of community-directed diabetes prevention and control in a rural Aboriginal population in British Columbia, Canada. <i>Social science & medicine</i> . 1999; 48(6):815-832.
55.	1999	Grosbois J-M, Lamblin C, Lemaire B, Chekroud H, Dernis J-M, Douay B <i>et al</i> . Long-term benefits of exercise maintenance after outpatient rehabilitation program in patients with chronic obstructive pulmonary disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> . 1999; 19(4):216-225.
56.	1999	Higginbotham N, Heading G, McElduff P, Dobson A, Heller R. Reducing coronary heart disease in the Australian Coalfields: evaluation of a 10-year community intervention. <i>Social science & medicine</i> . 1999; 48(5):683-692.
57.	1998	Pill R, Stott N, Rollnick S, Rees M. A randomized controlled trial of an intervention designed to improve the care given in general practice to type II diabetic patients: patient outcomes and professional ability to change behaviour. <i>Family Practice</i> . 1998; 15(3):229-235.
58.	1997	Corkery E, Palmer C, Foley ME, Schechter CB, Frisher L, Roman SH. Effect of a bicultural community health worker on completion of diabetes education in a Hispanic population. <i>Diabetes Care</i> . 1997; 20(3):254-257.
59.	1996	Kelso TM, Abou-Shala N, Heilker GM, Arheart KL, Portner TS, Self TH. Comprehensive long-term management program for asthma: effect on outcomes in adult African-Americans. <i>The American journal of the medical sciences</i> . 1996; 311(6):272-280.
60.	1996	Reichard P, Pihl M, Rosenqvist U, Sule J. Complications in IDDM are caused by elevated blood glucose level: the Stockholm Diabetes Intervention Study (SDIS) at 10-year follow up. <i>Diabetologia</i> . 1996; 39(12):1483-1488.
61.	1991	Erfurt JC, Foote A, Heirich MA. Worksite wellness programs: incremental comparison of screening and referral alone, health education, follow-up counseling, and plant organization. <i>American Journal of Health Promotion</i> . 1991; 5(6):438-448.
62.	1988	Perk J, Hedbäck B, Jutterdal S. Cardiac rehabilitation: evaluation of a long-term programme of physical training for out-patients. <i>Scandinavian journal of rehabilitation medicine</i> . 1988; 21(1):13-17.
63.	1984	Hopper SV, Miller JP, Birge C, Swift J. A randomized study of the impact of home health aides on diabetic control and utilization patterns. <i>American journal of public health</i> . 1984; 74(6):600-602.
64.	1984	Weiss LJ, Sklar BW. Project OPEN: A hospital-based long-term care demonstration program for the chronically ill elderly. <i>Home health care services quarterly</i> . 1984; 4(3-4):127-145.
65.	1983	Morisky DE, Levine DM, Green LW, Shapiro S, Russell RP, Smith CR. Five-year blood pressure control and mortality following health education for hypertensive patients. <i>American Journal of Public Health.</i> 1983; 73(2):153-162.
66.	1982	Ambrosio G, Zamboni S, Dal Palu C. Treatment of hypertension: the community approach. <i>Postgraduate medical journal</i> . 1982; 59:131-133.
67.	1979	Krishan I, Brennan Jr L, Nobrega F, Smoldt R, Smutka L, Labarthe D <i>et al</i> : The Mayo Three-Community Hypertension Control Program. II. Outcome of intervention in entire communities. In: <i>Mayo Clinic Proceedings: 1979</i> ; 1979: 299-306.