

Dose-dependent dissolution recommendations for sapropterin according to the guidance for water dilution

10 mg/kg per day			Dose table for children weighing up to 20 kg	
Weight (kg)	Total dose (mg/day)	Number of tablets to be dissolved in water	Volume of water to be added (mL)	Volume of solution to be administered to the child (mL)
2	20	1	20	4
3	30	1	20	6
4	40	1	20	8
5	50	1	20	10
6	60	1	20	12
7	70	1	20	14
8	80	1	20	16
9	90	1	20	18
10	100	1	20	20
11	110	2	40	22
12	120	2	40	24
13	130	2	40	26
14	140	2	40	28
15	150	2	40	30
16	160	2	40	32
17	170	2	40	34
18	180	2	40	36
19	190	2	40	38
20	200	2	40	40
20 mg/kg per day			Dose table for children weighing up to 20 kg	
2	40	1	20	8
3	60	1	20	12
4	80	1	20	16
5	100	1	20	20
6	120	2	40	24
7	140	2	40	28
8	160	2	40	32
9	180	2	40	36
10	200	2	40	40
11	220	3	60	44
12	240	3	60	48
13	260	3	60	52
14	280	3	60	56
15	300	3	60	60
16	320	4	80	64
17	340	4	80	68
18	360	4	80	72
19	380	4	80	76
20	400	4	80	80