

Additional Table S2

<b>Mice</b>	<b>BUN (mg/dL)</b>	<b>Creatinine (mg/dL)</b>	<b>ALT (u/L)</b>	<b>AST (u/L)</b>	<b>T. Bili (mg/dL)</b>	<b>Glucose (mg/dL)</b>	<b>Total Protein (g/dL)</b>
Drug 1	41	0.36	68	52	0.10	181	5.7
Drug 2	41	0.33	63	77	0.06	114	4.8
Drug 3	38	0.32	84	121	0.07	219	5.4
Drug 4	39	0.27	54	62	0.17	140	5.6
Drug 5	35	0.26	52	72	0.11	153	5.5
Control 1	46	0.37	69	61	0.13	162	5.5
Control 2	35	0.33	57	58	0.12	170	5.3
Control 3	34	0.37	59	55	0.13	195	5.8
Control 4	33	0.27	62	189	0.08	168	5.3
Control 5	28	0.27	48	54	0.14	221	5.5

**Table S2. Combined SW IV-134 and gemcitabine therapy does not induce changes in serum chemistries in tumor-bearing mice.** Biochemical analysis of CBC of Athymic Nude mice treated daily with SW IV-134 and weekly gemcitabine for 3 weeks compared to vehicle (control). The differences in laboratory values between the 2 groups are not statistically significant.