

Table S4. A list of primers used in the reactions for clone PCR.

Gene	Sequence (5' – 3')
TFAP2C-full-up	ATGTTGTGGAAAATAACCGATAATG
TFAP2C-full-dn	TTATTTCTGTGTTTCTCCATTTTC
ROCK1-Pro-luci-up	CCCCGTCTTCCCCTCACTG
ROCK1-Pro-luci-dn	GCGATCAGAAGCAGCCAGAG
ROCK2-Pro-luci-up	AGCAAGCTCTCCACGTTGATG
ROCK2-Pro-luci-dn	GCTCGGTCGCTATTATTTGGGC
shTFAP2C-1#-up	GATCCCCGCCAGCAACTGTGTAAAGAATTCAAGAG ATTCTTTACACAGTTGCTGGGCTTTTTA
shTFAP2C-1#-dn	AGCTTAAAAAGCCCAGCAACTGTGTAAAGAATCTCT TGAATTCTTTACACAGTTGCTGGGCGGG
shTFAP2C-2#-up	GATCCCCTGTTACCTACCTTACTATTTATTCAAGAGAT AAATAGTAAGGTAGGTAACATTTTTA
shTFAP2C-2#-dn	AGCTTAAAAATGTTACCTACCTTACTATTTATCTCTTG AATAAATAGTAAGGTAGGTAACAGGG