

patient characteristics

	<i>total</i>	<i>Missing data</i>	<i>lcSSc</i>	<i>dcSSc</i>	<i>Overlap S.</i>
Number of patients (n)	1419 (100%)	0.9	756 (53.4)	492 (34.7)	168(11.9)
Female	82.8	0.1	88.0	74.9	85.1
Male	17.2	0.1	12.0	25.1	14.9
ANA positive	91.5	0.5	89.9	91.9	95.8
Scl 70 positive	30.9	0.7	18.5	55.6	11.4
ACA positive	36.6	2.5	59.7	10.2	16.2
<i>percentage of organ involvement by SSc subsets</i>					
	<i>total</i>	<i>Missing data</i>	<i>lcSSc</i>	<i>dcSSc</i>	<i>Overlap S.</i>
Raynaud Phenomenon	95.8	0.2	96.3	95.1	96.4
Skin involvement	93.5	0.4	92.8	97.5	83.9
PAH	14.2	0.4	12.8	17.7	9.5
Pulmonary fibrosis	38.0	0.4	24.6	59.1	33.3
Oesophagus	63.6	0.3	61.1	67.4	64.9
Stomach	15.2	0.5	15.8	14.5	14.9
Intestine	5.7	0.5	6.3	5.1	5.4
Kidney	12.3	0.5	10.3	16.1	7.1
Heart	14.9	0.5	11.2	21.2	11.3
Musculoskeletal system	51.0	8.1	45.1	53.7	68.3
Nervous system	6.2	1.8	5.7	5.6	10.1
Sicca- symptoms	42.0	2.3	45.5	36.9	43.4
Masticatory organ	30.3	12.4	25.3	38.6	27.5

Table 1: Patient characteristics