Additional file 2. Medication administered from admission until the sudden clinical deterioration

Days after admission:	0	1	2	3	4	5	6	Route of administration:
Benzylpenicillin		6,000,000U /d	ay					Oral (incl. tablets,
— Insulin Aspart	3x /day, differ	ent doses based	l on blood gluo	ose				powders, solutions)
Metformin		2x500mg /day						
— Insulin Glargine		1 1 1		1x8U /day				
Dapagliflozin		1 1 1		1x10mg /day				- Subcutaneous
- 🖛 🛏 Nadroparin	1x2850U /day	/						Medication group:
Acteylsalicylic acid		1	1x80mg /day					Medication group.
Rosuvastatin		1 1 1	1x10mg /day					Antibiotic
Spironolactone		1 1 1		1x25mg /day				Antidiabetic
Lisinopril		1				1x2.5mg /day		
Paracetamol	1x1000mg	4x1000mg /d	ay					Vascular occlusion prevention
Polystyrene sulfonate	1x20g							· ·
Potassium chloride			1x30mmol					Cardiovascular
— 🏕 💷 Thiamine		3x500mg /day	r		2x50mg /day			Other (pain, elektrolytes,
Vitamin B complex		3x1 tablet /day	I		1x1 tablet /da	у		vitamins)
Ascorbic acid		3x500mg /day						,

Abbreviations: g, gram; incl., including; mg, milligram; U, units. Figure created with BioRender.com.