

Supplementary Table S2: List of primers for qRT-PCR

Cellular Oncology

Inhibition of high level *E2F* expression in a *RB1* proficient *MYCN* overexpressing retinoblastoma model normalizes the neoplastic behaviour

Hanzhao Zhang (1), Dardan Konjusha (1), Nima Rafati (2,3), Tatsiana Tararuk (1) and Finn Hallböök (1)*

Affiliations:

1. Department of Immunology, Genetics and Pathology, Uppsala University,
2. National Bioinformatics Infrastructure Sweden, Science for Life Laboratory, Uppsala University
3. Department of Medical Biochemistry and Microbiology, Uppsala University, Uppsala, Sweden

* Corresponding author:

Finn Hallböök

Department of Immunology, Genetics and Pathology

Rudbeck laboratory, Uppsala University

751 85 Uppsala Sweden

Finn.Hallbook@igp.uu.se

Supplementary Table S2: List of primers for qRT-PCR

Gene	Forward 5'-3'	Reverse 5'-3'	Source
β -actin	aggatcaccattggcaatg	ccaagaaagatggctggaa	PMID:25483080
GAPDH	cctgacctgccgtctagaaaaa	tgtcgctgtgaagtcagagga	
p21	caatgccgagtctgtagtccc	ctccagtcctcctcagtcctt	
TBP	tagcccgatgatgccgtat	gttcctgtgtcgcttgc	PMID:25483080
MYCN (Human)	ttgtacaaaaagcaggctccg	agcgagtcaaactcaggtctg	from vector
E2F3	agaaagcggtaaatcagtacct	tggacttcgtagtcagctct	PMID:34062439
PRDM13	accaagaaaaaggtgcgga	tatccactcaaagcggagc	
Ki67	tggtgattgttacctcagcct	gtggcgagttccaaatgg	XM_015289038.1
RB1	aacagcgagagccagtaaa	tattgctccatctgctc	