



		<b>Hb</b>	<b>PLT</b>	<b>WBC</b>	<b>Crea</b>	<b>GFR</b>	<b>TER</b>
Pt. 1	baseline	12.8	195	4.7	0.9	79,6	243
	12 Mo	13.0	296	6	1	81	175
	PFS 17 months						
Pt. 2	baseline	13.3	241	4.4	0.8	192	193
	12 Mo	10.9	233	5.7	0.7	103	196
	24 Mo	7.0	94	2.9	0.8	86	170
Pt. 3	baseline	11.5	283	6	0.7	110	250
	12 Mo	10.2	214	4.7	0.6	114	134
	24 Mo	8.7	287	5.5	1.37	47	144
Pt. 4	baseline	12.3	237	4.5	0.8	n/a	270
	12 Mo	13	163	3.8	0.7	115	257
	24 Mo	12.7	166	3.4	0.9	104	105
Pt. 5	baseline	12.3	268	5.4	0.85	98	287
	12 Mo	12.7	345	5.8	0.7	98	197
	24 Mo	10.8	342	5.4	n/a	n/a	130
Pt. 6	baseline	12.3	171	3.7	0.8	108	273
	12 Mo	12.1	148	4.1	0.8	107	200
	24 Mo	11.0	158	5	1	94	212
Pt. 7	baseline	11.7	253	3.5	0.5	105	243
	12 Mo	9.8	272	3.3	0.8	86	96
	PFS 15 months						

**Supplement Figure 5:** Absolute values for hemoglobin (Hb), platelets (PLT), white blood cells (WBC), glomerular filtration rate (GFR), tubular excretion rate (TER) and serum creatinine (Crea) at baseline, 12 months and 24 months after initiation of TAT.