

Supportive Data for Table 5: Semi-Quantitative Parotid and Submandibular Glands Uptake SUV_{max}

		SUVmax				VOLUME (ml)				CUMULATED DOSE (Gy/GBq)	
		SUV 1 (parotis re.)	SUV 2 (parotis li.)	SUV 3 (submand. re.)	SUV 4 (submand. li.)	VOL 1 (parotis re.)	VOL 2 (parotis li.)	VOL 3 (submand. re.)	VOL 4 (submand. li.)	Gl. Parotis	Gl. Submand.
1. F.E	Baseline	30.6	21.4	20	19.3	27.4	26.6	9.5	7.8	0.4	0.5
	After 3 cycles	16.1	14.8	11.2	11.7	21.6	21.2	9	7		
2. R.G.	Baseline	14.2	14.6	17.9	15.7	29.4	29.05	7.8	7.33	0.6	0.5
	After 3 cycles	10.8	10.3	13.1	9.6	23.5	21	5	7.2		
3. H.W.	Baseline	10.2	8.5	11.8	13.1	24.2	25.1	10.2	7.9	0.3	0.7
	After 3 cycles	8.8	8.1	13.9	13.8	19.9	22.1	7	6.7		
4. H.M.	Baseline	11.3	9.2	10.3	10.4	16.2	21.3	9.8	9	0.5	0.2
	After 3 cycles	11.6	8.8	10.9	10.4	14.1	15.8	9.2	9		
5. F.K.	Baseline	7.7	8	8.5	8.2	29.9	21.6	8.3	6.6	0.8	0.7
	After 3 cycles	10.8	9.3	10.6	9.9	22	17.6	6.4	5.9		
6. R.J.	Baseline	16	19.6	25.1	21.2	22.1	22.6	9.3	10.4	0.9	0.6
	After 3 cycles	10.2	10.5	14.6	13.8	20.5	22.5	7.6	8.8		
7. C.H.	Baseline	15.8	14.1	18.3	16.7	18.8	19	8.8	9.8	0.5	0.6
	After 3 cycles	16.2	17.7	18.8	17.7	17.5	14.1	7.5	8.6		
8. S.E.	Baseline	7.6	7.4	8.1	10	36.7	31.3	6.9	7.7	1.0	0.4
	After 2 cycles	7.4	6.6	7.4	7.5	28.3	23.7	5.8	6.4		
9. G.J.	Baseline	5.8	10.3	7.1	6.9	27.2	24.2	8.2	6.5	0.4	/
	After 3 cycles	13.5	4	5.4	4.1	15.5	19.1	8.1	6.4		
10. S.R.	Baseline	7.4	8.2	9.1	9.7	19	28	11	9.7	0.4	0.4
	After 3 cycles	18.1	19.3	15.7	19.3	29	29	13.7	10.2		