

SUPPLEMENTARY MATERIALS

Assessing the long-term (48 weeks) effectiveness, safety, and tolerability of fremanezumab in migraine in real-life: insights from the multicenter, prospective, FRIEND3 study

Piero Barbanti^{1,2*}, Gabriella Egeo^{1*}, Stefania Proietti³, Florindo d’Onofrio⁴, Cinzia Aurilia¹, Cinzia Finocchi⁵, Laura Di Clemente⁶, Maurizio Zucco⁶, Alberto Doretti⁷, Stefano Messina⁷, Massimo Autunno⁸, Angelo Ranieri⁹, Antonio Carnevale¹⁰, Bruno Colombo¹¹, Massimo Filippi¹¹, Miriam Tasillo¹², Steno Rinalduzzi¹², Pietro Querzani¹³, Giuliano Sette¹⁴, Lorenzo Forino⁴, Francesco Zoroddu¹⁵, Micaela Robotti¹⁶, Alessandro Valenza¹⁷, Cecilia Camarda¹⁸, Laura Borrello¹⁹, Marco Aguggia²⁰, Giovanna Viticchi²¹, Carlo Tomino²², Giulia Fiorentini², Bianca Orlando¹, Stefano Bonassi²³ and Paola Torelli²⁴, for the *Italian Migraine Registry study group*.

* Piero Barbanti and Gabriella Egeo made equal contributions to this work.

¹Headache and Pain Unit, IRCCS San Raffaele, Rome, Italy.

²San Raffaele University, Rome, Italy.

³Clinical and Molecular Epidemiology, IRCCS San Raffaele, Rome, Italy; Department of Human Sciences and Quality of Life Promotion, San Raffaele University, Rome, Italy.

⁴Neurology Unit, San Giuseppe Moscati Hospital, Avellino, Italy.

⁵Neurology Unit, San Paolo Hospital, ASL 2 Savona, Italy.

⁶Headache Center, Neurology Unit, San Camillo-Forlanini Hospital, Rome, Italy.

⁷Department of Neurology-Stroke Unit, Laboratory of Neuroscience, Istituto Auxologico Italiano, IRCCS, Milano, Italy.

⁸Department of Clinical and Experimental Medicine, University of Messina, Italy.

⁹Neurology Unit and Stroke-Unit, AORN A. Cardarelli, Napoli, Italy.

¹⁰Headache Center, Neurology Unit, San Filippo Neri Hospital, Rome, Italy.

¹¹Headache Unit, Department of Neurology, Scientific Institute San Raffaele Hospital, Vita-Salute University, Milan, Italy.

¹²Stroke Unit, S. Camillo de Lellis Hospital, Rieti, Italy.

¹³Neurology Unit, S. Maria Delle Croci Hospital-AUSL Romagna, Ravenna, Italy.

¹⁴Department of Neuroscience, Mental Health and Sensory Organs (NESMOS), “Sapienza” University of Rome, Sant’Andrea University Hospital, Rome, Italy.

¹⁵Pediatric Headache Center, Neurology Unit, University of Sassari, Italy.

¹⁶Headache Center, ASST Santi Paolo Carlo, Milan, Italy.

¹⁷Headache Center, UOC Neurology, Ospedale Belcolle, Viterbo, Italy

¹⁸Department of Biomedicine, Neurosciences, and Advanced Diagnostics, University of Palermo, Palermo, Italy

¹⁹Frosinone Hospital, Headache Center, Frosinone, Italy

²⁰Neurology and Stroke Unit, Cardinal Massaia Hospital, Asti, Italy.

²¹Neurological Clinic, Marche Polytechnic University, Ancona, Italy.

²²Scientific Direction IRCCS San Raffaele, Rome, Italy

²³Clinical and Molecular Epidemiology, IRCCS San Raffaele Roma, Italy; Department of Human Sciences and Quality of Life Promotion, San Raffaele University, Rome, Italy

²⁴Neurology Unit, Department of Medicine and Surgery, Headache Center, University of Parma, Parma, Italy

Corresponding author:

Piero Barbanti, MD, PhD,

Headache and Pain Unit, IRCCS San Raffaele,

Via della Pisana 235 - 00163 Rome, Italy.

Email: piero.barbanti@sanraffaele.it; peterbrondi@gmail.com

Phone: + 39 06 5225 4026

Supplemental Table 1: Change in monthly migraine days (MMD), monthly headache days (MHD), monthly analgesic medications (MAM), Numerical Rating Scale (NRS) score, Headache Impact Test-6 (HIT-6) score, and Migraine Disability Assessment Scale (MIDAS) score from baseline to weeks 9-12 and 21-24.

| Variable | HFEM (n=49) | CM (n=81) |
|--------------------|--------------|--------------|
| MMD/MHD | | |
| <i>Baseline</i> | 11.1±1.8 | 20.4±6.0 |
| <i>weeks 12</i> | 4.2±3.5 | 6.7±5.6 |
| <i>weeks 24</i> | 4.3±3.7 | 6.5±5.8 |
| <i>weeks 48</i> | 4.7±4.0 | 5.9±4.9 |
| <i>Mean change</i> | | |
| <i>weeks 12</i> | -6.9±3.8** | -13.7±7.1** |
| <i>weeks 24</i> | -6.9±4.0** | -14.0±7.3** |
| <i>weeks 48</i> | -6.4±4.4** | -14.5±6.9** |
| MAM | | |
| <i>Baseline</i> | 11.7±2.9 | 22.1±8.5 |
| <i>weeks 12</i> | 4.6±7.2 | 6.1±5.1 |
| <i>weeks 24</i> | 4.2±3.6 | 6.1±6.0 |
| <i>weeks 48</i> | 5.7±9.4 | 5.6±4.9 |
| <i>Mean change</i> | | |
| <i>weeks 12</i> | -7.1±7.6** | -16.0±9.2** |
| <i>weeks 24</i> | -7.5±4.4** | -16.4±9.1** |
| <i>weeks 48</i> | -6.0±9.6** | -16.5±8.9** |
| NRS | | |
| <i>Baseline</i> | 8.1±0.9 | 8.1±1.2 |
| <i>weeks 12</i> | 4.1±2.1 | 4.7±1.8 |
| <i>weeks 24</i> | 4.3±1.7 | 4.6±1.9 |
| <i>weeks 48</i> | 4.8±1.9 | 4.7±2.0 |
| <i>Mean change</i> | | |
| <i>weeks 12</i> | -4.0±2.2** | -3.4±1.9** |
| <i>weeks 24</i> | -3.8±2.0** | -3.5±2.0** |
| <i>weeks 48</i> | -3.4±2.2** | -3.4±2.2** |
| HIT-6 | | |
| <i>Baseline</i> | 67.2±3.7 | 68.6±4.1 |
| <i>weeks 12</i> | 49.1±15.5 | 46.1±21.3 |
| <i>weeks 24</i> | 41.9±19.9 | 44.3±21.2 |
| <i>weeks 48</i> | 50.3±9.3 | 50.7±12.3 |
| <i>Mean change</i> | | |
| <i>weeks 12</i> | -18.1±15.5** | -22.5±21.3** |
| <i>weeks 24</i> | -25.3±20.1** | -24.3±21.6** |
| <i>weeks 48</i> | -16.9±9.2** | -17.9±11.9** |
| MIDAS | | |
| <i>Baseline</i> | 57.5±36.3 | 82.6±65.6 |
| <i>weeks 12</i> | 10.5±13.6 | 15.0±20.7 |
| <i>weeks 24</i> | 9.0±11.4 | 17.5±29.5 |
| <i>weeks 48</i> | 7.1±16.1 | 6.0±13.6 |
| <i>Mean change</i> | | |

| | | |
|-----------------|-----------------------|-----------------------|
| <i>weeks 12</i> | $-46.9 \pm 36.6^{**}$ | $-67.6 \pm 60.1^{**}$ |
| <i>weeks 24</i> | $-47.6 \pm 34.3^{**}$ | $-65.4 \pm 67.1^{**}$ |
| <i>weeks 48</i> | $-50.4 \pm 35.2^{**}$ | $-76.6 \pm 62.7^{**}$ |

**p<0.001