

Supplementary material

Journal: Clinical Drug Investigation

**Depicting safety profile of TAAR1 agonist ulotaront relative to reactions anticipated for a
dopamine D2-based pharmacological class in FAERS**

Seth C. Hopkins, Ajay Ogirala, MaryAlice Worden, Kenneth S. Koblan

Sunovion Pharmaceuticals Inc., Marlborough, MA

Corresponding Author:

Seth C. Hopkins, PhD

Sunovion Pharmaceuticals

84 Waterford Drive

Marlborough, MA 01752 USA

seth.hopkins @ sunovion.com

Antipsychotic Class Effect Query. A rank-ordered list of PTs identified for a pool of 30 antipsychotics, as ranked by their aggregated disproportionality as reported in FAERS, using the Empirical Bayes Geometric Mean (EBGM50) for PTs having lower 5% confidence limit above 3 (EBGM05 > 3).

PT	EBGM	EBGM05	EBGM95
POST-INJECTION DELIRIUM SEDATION SYNDROME	25.603	23.730	27.592
ANTIPSYCHOTIC DRUG LEVEL DECREASED	25.223	22.617	28.061
BENIGN ETHNIC NEUTROPENIA	25.133	17.237	34.859
RABBIT SYNDROME	24.181	19.910	29.123
HYPERPROLACTINAEMIA	24.130	23.551	24.721
MALIGNANT CATATONIA	24.105	19.024	30.131
ABNORMAL WEIGHT GAIN	23.569	23.176	23.969
BANKRUPTCY	23.032	21.088	25.115
COMPULSIVE SEXUAL BEHAVIOUR	22.252	20.735	23.854
ANTIPSYCHOTIC DRUG LEVEL BELOW THERAPEUTIC	21.878	19.960	23.938
COMPULSIVE HOARDING	21.798	19.556	24.233
PSEUDOGYNAECOMASTIA	21.706	12.078	32.375
ANTIPSYCHOTIC DRUG LEVEL INCREASED	21.672	20.675	22.707
SCHIZOAFFECTIVE DISORDER	21.056	19.840	22.330
NEUROLEPTIC MALIGNANT SYNDROME	20.821	20.434	21.214
BLOOD PROLACTIN ABNORMAL	20.686	18.461	23.108
DIFFERENTIAL WHITE BLOOD CELL COUNT ABNORMAL	20.271	19.135	21.458
SCHIZOPHRENIA	20.154	19.699	20.617
GYNAECOMASTIA	20.090	19.876	20.307
ANTIPSYCHOTIC DRUG LEVEL ABOVE THERAPEUTIC	19.627	18.002	21.360
GRANULOCYTOPENIA	19.416	18.880	19.963
HOMELESS	19.232	17.229	21.397
PSYCHIATRIC DECOMPENSATION	19.035	17.827	20.306
REBOUND PSYCHOSIS	18.901	14.478	23.787
EXPOSURE TO CONTAMINATED DEVICE	18.281	15.712	21.087
SCHIZOAFFECTIVE DISORDER DEPRESSIVE TYPE	18.224	9.226	30.457
PSYCHOTIC SYMPTOM	18.200	16.826	19.655
BLOOD PROLACTIN INCREASED	17.450	16.925	17.988
DIVORCED	17.174	15.434	19.040
SHOPLIFTING	17.169	15.001	19.519
COGWHEEL RIGIDITY	16.879	15.510	18.332
COMPULSIVE SHOPPING	16.749	15.870	17.664
ANOSOGNOSIA	16.712	14.026	19.666
PAROXYSMAL PERCEPTUAL ALTERATION	16.624	8.653	28.759
PSYCHOSEXUAL DISORDER	16.475	14.152	19.016
NEUROLEPTIC-INDUCED DEFICIT SYNDROME	16.410	6.677	36.189

GALACTORRHOEA	16.368	15.998	16.744
SCHIZOAFFECTIVE DISORDER BIPOLAR TYPE	16.343	12.482	20.794
REFUSAL OF EXAMINATION	16.331	12.136	21.242
PLEUROTHOTONUS	16.249	14.777	17.822
ELECTROCONVULSIVE THERAPY	15.238	11.218	20.319
METABOLIC SYNDROME	14.756	13.770	15.797
CATATONIA	14.501	13.951	15.068
AKATHISIA	14.464	14.154	14.780
OBESITY	13.686	13.364	14.014
OROMANDIBULAR DYSTONIA	13.677	12.079	15.473
VEIN OF GALEN ANEURYSMAL MALFORMATION	13.614	6.159	32.156
GAMBLING DISORDER	13.413	12.893	13.950
DIABETIC COMA	13.019	12.440	13.619
POLYDIPSIA PSYCHOGENIC	12.922	10.467	16.046
MEIGE'S SYNDROME	12.620	9.271	17.669
GAMBLING	12.449	11.507	13.455
WATER INTOXICATION	12.299	11.073	13.644
BLUNTED AFFECT	12.296	10.888	13.868
PARKINSONISM	12.104	11.716	12.503
NEUTROPHIL COUNT INCREASED	11.963	11.607	12.328
WAXY FLEXIBILITY	11.950	9.658	14.848
SPASMODIC DYSPHONIA	11.894	9.796	14.462
OCULOGYRIC CRISIS	11.881	11.276	12.512
CAMPTOCORMIA	11.595	9.177	14.734
NEUTROPHILIA	11.466	10.879	12.079
THEFT	11.087	9.954	12.326
SCHIZOPHRENIFORM DISORDER	10.694	9.623	11.861
PERSECUTORY DELUSION	10.592	9.886	11.337
HALLUCINATION, AUDITORY	10.562	10.290	10.839
PARKINSON'S DISEASE PSYCHOSIS	10.512	7.453	15.276
DERMATILLOMANIA	10.484	9.147	11.980
PROTRUSION TONGUE	10.471	9.234	11.842
WITHDRAWAL CATATONIA	10.399	7.445	14.836
OBSESSIVE-COMPULSIVE DISORDER	10.348	9.998	10.708
SOLILOQUY	10.288	9.148	11.541
DRUG MONITORING PROCEDURE INCORRECTLY PERFORMED	10.198	8.611	12.024
SOMATIC SYMPTOM DISORDER OF PREGNANCY	10.169	7.605	13.612
TRICHOTILLOMANIA	10.158	8.988	11.449
SALIVARY HYPERSECRETION	10.096	9.805	10.393
PSYCHIATRIC EVALUATION	10.001	7.672	12.980
TOBACCO INTERACTION	9.921	6.734	15.192

SEDATION COMPLICATION	9.897	8.862	11.028
SEXUALLY TRANSMITTED DISEASE	9.865	8.478	11.433
HYGROMA COLLI	9.849	6.214	17.408
REDUCED FACIAL EXPRESSION	9.793	8.916	10.737
NEUROPSYCHIATRIC SYMPTOMS	9.784	8.589	11.110
NEGLECT OF PERSONAL APPEARANCE	9.730	7.892	11.917
SYDENHAM'S CHOREA	9.694	6.616	14.562
ACETONAEMIA	9.670	7.746	11.988
PARKINSONIAN REST TREMOR	9.596	7.570	12.072
BLOOD PROLACTIN DECREASED	9.561	7.579	11.969
DROOLING	9.559	9.165	9.965
MUTISM	9.556	8.732	10.441
GRANDIOSITY	9.555	8.203	11.083
ANTIPSYCHOTIC DRUG LEVEL	9.546	5.320	21.770
PSYCHOTIC DISORDER	9.383	9.223	9.545
WELLENS' SYNDROME	9.382	5.060	22.897
SOPOR	9.370	9.010	9.742
INSULIN-REQUIRING TYPE 2 DIABETES MELLITUS	9.290	7.922	10.844
DELUSION	9.226	8.983	9.474
DELUSION OF GRANDEUR	9.155	7.732	10.783
SEXUALLY INAPPROPRIATE BEHAVIOUR	9.083	7.614	10.772
DELUSION OF REFERENCE	9.065	6.962	11.683
BORDERLINE PERSONALITY DISORDER	9.014	7.852	10.309
OBSESSIVE-COMPULSIVE SYMPTOM	9.011	7.101	11.327
COTARD'S SYNDROME	8.961	6.196	12.890
EXHIBITIONISM	8.912	6.325	12.428
TONGUE MOVEMENT DISTURBANCE	8.904	7.785	10.147
MANIA	8.860	8.651	9.072
SOMATIC DELUSION	8.857	7.281	10.699
MUSCLE RIGIDITY	8.855	8.582	9.136
SUSPICIOUSNESS	8.847	7.719	10.104
HYPERINSULINISM	8.836	6.833	11.303
COMA BLISTER	8.822	6.050	12.773
DELUSION OF REPLACEMENT	8.780	6.283	12.115
HYPERGLYCAEMIC HYPEROSMOLAR NONKETOTIC SYNDROME	8.750	7.804	9.786
PSEUDOPHAECHROMOCYTOMA	8.667	5.955	12.480
RETINAL COLOBOMA	8.664	6.011	12.339
DIABETIC HYPEROSMOLAR COMA	8.659	7.502	9.954
DEMENTIA WITH LEWY BODIES	8.516	7.383	9.784
PARKINSONIAN GAIT	8.515	7.480	9.660
PRIAPISM	8.441	8.061	8.835

TYPE 1 DIABETES MELLITUS	8.434	8.057	8.825
BIPOLAR DISORDER	8.427	8.155	8.705
HUNTINGTON'S DISEASE	8.415	7.115	9.897
HYPERSEXUALITY	8.385	7.690	9.129
INTERMITTENT EXPLOSIVE DISORDER	8.364	6.292	10.968
LOOSE ASSOCIATIONS	8.364	6.076	11.334
LACTATION DISORDER	8.325	7.176	9.615
RESTING TREMOR	8.304	7.015	9.774
PERSONAL RELATIONSHIP ISSUE	8.295	7.206	9.511
IMPRISONMENT	8.263	7.508	9.077
RESPIRATORY DYSKINESIA	8.195	5.800	11.375
ELECTROCARDIOGRAM J WAVE	8.145	4.858	14.221
BIPOLAR I DISORDER	8.068	7.539	8.626
EXTRAPYRAMIDAL DISORDER	8.057	7.909	8.206
EXCESSIVE MASTURBATION	8.053	6.272	10.222
RETINAL PIGMENTATION	8.036	6.874	9.348
DIABETES WITH HYPEROSMOLARITY	8.004	5.530	11.357
PYROMANIA	7.988	6.147	10.251
HYPOMANIA	7.972	7.522	8.443
GESTATIONAL DIABETES	7.948	7.512	8.403
ACTIVATION SYNDROME	7.942	6.647	9.429
IDEAS OF REFERENCE	7.854	5.644	10.729
INTENTIONAL SELF-INJURY	7.826	7.622	8.035
ANTICHOLINERGIC SYNDROME	7.825	7.099	8.609
RHESUS INCOMPATIBILITY	7.761	6.139	9.708
EMOTIONAL POVERTY	7.758	6.921	8.673
CONGENITAL THROMBOCYTOPENIA	7.722	4.882	11.967
STEREOTYPY	7.682	6.774	8.683
OVARIAN GERM CELL CANCER STAGE II	7.654	3.600	26.094
OBSTRUCTIVE DEFAECATION	7.610	4.903	11.525
PRE-EXISTING DISEASE	7.598	6.530	8.799
ECTRODACTYLY	7.563	5.234	10.681
ALCOHOLIC PANCREATITIS	7.545	5.910	9.523
SOMATIC HALLUCINATION	7.515	5.046	10.915
ECHOPRAXIA	7.511	5.245	10.520
DISINHIBITION	7.502	6.822	8.234
SOMNOLENCE NEONATAL	7.492	6.037	9.212
PSYCHOTIC BEHAVIOUR	7.461	6.618	8.387
EOSINOPENIA	7.456	4.948	10.944
DISSOCIATIVE IDENTITY DISORDER	7.431	5.806	9.401
THOUGHT BROADCASTING	7.413	4.515	11.891

POLYDIPSIA	7.371	6.967	7.793
INTRUSIVE THOUGHTS	7.368	6.043	8.913
PRESSURE OF SPEECH	7.354	6.383	8.440
DELUSIONAL PERCEPTION	7.323	6.077	8.765
TORTICOLLIS	7.311	6.801	7.851
BRADYKINESIA	7.306	6.793	7.850
SECONDARY TIC	7.273	4.191	12.496
EOSINOPHIL COUNT DECREASED	7.253	6.496	8.078
BINGE EATING	7.237	6.348	8.222
BIPOLAR II DISORDER	7.219	5.877	8.793
ACUTE PSYCHOSIS	7.166	6.612	7.756
ECHOLALIA	7.160	5.652	8.973
KETOACIDOSIS	7.126	6.833	7.429
ALCOHOL DETOXIFICATION	7.096	5.036	9.784
AMIMIA	7.096	5.036	9.784
RAPID EYE MOVEMENT SLEEP BEHAVIOUR DISORDER	7.090	5.341	9.268
TACHYPHRENIA	7.070	6.609	7.556
METABOLIC DISORDER	7.056	6.697	7.431
HOMOSEXUALITY	7.054	4.564	10.571
CYP2D6 POLYMORPHISM	7.052	4.320	11.138
IMPULSIVE BEHAVIOUR	6.941	6.518	7.385
TARDIVE DYSKINESIA	6.892	6.753	7.034
CYCLOTHYMIC DISORDER	6.882	5.185	8.995
DYSTONIA	6.878	6.714	7.046
IMPULSE-CONTROL DISORDER	6.867	6.277	7.501
DIABETIC GASTROPARESIS	6.857	5.722	8.163
LENTICULAR PIGMENTATION	6.853	4.661	9.808
BREAST DISCHARGE	6.847	6.290	7.443
TOURETTE'S DISORDER	6.837	5.988	7.780
DELUSIONAL DISORDER, UNSPECIFIED TYPE	6.826	5.936	7.818
DIABETIC GASTROPATHY	6.814	4.412	10.185
ANTIDEPRESSANT DRUG LEVEL INCREASED	6.796	5.364	8.515
ANTISOCIAL PERSONALITY DISORDER	6.762	4.953	9.062
TONGUE SPASM	6.761	5.546	8.179
MYOCARDITIS	6.748	6.454	7.053
COMPULSIONS	6.730	5.758	7.828
NEURONAL MIGRATION DISORDER	6.692	3.782	11.431
DIABETIC NEUROPATHY	6.689	6.346	7.046
CONSTRICTED AFFECT	6.679	4.496	9.644
VICTIM OF ABUSE	6.672	5.153	8.525
BODY MASS INDEX INCREASED	6.667	5.873	7.543

POOR PERSONAL HYGIENE	6.653	5.570	7.898
PORIOMANIA	6.632	5.123	8.475
HYPERKINESIA	6.588	5.960	7.268
NEGATIVISM	6.556	5.734	7.470
TYPE 2 DIABETES MELLITUS	6.543	6.403	6.685
VISUOSPATIAL DEFICIT	6.469	3.982	10.100
FLIGHT OF IDEAS	6.465	5.557	7.487
TRIMETHYLAMINURIA	6.439	3.319	12.426
PSYCHOMOTOR RETARDATION	6.418	5.899	6.972
REGRESSIVE BEHAVIOUR	6.374	5.032	7.986
OBSESSIVE THOUGHTS	6.360	5.788	6.975
ANTERIOR DISPLACED ANUS	6.358	3.991	9.748
BLOOD TRIGLYCERIDES	6.348	4.721	8.392
VASCULAR PARKINSONISM	6.327	3.812	10.057
REVERSIBLE SPLENIAL LESION SYNDROME	6.317	3.459	11.026
PROLACTIN-PRODUCING PITUITARY TUMOUR	6.294	5.091	7.712
DIABETES MELLITUS	6.269	6.181	6.358
ELECTROCARDIOGRAM QT INTERVAL ABNORMAL	6.250	5.096	7.600
OVERWEIGHT	6.245	5.866	6.644
GRANULOCYTOSIS	6.199	4.589	8.229
DEPRESSIVE DELUSION	6.195	3.734	9.832
IRIS COLOBOMA	6.179	4.322	8.621
SCHIZOTYPAL PERSONALITY DISORDER	6.166	3.625	10.003
HYPERPHAGIA	6.141	5.729	6.575
FLAT AFFECT	6.110	5.620	6.634
OBSESSIVE-COMPULSIVE PERSONALITY DISORDER	6.105	4.686	7.845
PARANOIA	6.074	5.905	6.247
SYMPATHOMIMETIC EFFECT	6.009	3.898	8.948
DECREASED EYE CONTACT	5.987	4.493	7.851
NEOLOGISM	5.982	3.420	9.936
COPROLALIA	5.973	3.817	9.009
ENURESIS	5.965	5.576	6.375
AGRANULOCYTOSIS	5.956	5.789	6.127
MANGANESE DECREASED	5.935	3.275	10.172
MULTIPLE DRUG THERAPY	5.921	4.529	7.632
AKINESIA	5.919	5.468	6.400
GRIMACING	5.905	5.136	6.763
PHARYNGEAL DYSKINESIA	5.900	3.111	10.572
SCHIZOID PERSONALITY DISORDER	5.898	3.472	9.537
TOTAL CHOLESTEROL/HDL RATIO INCREASED	5.872	4.367	7.761
HALLUCINATIONS, MIXED	5.855	5.433	6.302

TANGENTIALITY	5.854	4.446	7.595
OROPHARYNGEAL SPASM	5.839	4.731	7.143
DIET REFUSAL	5.835	5.057	6.706
HYPERAMMONAEMIC ENCEPHALOPATHY	5.830	5.184	6.538
ABULIA	5.812	4.965	6.768
FLOPPY INFANT	5.803	4.204	7.851
LOSS OF EMPLOYMENT	5.772	5.378	6.189
KLEPTOMANIA	5.769	3.842	8.395
POVERTY OF SPEECH	5.752	4.628	7.082
ELECTROCARDIOGRAM QT SHORTENED	5.714	4.489	7.190
VERBAL ABUSE	5.714	4.768	6.802
PSYCHOTIC DISORDER DUE TO A GENERAL MEDICAL CONDITION	5.684	4.092	7.731
SEXUAL ACTIVITY INCREASED	5.684	4.092	7.731
LOGORRHOEA	5.664	5.285	6.063
ILLNESS ANXIETY DISORDER	5.662	4.564	6.960
DYSTONIC TREMOR	5.655	3.333	9.129
TIC	5.636	5.326	5.961
MEAN CELL VOLUME DECREASED	5.635	4.977	6.360
PSYCHIATRIC EVALUATION ABNORMAL	5.622	3.113	9.568
ELECTROCARDIOGRAM QT INTERVAL	5.611	4.089	7.552
BOREDOM	5.604	4.379	7.085
AGITATED DEPRESSION	5.569	4.142	7.360
ELECTROCARDIOGRAM QT PROLONGED	5.568	5.433	5.706
NEONATAL BEHAVIOURAL SYNDROME	5.560	4.222	7.212
SLEEP-RELATED EATING DISORDER	5.542	4.797	6.375
DELUSIONAL DISORDER, PERSECUTORY TYPE	5.533	4.569	6.650
KETONURIA	5.530	4.754	6.404
MEAN CELL HAEMOGLOBIN DECREASED	5.528	4.877	6.246
SUICIDE ATTEMPT	5.512	5.418	5.608
PERSISTENT DEPRESSIVE DISORDER	5.502	4.697	6.412
FRONTOTEMPORAL DEMENTIA	5.499	4.361	6.859
RESTLESSNESS	5.498	5.372	5.626
INTESTINAL PSEUDO-OBSTRUCTION	5.493	4.629	6.479
PARANOID PERSONALITY DISORDER	5.470	3.913	7.483
DELUSIONAL DISORDER, EROTOMANIC TYPE	5.454	3.126	9.004
EPILEPTIC PSYCHOSIS	5.454	3.126	9.004
PERSEVERATION	5.452	4.091	7.148
IRREGULAR SLEEP WAKE RHYTHM DISORDER	5.446	4.347	6.754
TREMOR NEONATAL	5.439	4.571	6.432
OPISTHOTONUS	5.435	4.833	6.095

DISTURBANCE IN SOCIAL BEHAVIOUR	5.434	4.944	5.963
HISTRIONIC PERSONALITY DISORDER	5.433	3.859	7.476
PHYSICAL ASSAULT	5.433	4.969	5.931
PITUITARY TUMOUR BENIGN	5.431	4.889	6.019
THOUGHT BLOCKING	5.423	4.567	6.402
NEPHROGENIC DIABETES INSIPIDUS	5.420	4.734	6.182
DYSKINESIA	5.417	5.303	5.533
VERBIGERATION	5.383	3.851	7.364
RETROGRADE EJACULATION	5.344	4.491	6.319
IMPAIRED FASTING GLUCOSE	5.340	4.138	6.804
PHAGOPHOBIA	5.338	3.060	8.807
HYPOCHROMASIA	5.333	3.907	7.142
COMA SCALE ABNORMAL	5.329	4.872	5.819
PSYCHOMOTOR SKILLS IMPAIRED	5.328	4.806	5.894
MUSCLE TONE DISORDER	5.319	4.069	6.856
HOMICIDAL IDEATION	5.315	4.992	5.655
PSYCHIATRIC SYMPTOM	5.252	4.972	5.543
BULIMIA NERVOSA	5.246	4.338	6.299
BUCCOGLOSSAL SYNDROME	5.237	4.584	5.961
HEAD BANGING	5.233	4.327	6.283
BLOOD OSMOLARITY INCREASED	5.231	4.158	6.512
ALCOHOL ABUSE	5.219	4.762	5.709
BENIGN NEOPLASM OF ADRENAL GLAND	5.218	3.732	7.137
HYPEROSMOLAR STATE	5.212	4.143	6.488
DEPENDENT PERSONALITY DISORDER	5.185	3.756	7.014
HERBAL INTERACTION	5.183	3.936	6.723
AGGRESSION	5.181	5.082	5.282
CONVULSIVE THRESHOLD LOWERED	5.133	4.071	6.403
EMOTIONAL DISORDER	5.128	5.022	5.236
SUICIDE THREAT	5.128	3.777	6.836
ACTION TREMOR	5.124	3.371	7.533
ATTENTION-SEEKING BEHAVIOUR	5.118	3.729	6.888
GENDER DYSPHORIA	5.115	3.319	7.606
REPETITIVE SPEECH	5.099	4.236	6.095
MONOCYTE COUNT INCREASED	5.083	4.668	5.528
GAZE PALSY	5.078	4.511	5.699
PATIENT RESTRAINT	5.078	3.133	7.878
PARAPHILIA	5.062	3.621	6.923
SEDATION	5.056	4.970	5.142
EOSINOPHILIC PLEURAL EFFUSION	5.052	3.279	7.513
SELF ESTEEM INFLATED	5.052	3.279	7.513

GLUCOSE TOLERANCE IMPAIRED	5.024	4.714	5.351
BEZOAR	5.017	4.328	5.790
SUICIDAL BEHAVIOUR	5.003	4.640	5.388
BELLIGERENCE	5.002	4.170	5.961
PATIENT UNCOOPERATIVE	4.998	3.598	6.797
POSTURE ABNORMAL	4.994	4.597	5.417
STOMA SITE INFLAMMATION	4.993	4.112	6.016
ILLOGICAL THINKING	4.971	3.662	6.626
CATECHOLAMINES URINE INCREASED	4.969	3.310	7.227
SUBGALEAL HAEMATOMA	4.964	3.500	6.875
HYPOTHERMIA	4.954	4.738	5.178
INAPPROPRIATE AFFECT	4.954	4.431	5.524
ATHETOSIS	4.939	3.578	6.681
EOSINOPHILIC MYOCARDITIS	4.931	3.996	6.032
SEROTONIN SYNDROME	4.925	4.737	5.119
ENDOCRINE DISORDER	4.903	4.332	5.533
HYPERTHERMIA MALIGNANT	4.901	4.479	5.354
GLOBULINS DECREASED	4.882	3.679	6.377
SOCIAL ANXIETY DISORDER	4.855	4.142	5.661
MEGACOLON	4.854	4.339	5.417
ANTIDEPRESSANT DRUG LEVEL ABOVE THERAPEUTIC	4.852	3.574	6.467
SELECTIVE MUTISM	4.848	3.100	7.301
DIABETIC COMPLICATION	4.845	4.462	5.253
SLOW RESPONSE TO STIMULI	4.833	4.172	5.575
ELECTROCARDIOGRAM REPOLARISATION ABNORMALITY	4.820	4.084	5.658
POVERTY OF THOUGHT CONTENT	4.817	3.126	7.162
DIABETIC EYE DISEASE	4.806	3.785	6.033
REFUSAL OF TREATMENT BY PATIENT	4.806	4.548	5.076
SACCADIC EYE MOVEMENT	4.793	3.405	6.595
BREAST DISORDER MALE	4.789	3.151	7.040
TOE WALKING	4.789	3.151	7.040
HYPERINSULINAEMIA	4.765	3.669	6.104
SELF-INJURIOUS IDEATION	4.758	4.401	5.136
LONG QT SYNDROME	4.755	4.250	5.306
CONFABULATION	4.754	3.519	6.308
POSTURING	4.754	4.010	5.603
LEUKOCYTOSIS	4.753	4.622	4.887
DEPRESSIVE SYMPTOM	4.741	4.321	5.192
STAB WOUND	4.741	3.627	6.111
VISCERAL CONGESTION	4.738	3.599	6.146
HYPNOPOMPIC HALLUCINATION	4.730	3.024	7.122

STARING	4.708	4.297	5.150
SOCIAL AVOIDANT BEHAVIOUR	4.705	4.436	4.987
MENTAL DISABILITY	4.700	3.821	5.732
BRIEF PSYCHOTIC DISORDER WITH MARKED STRESSORS	4.699	3.166	6.768
DISSOCIATIVE DISORDER	4.674	3.818	5.676
LABOUR COMPLICATION	4.670	3.619	5.950
MICROPTHALMOS	4.670	3.619	5.950
ORTHOSTATIC HYPERTENSION	4.669	3.677	5.861
HYPOMETABOLISM	4.664	3.592	5.975
AGITATION NEONATAL	4.654	3.979	5.416
DYSSOMNIA	4.647	3.386	6.253
GLYCOSURIA	4.643	4.161	5.167
CONSCIOUSNESS FLUCTUATING	4.638	3.939	5.432
LOSS OF DREAMING	4.638	3.052	6.817
FLASHBACK	4.631	3.843	5.542
SUSPECTED SUICIDE	4.631	4.038	5.292
DELIRIUM	4.627	4.510	4.746
MYOTONIA	4.618	3.365	6.215
OPPOSITIONAL DEFIANT DISORDER	4.615	3.643	5.781
ELECTROCARDIOGRAM T WAVE ABNORMAL	4.587	4.085	5.137
MACROSOMIA	4.580	3.492	5.922
FAECAL VOMITING	4.579	3.588	5.774
LOCKED-IN SYNDROME	4.568	3.606	5.722
HYPOTONIA NEONATAL	4.566	4.068	5.111
DISORGANISED SPEECH	4.565	3.821	5.418
TROPONIN T INCREASED	4.556	3.919	5.273
DROP ATTACKS	4.548	3.736	5.493
POSTURAL TREMOR	4.544	3.153	6.383
ENCOPRESIS	4.540	3.289	6.141
BRUXISM	4.539	4.239	4.855
MENTAL DISORDER	4.536	4.425	4.649
DISSOCIATIVE AMNESIA	4.531	3.320	6.067
IMPAIRED SELF-CARE	4.518	4.073	5.001
TREATMENT NONCOMPLIANCE	4.517	4.414	4.622
SPLEEN CONGESTION	4.505	3.409	5.864
DIABETES INSIPIDUS	4.504	4.101	4.939
ANTISOCIAL BEHAVIOUR	4.499	3.905	5.162
BLOOD TRIGLYCERIDES INCREASED	4.499	4.352	4.649
FOETAL ALCOHOL SYNDROME	4.485	3.022	6.460
JUDGEMENT IMPAIRED	4.483	3.964	5.053
GASTROINTESTINAL HYPOMOTILITY	4.474	3.944	5.058

MIOSIS	4.473	4.215	4.743
HEPATITIS VIRAL	4.462	3.807	5.203
MEAN CELL HAEMOGLOBIN CONCENTRATION DECREASED	4.456	3.830	5.161
HYPERTONIA NEONATAL	4.441	3.559	5.486
EXCESSIVE EYE BLINKING	4.437	3.900	5.031
BRUGADA SYNDROME	4.432	3.742	5.219
EMBOLISM VENOUS	4.414	4.007	4.853
SUBSTANCE USE	4.410	3.688	5.239
NOREPINEPHRINE INCREASED	4.405	3.029	6.235
XANTHOMA	4.403	3.260	5.843
HYPORESPONSIVE TO STIMULI	4.374	3.616	5.251
PERIPARTUM CARDIOMYOPATHY	4.369	3.004	6.185
WHITE BLOOD CELL COUNT INCREASED	4.368	4.264	4.473
ILLUSION	4.364	3.852	4.929
TONGUE PARALYSIS	4.346	3.688	5.093
KIDNEY DUPLEX	4.313	3.042	5.973
STOMA SITE HYPERGRANULATION	4.306	3.346	5.471
DIABETIC KETOACIDOSIS	4.300	4.162	4.441
HEAT STROKE	4.294	3.763	4.882
ABNORMAL BEHAVIOUR	4.285	4.189	4.382
TRISMUS	4.285	4.023	4.560
BEHAVIOUR DISORDER	4.284	3.744	4.885
BLOOD CHOLESTEROL ABNORMAL	4.274	3.952	4.616
AUTOSCOPY	4.272	3.178	5.646
PICKWICKIAN SYNDROME	4.260	3.026	5.862
AUTONOMIC NERVOUS SYSTEM IMBALANCE	4.256	3.839	4.708
FAECALOMA	4.247	3.959	4.551
ELECTROCARDIOGRAM PR SHORTENED	4.244	3.056	5.772
FLOPPY IRIS SYNDROME	4.229	3.322	5.321
BLOOD UREA DECREASED	4.210	3.703	4.770
AGITATION	4.209	4.142	4.277
MYXOEDEMA COMA	4.204	3.112	5.579
PNEUMONIA ASPIRATION	4.203	4.067	4.343
COMPLETED SUICIDE	4.197	4.123	4.271
POST-TRAUMATIC STRESS DISORDER	4.188	3.892	4.501
HYPONATRAEMIC SYNDROME	4.184	3.049	5.631
DRUG LEVEL INCREASED	4.173	3.998	4.354
INCREASED APPETITE	4.172	4.025	4.323
FOETAL MACROSOMIA	4.161	3.033	5.600
PARKINSON'S DISEASE	4.160	3.993	4.333
ASOCIAL BEHAVIOUR	4.148	3.184	5.329

INTENTIONAL OVERDOSE	4.147	4.068	4.227
LARGE FOR DATES BABY	4.147	3.475	4.918
COMMUNICATION DISORDER	4.145	3.813	4.500
GLOSSOPTOSIS	4.139	3.016	5.569
NEURODEGENERATIVE DISORDER	4.128	3.308	5.100
NEONATAL RESPIRATORY DEPRESSION	4.125	3.206	5.242
ALCOHOL PROBLEM	4.107	3.082	5.384
HYPERPITUITARISM	4.107	3.082	5.384
SINUS TACHYCARDIA	4.107	3.937	4.283
WEIGHT INCREASED	4.102	4.059	4.146
DYSLIPIDAEMIA	4.091	3.781	4.420
HALLUCINATION, TACTILE	4.087	3.306	5.007
WOLFF-PARKINSON-WHITE SYNDROME	4.078	3.262	5.048
LYMPHOCYTE PERCENTAGE INCREASED	4.075	3.193	5.139
BLOOD CREATINE PHOSPHOKINASE INCREASED	4.064	3.968	4.162
TRANCE	4.035	3.162	5.089
HYPERREFLEXIA	4.030	3.713	4.369
BRADYPHRENIA	4.020	3.744	4.312
ALCOHOL WITHDRAWAL SYNDROME	3.991	3.387	4.677
SUICIDAL IDEATION	3.990	3.922	4.059
VIOLENCE-RELATED SYMPTOM	3.990	3.521	4.506
HYPERTHERMIA	3.986	3.733	4.252
STOMA SITE DISCHARGE	3.983	3.489	4.530
AGORAPHOBIA	3.949	3.429	4.529
LIP EROSION	3.949	3.244	4.770
ENCEPHALITIS AUTOIMMUNE	3.947	3.198	4.828
INDIFFERENCE	3.945	3.262	4.736
STOMA SITE ERYTHEMA	3.924	3.346	4.579
FOOD CRAVING	3.906	3.570	4.265
TROPONIN INCREASED	3.882	3.610	4.170
TONGUE BITING	3.878	3.450	4.347
ELECTROCARDIOGRAM T WAVE AMPLITUDE DECREASED	3.877	3.102	4.799
DEREALISATION	3.875	3.412	4.385
HALLUCINATION, VISUAL	3.870	3.717	4.029
MENTAL IMPAIRMENT	3.869	3.744	3.996
STUPOR	3.833	3.656	4.016
DISABILITY	3.820	3.633	4.015
ELECTROENCEPHALOGRAM ABNORMAL	3.818	3.588	4.060
TOBACCO ABUSE	3.814	3.080	4.681
MONOCYTE COUNT DECREASED	3.812	3.242	4.458
CHOREA	3.807	3.348	4.315

EYE MOVEMENT DISORDER	3.806	3.594	4.028
EOSINOPHIL COUNT INCREASED	3.804	3.570	4.049
SELECTIVE EATING DISORDER	3.802	3.434	4.201
BASOPHIL COUNT INCREASED	3.797	3.060	4.667
SOMATIC SYMPTOM DISORDER	3.789	3.312	4.318
HOMICIDE	3.786	3.384	4.225
HYPERNATRAEMIA	3.772	3.500	4.060
APRAXIA	3.767	3.255	4.340
GASTROINTESTINAL SURGERY	3.762	3.058	4.588
LIBIDO INCREASED	3.762	3.429	4.119
AFFECTIVE DISORDER	3.759	3.520	4.009
VASCULAR DEMENTIA	3.751	3.113	4.488
PSYCHOMOTOR HYPERACTIVITY	3.750	3.605	3.901
POISONING DELIBERATE	3.743	3.398	4.115
PAROTID GLAND ENLARGEMENT	3.728	3.229	4.286
LIPIDS INCREASED	3.727	3.290	4.208
LYMPHOCYTE COUNT INCREASED	3.723	3.373	4.101
FACIAL SPASM	3.706	3.129	4.364
INSULIN RESISTANCE	3.698	3.256	4.185
SUDDEN DEATH	3.693	3.536	3.857
CIRCADIAN RHYTHM SLEEP DISORDER	3.679	3.030	4.433
PANCREATITIS CHRONIC	3.675	3.283	4.103
ORTHOSTATIC HYPOTENSION	3.674	3.539	3.814
ALTERED STATE OF CONSCIOUSNESS	3.662	3.509	3.819
ON AND OFF PHENOMENON	3.643	3.245	4.079
DROWNING	3.638	3.092	4.258
MYOCLONUS	3.634	3.454	3.822
DYSARTHRIA	3.631	3.533	3.731
RESPIRATORY DISORDER NEONATAL	3.631	3.115	4.213
NUCHAL RIGIDITY	3.628	3.021	4.328
GENERALISED ANXIETY DISORDER	3.601	3.081	4.188
BREAST ENGORGEMENT	3.594	3.037	4.229
APATHY	3.587	3.432	3.748
PRESCRIBED OVERDOSE	3.584	3.421	3.752
SEXUAL DYSFUNCTION	3.572	3.393	3.758
ALCOHOL POISONING	3.530	3.182	3.907
HOSPITALISATION	3.509	3.450	3.569
INJURY	3.506	3.441	3.572
LEUKOPENIA	3.500	3.433	3.568
SYRINGE ISSUE	3.487	3.266	3.720
ASPIRATION	3.466	3.287	3.652

RESTLESS LEGS SYNDROME	3.454	3.308	3.604
HALLUCINATION	3.439	3.373	3.505
MAJOR DEPRESSION	3.422	3.245	3.606
BUNDLE BRANCH BLOCK RIGHT	3.402	3.153	3.666
BRAIN INJURY	3.401	3.203	3.608
NEUTROPHIL COUNT DECREASED	3.371	3.263	3.481
PANIC DISORDER	3.357	3.076	3.658
PANCREATITIS	3.334	3.261	3.409
HYPERAMMONAEMIA	3.297	3.024	3.589
ILEUS PARALYTIC	3.272	3.058	3.498
DEPRESSED LEVEL OF CONSCIOUSNESS	3.266	3.175	3.360
HOSTILITY	3.223	3.063	3.389
COMA	3.215	3.144	3.288
URINARY INCONTINENCE	3.202	3.108	3.299
PLATELET COUNT INCREASED	3.182	3.013	3.359
ECONOMIC PROBLEM	3.178	3.051	3.309
MUSCLE TWITCHING	3.103	3.000	3.208