

Cancer	Hh pathway signalling	Reference
BCC	90%	[1]
Medulloblastoma	30%	[2]
Small cell lung cancer	25%	[3]
Prostate	Involved	[4]
Glioma	Involved	[5]

Supplementary Table S2. Percentage of involvement of aberrant hedgehog (Hh) signaling pathway in different solid tumours.

1. Ng JM, Curran T (2011) The Hedgehog's tale: developing strategies for targeting cancer. *Nature reviews Cancer* 11: 493-501 DOI 10.1038/nrc3079
2. Kool M, Koster J, Bunt J, Hasselt NE, Lakeman A, van Sluis P, Troost D, Meeteren NS, Caron HN, Cloos J, Mrcic A, Ylstra B, Grajkowska W, Hartmann W, Pietsch T, Ellison D, Clifford SC, Versteeg R (2008) Integrated genomics identifies five medulloblastoma subtypes with distinct genetic profiles, pathway signatures and clinicopathological features. *PLoS One* 3: e3088 DOI 10.1371/journal.pone.0003088
3. Cohen DJ (2012) Targeting the hedgehog pathway: role in cancer and clinical implications of its inhibition *Hematol Oncol Clin North Am.* 2012 Elsevier Inc, United States, pp. 565-588, viii.
4. Abate-Shen C, Shen MM (2000) Molecular genetics of prostate cancer. *Genes & development* 14: 2410-2434
5. Gu W, Shou J, Gu S, Sun B, Che X (2014) Identifying Hedgehog Signaling Specific MicroRNAs in Glioblastomas *Int J Med Sci*, pp. 488-493.