

## Supplementary material

**Table I:** Stroke characteristics.

	All	PSOD	PSnOD	p-value
<b>N</b>	<b>45</b>	<b>27</b>	<b>18</b>	
<b>Chronic lesions in neuroimaging (%)</b>				
No chronic lesions	35.56	33.33	38.88	0.7578
Territorial cerebral infarction	8.89	11.11	5.55	0.6396
Lacunar infarction	28.89	29.62	27.78	1.000
Leucoaraiosis	46.67	51.85	38.89	0.5434
<b>Vascular territory - of ischemic strokes (%)</b>				
ACM	81.58	81.82	81.25	1.000
ACP	2.63	4.55	0.0	1.000
AChA	2.63	0.0	6.25	0.4359
Vertebrobasilar	10.52	13.64	6.25	0.6133
Indeterminate	2.63	0.0	6.25	0.4500
<b>Infarct etiology (%)</b>				
Atherothrombotic	26.32	27.27	25.00	1.000
Cardioembolic	23.68	27.27	18.75	0.7060
Lacunar	15.79	18.19	18.75	1.000
Indeterminate	34.21	27.27	37.50	0.7249
<b>Hemorrhage etiology (%)</b>				
Hypertension	100.00	100.00	100.00	1.000

PSOD - Post-stroke patients with oropharyngeal dysphagia; PSnOD, Post-stroke patients without oropharyngeal dysphagia