

Online Resource 3

The palatability of oral nutritional supplements: before, during, and after chemotherapy

Irene IJpma, Remco J. Renken, Gert J. ter Horst, Anna K. L. Reyners*

*Top Institute Food and Nutrition, Wageningen, The Netherlands; Department of Medical Oncology, University of Groningen, University Medical Center Groningen, Groningen, The Netherlands. Email: a.k.l.reyners@umcg.nl.

Table II Palatability of milk-based vanilla ONS: Estimates of fixed effects.

Parameter	Estimate	SE	df	t	P-value	95% CI	
						Lower bound	Upper bound
Intercept	4.33	0.35	21.00	12.54	< 0.001	3.61	5.05
Session 1	0	0					
Session 2	-0.66	0.34	20.03	-1.93	0.067	-1.38	0.05
Session 3	-0.90	0.37	20.16	-2.42	0.025	-1.68	-0.12
Session 4	-1.15	0.39	19.77	-2.93	0.008	-1.96	-0.33
Session 5	-0.69	0.29	20.18	-2.34	0.030	-1.30	-0.08

Table III Metallic taste of juice-based apple ONS: Estimates of fixed effects.

Parameter	Estimate	SE	df	t	P-value	95% CI	
						Lower bound	Upper bound
Intercept	2.14	0.35	21.00	6.09	<0.001	1.41	2.87
Session 1	0	0					
Session 2	0.90	0.35	19.22	2.57	0.019	0.17	1.64
Session 3	0.44	0.39	19.93	1.14	0.267	-0.37	1.25
Session 4	0.53	0.39	18.42	1.36	0.190	-0.29	1.35
Session 5	1.11	0.36	18.52	3.12	0.006	0.36	1.86

Table IV Metallic taste of juice-based orange ONS: Estimates of fixed effects.

Parameter	Estimate	SE	df	t	P-value	95% CI	
						Lower bound	Upper bound
Intercept	2.19	0.37	21.00	5.88	<0.001	1.42	2.97
Session 1	0	0					
Session 2	0.68	0.34	18.73	2.00	0.061	-0.03	1.38
Session 3	1.46	0.46	19.54	3.17	0.005	0.50	2.42
Session 4	1.10	0.61	20.43	1.80	0.086	-0.17	2.37
Session 5	1.05	0.49	20.44	2.13	0.045	0.02	2.08